AUTHOR INDEX

A

Aaronson, S. A., Barbacid, M., Viral genes involved in leukemogenesis. I. Generation of recombinants between oncogenic and nononcogenic mouse type-C viruses in tissue culture, **467**

Acosta, H. M. *see* Calderon, de Lourdes Munoz, Acosta

Acton, R. T. *see* Ades, Zwerner, Acton, Balch

Ada, G. L. *see* Leung, Ada, McKenzie

Ades, E. W., Zwerner, R. K., Acton, R. T., Balch, C. M., Isolation and partial characterization of the human homologue of Thy-1, **400**

Agnello, V., Arbetter, A., Ibanez de Kasep, G., Powell, R., Tan, E. M., Joslin, F., Evidence for a subset of rheumatoid factors that cross-react with DNA-histone and have a distinct cross-idiotype, **1514**

Alevy, Y. G., Bellone, C. J., Anti-phenyltrimethylamino immunity in mice. II. L-Tyrosine-*p*-azophenyltrimethylammonium - induced suppressor T cells selectively inhibit the expression of B-cell clones bearing a cross-reactive idiotype, **528**

Alitalo, K., Hovi, T., Vaheri, A., Fibronectin is produced by human macrophages, **602**

Allen, H. *see* Koszinowski, Allen, Gething, Waterfield, Klenk

Allen, P. *see* Niederhuber, Allen

Althage, A. *see* Zinkernagel, Althage, Waterfield, Kindred, Welsh, Callahan, Pincetl

Ammirati, P. *see* Wang, Good, Ammirati, Dymbort, Evans

Andersson, B. *see* Walia, Shaw, Fuson, Andersson, Lamon

Andersson, J. *see* Schreier, Andersson, Lernhardt, Melchers

Arbetter, A. *see* Agnello, Arbetter, Ibanez de Kasep, Powell, Tan, Joslin

Arend, W. P. *see* Godoshian Ragsdale, Arend

Argov, S. A. *see* Vanky, Argov, Einhorn, Klein

Arnheiter, H. *see* Schirrmacher, Cheingsong, Arnheiter

Askenase, P. W. *see* Ptak, Rozycka, Askenase, Gershon

Askonas, B. A. *see* Hackett, Askonas, Webster, van Wyke

Atkinson, J. P., McGinnis, K., Brown, L., Peterein, J., Shreffler, D., A murine C4 molecule with reduced hemolytic efficiency, **492**

Augustin, A. A., Coutinho, A., Specific T helper cells that activate B cells polyclonally. In vitro enrichment and cooperative function, **587**

B

Bach, F. H. *see* Hayes, Bach

—. *see* Hayes, Macphail, Bach

Baker, C. J. *see* Edwards, Nicholson-Weller, Baker, Kasper

Balch, C. M. *see* Ades, Zwerner, Acton, Balch

Barbacid, M. *see* Aaronson, Barbacid

Bard, J. *see* Shen, McDougal, Bard, Cort

Baseman, J. B., Hayes, E. C., Molecular characterization of receptor binding proteins and immunogens of virulent *Treponema pallidum*, **573**

Beachey, E. H. *see* Dale, Ofek, Beachey

Becker, C. G., Dubin, T., Glenn, F., Induction of acute cholecystitis by activation of factor XII, **81**

Bellone, C. J. *see* Alevy, Bellone

Benacerraf, B. *see* Germain, Waltenbaugh, Benacerraf

—. *see* Sy, Brown, Benacerraf, Greene

—. *see* Sy, Dietz, Germain, Benacerraf, Greene

—. *see* Weinberger, Benacerraf, Dorf

—. *see* Zubler, Benacerraf, Germain

—. *see* Zubler, Cantor, Benacerraf, Germain

Bennett, D. *see* Hurtenbach, Morgenstern, Bennett

Bennink, J. R., Doherty, P. C., T cells that encounter virus in the complete absence of a particular H-2 antigen are nonresponsive when stimulated again in the context of that H-2 antigen, **166**

Berendt, M. J., North, R. J., T-cell-mediated suppression of anti-tumor immunity. An explanation for progressive growth of an immunogenic tumor, **69**

Berman, P. W., Patrick, J., Experimental myasthenia gravis. A murine system, **204**

Bernstein, A. *see* MacDonald, Mak, Bernstein

—. *see* MacDonald, Reynolds, Van de Ven, Stephenson, Mak, Bernstein

Bevan, M. J. *see* Hunig, Bevan

Biddison, W. E. *see* Shaw, Shearer, Biddison

Biesecker, G. *see* Podack, Esser, Biesecker, Muller-Eberhard

Black, S. J. *see* Herzenberg, Black, Tokuhisa, Herzenberg

Blake, M. *see* Salit, Blake, Gotschlich

Blazar, B., Patarroyo, M., Klein, E., Klein, G., Increased sensitivity of human lymphoid lines to natural killer cells after induction of the Epstein-Barr viral cycle by superinfection or sodium butyrate, **614**

Bloom, B. R. *see* Kadish, Tansey, Yu, Doyle, Bloom

Bona, C., Mond, J. J., Paul, W. E., Synergistic genetic defect in B-lymphocyte function. I. Defective responses to B-cell stimulants and their genetic basis, **224**

—. **Mongini, P. K. A., Stein, K. E., Paul, W. E.,** Anti-immunoglobulin antibodies. I. Expression of cross-reactive idiotypes and *Ir* gene control of the response to IgG of the *b* allotype, **1334**

—. *see* Stein, Bona, Lieberman, Chien, Paul

Borel, Y., Kilham, L., Kurtz, S. E., Reinisch, C. L., Dichotomy between the induction of suppressor cells and immunologic tolerance by adult thymectomy, **743**

Boros, D. L. *see* Chensue, Boros, David

Boyd, A. W., Schrader, J. W., Mechanism of effector-cell blockade. I. Antigen-induced suppression of Ig synthesis in a hybridoma cell line, and correlation with cell-associated antigen, **1436**

Boyd, H. C. *see* Smilek, Boyd, Wilson, Zmijewski, Fitch, McKearn

Boyse, E. A. *see* Tung, Boyse, Shen

Braun, J., Rosen, F. S., Unanue, E. R., Capping and adenosine metabolism. Genetic and pharmacologic studies, **174**
Breard, J. M. *see* Reinherz, Moretta, Roper, Breard, Mingari, Cooper, Schlossman
Broder, S., Mann, D. L., Waldmann, T. A., Participation of suppressor T cells in the immunosuppressive activity of a heteroantiserum to human Ia-like antigens (p23, 30), **257**
Brown, A. R. *see* Sy, Brown, Benacerraf, Greene
Brown, L. *see* Atkinson, McGinnis, Brown, Peterein, Shreffler
Bryan, V. M. *see* Oi, Bryan, Herzenberg, Herzenberg

C

Calderon, J., de Lourdes Munoz, M., Acosta, H. M., Surface redistribution and release of antibody-induced caps in *Entamoebae*, **184**
Callahan, G. *see* Zinkernagel, Althage, Waterfield, Kindred, Welsh, Callahan, Pincetl
Cancro, M. P., Klinman, N. R., B cell repertoire diversity in athymic mice, **761**
Cantor, H. *see* Zubler, Cantor, Benacerraf, Germain
Capra, J. D. *see* Estess, Lamoyi, Nisonoff, Capra
Carpenter, C. B. *see* Kaldany, Carpenter, Shadur, George, Lundin, Suthanthiran, Strom
Carter, R. *see* Miller, Johnson, Schmidt-Ullrich, Haynes, Wallach, Carter
Cebra, J. J. *see* Halsey, Johnson, Cebra
Cerami, A. *see* Jones, Peterson, Grady, Cerami
Cerny, J. *see* Kelsoe, Isaak, Cerny
Cerottini, J.-C. *see* Taswell, MacDonald, Cerottini
Cheingsong, R. *see* Schirrmacher, Cheingsong, Arnheiter
Chensue, S. W., Boros, D. L., David, C. S., Regulation of granulomatous inflammation in murine schistosomiasis. In vitro characterization of T lymphocyte subsets involved in the production and suppression of migration inhibition factor, **1398**
Chien, C. C. *see* Stein, Bona, Lieberman, Chien, Paul
Choppin, P. W. *see* Merz, Scheid, Choppin
Claman, H. N. *see* Conlon, Moorhead, Miller, Claman
Clevinger, B., Schilling, J., Hood, L., Davie, J. M., Structural correlates of cross-reactive and individual idiotypic determinants on murine antibodies to α-(1→3) dextran, **1059**
Cloyd, M. W., Hartley, J. W., Rowe, W. P., Lymphomagenicity of recombinant mink cell focus-inducing murine leukemia viruses, **542**
Colombani, M. J. *see* Gomard, Henin, Colombani, Levy
Conlon, P. J., Moorhead, J. W., Miller, S. D., Claman, H. N., Induction of tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity with hapten-modified lymphoid cells. II. Selective tolerance in F_1 mice of T cell subsets recognizing 1-fluoro- 2,4-dinitrobenzene associated with parental major histocompatibility complex antigens, **959**
Cooley, M. A. *see* Corley, Switzer, Hudson, Cooley
Cooper, M. D. *see* Reinherz, Moretta, Roper, Breard, Mingari, Cooper, Schlossman
Corley, R. B., Switzer, K. A., Hudson, D. E., Cooley, M. A., Multiple pathways of T-T interaction in the generation of cytotoxic T lymphocytes to alloantigens, **1125**
Cort, S. P. *see* Shen, McDougal, Bard, Cort
Coutinho, A. *see* Augustin, Coutinho
Cunningham, J., de Vere-Tyndall, A., McCullagh, P., Recognition of histocompatibility determinants controls reactivity of auto-sensitized lymphocytes against neural tissues, **1299**

D

Dale, J. B., Ofek, I., Beachey, E. H., Heterogeneity of type-specific and cross-reactive antigenic determinants within a single M protein of group A streptococci, **1026**
David, C. S. *see* Chensue, Boros, David
—. *see* Ferreira, David, Nussenzweig
—. *see* Lafuse, McCormick, David
Davie, J. M. *see* Clevinger, Schilling, Hood, Davie
—. *see* Faustman, Hauptfeld, Davie, Lacy, Shreffler
—. *see* Slack, Der-Balian, Nahm, Davie
de Lourdes Munoz, M. *see* Calderon, de Lourdes Munoz, Acosta
de Vere-Tyndall, A. *see* Cunningham, de Vere-Tyndall, McCullagh
de Waal, L. P. *see* Melief, de Waal, van der Meulen, Melvold, Kohn
Der-Balian, G. P. *see* Slack, Der-Balian, Nahm, Davie
D'Eustachio, P., Pravtcheva, D., Marcu, K., Ruddle, F. Chromosomal location of the structural gene cluster encoding murine immunoglobulin heavy chains, **1545**
Dietz, M. H. *see* Sy, Dietz, Germain, Benacerraf, Greene
Dixon, F. J. *see* Theofilopoulos, Shawler, Eisenberg, Dixon
Djeu, J. Y., Huang, K.-Y., Herberman, R. B., Augmentation of mouse natural killer activity and induction of interferon by tumor cells in vivo, **781**
Doherty, P. C. *see* Bennink, Doherty
Dorf, M. E. *see* Weinberger, Benacerraf, Dorf
Doyle, A. T. *see* Kadish, Tansey, Yu, Doyle, Bloom
Dubin, T. *see* Becker, Dubin, Glenn
Dymbort, G. *see* Wang, Good, Ammirati, Dymbort, Evans

E

Edgington, T. S. *see* Levy, Edgington
Edwards, M. S., Nicholson-Weller, A., Baker, C. J., Kasper, D. L., The role of specific antibody in alternative complement pathway-mediated opsonophagocytosis of type III, group B *Streptococcus*, **1275**
Eichmann, K. *see* Krammer, Rehberger, Eichmann
Einhorn, S. A. *see* Vanky, Argov, Einhorn, Klein
Eisenberg, R. A. *see* Theofilopoulos, Shawler, Eisenberg, Dixon
Ellner, J. J. *see* Olds, Ellner, Kearse, Kazura, Mahmoud
Ernst, M. *see* Wekerle, Ketelsen, Ernst
Eshhar, Z. *see* Strassmann, Eshhar, Mozes
—. *see* Strassmann, Eshhar, Mozes
Esser, A. F. *see* Podack, Esser, Biesecker, Muller-Eberhard

Estess, P., Lamoyi, E., Nisonoff, A., Capra, J. D., Structural studies on induced antibodies with defined idiotypic specificities. IX. Framework differences in the heavy- and light-chain- variable regions of monoclonal anti-*p*-azophenylarsonate antibodies from A/J mice differing with respect to a cross-reactive idiotype, **863**

Evans, R. L. *see* Wang, Good, Ammirati, Dymbort, Evans

F

Fabre, J. W. *see* Hart, Fabre

Fauci, A. S. *see* Haliotis, Roder, Klein, Ortaldo, Fauci, Herberman

—. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,

Faustman, D., Hauptfeld, V., Davie, J. M., Lacy, P. E., Shreffler, D. C., Murine pancreatic β-cells express H-2K and H-2D but not Ia antigens, **1563**

Favata, M. F. *see* Smith, Lachman, Oppenheim, Favata

Fernandes, G. *see* Onoe, Fernandes, Good

Ferreira, A., David, C. S., Nussenzweig, V., The murine H-2.7 specificity is an antigenic determinant of C4d, a fragment of the fourth component of the complement system, **1424**

Ferrieri, P., Gray, E. D., Wannamaker, L. W., Biochemical and immunological characterization of the extracellular nucleases of group B streptococci, **56**

Finkelman, F. *see* Isakson, Uhr, Krolick, Finkelman, Vitetta

Fischetti, V. A. *see* Manjula, Fischetti

Fitch, F. W. *see* Glasebrook, Fitch

—. *see* Smilek, Boyd, Wilson, Zmijewski, Fitch, McKearn

Fleissner, E. *see* Tung, Fleissner

Frelinger, J. A. *see* Jand...ski, Li, Wettstein, Frelinger, Scott

Fridman, W. H. *see* Vazquez, Neauport-Sautes, Fridman, Senik

Fu, S. M. *see* Yu, Winchester, Fu, Gibofsky, Ko, Kunkel

Fuson, E. W. *see* Walia, Shaw, Fuson, Andersson, Lamon

G

George, K. *see* Kaldany, Carpenter, Shadur, George, Lundin, Suthanthiran, Strom

Germain, R. N., Waltenbaugh, C., Benacerraf, B., Antigen-specific T cell-mediated suppression. V. H-2-linked genetic control of distinct antigen-specific defects in the production and activity of L-glutamic acid^{50}-L-tyrosine^{50} suppressor factor, 1245

—. *see* Sy, Dietz, Germain, Benacerraf, Greene

—. *see* Zubler, Benacerraf, Germain

—. *see* Zubler, Cantor, Benacerraf, Germain

Gershon, R. K. *see* Ptak, Rozycka, Askenase, Gershon

Gething, M.-J. *see* Koszinowski, Allen, Gething, Waterfield, Klenk

Gibofsky, A. *see* Yu, Winchester, Fu, Gibofsky, Ko, Kunkel

Glasebrook, A. L., Fitch, F. W., Alloreactive cloned T cell lines. I. Interactions between cloned amplifier and cytolytic T cell lines, **876**

Glenn, F. *see* Becker, Dubin, Glenn

Gmur, R., Solter, D., Knowles, B. B., Independent regulation of H-2K and H-2D gene expression in murine teratocarcinoma somatic cell hybrids, **1349**

Godoshian Ragsdale, C., Arend, W. P., Loss of Fc receptor activity after culture of human monocytes on surface-bound immune complexes. Mediation by cyclic nucleotides, **32**

Gomard, E., Henin, Y., Colombani, M. J., Levy, J. P., Immune response genes control T killer cell response against Moloney tumor antigen cytolysis regulating reactions against the best available H-2 + viral antigen association, **1468**

Good, R. A. *see* Onoe, Fernandes, Good

—. *see* Wang, Good, Ammirati, Dymbort, Evans

Goodenow, M. M. *see* Plata, Goodenow, Lilly

Gotschlich, E. C. *see* Salit, Blake, Gotschlich

Grady, R. W. *see* Jones, Peterson, Grady, Cerami

Gray, E. D. *see* Ferrieri, Gray, Wannamaker

Greene, M. I. *see* Sy, Brown, Benacerraf, Greene

—. *see* Sy, Dietz, Germain, Benacerraf, Greene

H

Haas, M., Patch, V., Cell-surface antigens associated with dualtropic and thymotropic murine leukemia viruses inducing thymic and nonthymic lymphomas, **1321**

Hackett, C. J., Askonas, B. A., Webster, R. G., van Wyke, K., Quantitation of influenza virus antigens on infected target cells and their recognition by cross-reactive cytotoxic T cells, **1014**

Haliotis, T., Roder, J., Klein, M., Ortaldo, J., Fauci, A. S., Herberman, R. B., Chediak-Higashi gene in humans. I. Impairment of natural-killer function, **1039**

—. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,

Halsey, J. F., Johnson, B. H., Cebra, J. J., Transport of immunoglobulins from serum into colostrum, **767**

Hanson, D. F., Murphy, P. A., Windle, B. E., Failure of rabbit neutrophils to secrete endogenous pyrogen when stimulated with staphylococci, **1360**

Hart, D. N. J., Fabre, J. W., Kidney-specific alloantigen system in the rat. Characterization and role in transplantation, **651**

Hartley, J. W. *see* Cloyd, Hartley, Rowe

Hauptfeld, V. *see* Faustman, Hauptfeld, Davie, Lacy, Shreffler

Hayes, C. E., Bach, F. H., *I-N.* A newly described *H-2I* subregion between *K* and *I-A*, **481**

—. **Macphail, S., Bach, F. H.,** Generation of primary cytotoxic lymphocytes against non-major histocompatibility complex antigens by anti-Ia serum plus complement-treated lymphocytes, **1305**

Hayes, E. C. *see* Baseman, Hayes

Haynes, J. D. *see* Miller, Johnson, Schmidt-Ullrich, Haynes, Wallach, Carter

Henin, Y. *see* Gomard, Henin, Colombani, Levy

Herberman, R. B. *see* Djeu, Huang, Herberman

—. *see* Haliotis, Roder, Klein, Ortaldo, Fauci, Herberman

—. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,

Herzenberg, L. A., Black, S. J., Tokuhisa, T., Herzenberg, L. A., Memory B cells at successive stages of differentiation. Affinity maturation and the role of IgD receptors, **1071**

—. *see* Herzenberg, Black, Tokuhisa, Herzenberg

—. *see* Oi, Bryan, Herzenberg, Herzenberg

Hirai, Y., Nisonoff, A., Selective suppression of the major idiotypic component of an antihapten response by soluble T cell-derived factors with idiotypic or anti-idiotypic receptors, **1213**

Hood, L. *see* Clevinger, Schilling, Hood, Davie

Hovi, T. *see* Alitalo, Hovi, Vaheri

Huang, K.-Y. *see* Djeu, Huang, Herberman

Hudson, D. E. *see* Corley, Switzer, Hudson, Cooley

Hunig, T., Bevan, M. J., Self H-2 antigens influence the specificity of alloreactive cells, **1288**

Hurtenbach, U., Morgenstern, F., Bennett, D., Induction of tolerance in vitro by autologous murine testicular cells, **827**

I

Ibanez de Kasep, G. *see* Agnello, Arbetter, Ibanez de Kasep, Powell, Tan, Joslin

Isaak, D. *see* Kelsoe, Isaak, Cerny

Isakson, P. C., Uhr, J. W., Krolick, K. A., Finkelman, F., Vitetta, E. S., Acquisition of cell surface IgD after in vitro culture of neoplastic B cells from the murine tumor BCL_1, **749**

Ishikawa, H., Saito, K., Congenitally athymic nude (nu/nu) mice have Thy-1-bearing immunocompetent helper T cells in their peritoneal cavity, **965**

J

Jandinski, J. J., Li, J., Wettstein, P. J., Frelinger, J. A., Scott, D. W., Role of self carriers in the immune response and tolerance. V. Reversal of trinitrophenyl-modified self suppression of the B-cell response by blocking of H-2 antigens, **133**

Jett, J. R. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,

Johnson, B. H. *see* Halsey, Johnson, Cebra

Johnson, J. G. *see* Miller, Johnson, Schmidt-Ullrich, Haynes, Wallach, Carter

Johnston, R. B., Jr. *see* Pabst, Johnston

Jones, R. L., Peterson, C. M., Grady, R. W., Cerami, A., Low molecular weight iron-binding factor from mammalian tissue that potentiates bacterial growth, **418**

Joslin, F. *see* Agnello, Arbetter, Ibanez de Kasep, Powell, Tan, Joslin

K

Kadish, A. S., Tansey, F. A., Yu, G. S. M., Doyle, A. T., Bloom, B. R., Interferon as a mediator of human lymphocyte suppression, **637**

Kaldany, A., Carpenter, C. B., Shadur, C. A., George, K., Lundin, A. P., III, Suthanthiran, M., Strom, T. B., Immunological properties of subcellular rat lymphocyte preparations. Primary allogeneic stimulation in vitro by fractions containing Ia (RT1-B), but not RT1-A antigens, **910**

Kasper, D. L. *see* Edwards, Nicholson-Weller, Baker, Kasper

Katz, I. R., Lerman, S. P., Ponzio, N. M., Shreffler, D. C., Thorbecke, G. J., Growth of SJL/J-derived transplantable reticulum cell sarcoma as related to its ability to induce T-cell proliferation in the host. I. Dominant negative genetic influences of other parent haplotype in F_1 hybrids of SJL/J mice, **347**

Katz, P. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,

Kazura, J. W. *see* Olds, Ellner, Kearse, Kazura, Mahmoud

Kearse, L. A., Jr. *see* Olds, Ellner, Kearse, Kazura, Mahmoud

Kelsoe, G., Isaak, D., Cerny, J., Thymic requirement for cyclical idiotypic and reciprocal anti-idiotypic immune responses to a T-independent antigen, **289**

Ketelsen, U.-P. *see* Wekerle, Ketelsen, Ernst

Kilejian, A., Homology between a histidine-rich protein from *Plasmodium lophurae* and a protein associated with the knob-like protrusions on membranes of erythrocytes infected with *Plasmodium falciparum*, **1534**

Kilham, L. *see* Borel, Kilham, Kurtz, Reinisch

Kindred, B. *see* Zinkernagel, Althage, Waterfield, Kindred, Welsh, Callahan, Pincetl

Klein, E. *see* Blazar, Patarroyo, Klein, Klein

—. *see* Vanky, Argov, Einhorn, Klein

Klein, G. *see* Blazar, Patarroyo, Klein, Klein

Klein, M., Roder, J., Haliotis, T., Korec, S., Jett, J. R., Herberman, R. B., Katz, P., Fauci, A. S., Chediak-Higashi gene in humans. II. The selectivity of the defect in natural-killer and antibody-dependent cell-mediated cytotoxicity function, **1049**

—. *see* Haliotis, Roder, Klein, Ortaldo, Fauci, Herberman

Klenk, H.-D. *see* Koszinowski, Allen, Gething, Waterfield, Klenk

Klinman, N. R. *see* Cancro, Klinman

—. *see* Metcalf, Scher, Klinman

Knowles, B. B. *see* Gmur, Solter, Knowles

Ko, H. S. *see* Yu, Winchester, Fu, Gibofsky, Ko, Kunkel

Kohn, H. I. *see* Melief, de Waal, van der Meulen, Melvold, Kohn

Korec, S. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,

Korngold, R., Sprent, J., Negative selection of T cells causing lethal graft-versus-host disease across minor histocompatibility barriers. Role of the *H-2* complex, **1114**

—. **Sprent, J.,** Selection of cytotoxic T-cell precursors specific for minor histocompatibility determinants. I. Negative selection across H-2 barriers induced with disrupted cells but not with glutaraldehyde-treated cells: evidence for antigen processing, **314**

Koszinowski, U. H., Allen, H., Gething, M.-J., Waterfield, M. D., Klenk, H.-D., Recognition of viral glycoproteins by influenza A-specific cross-reactive cytolytic T lymphocytes, **945**

Krammer, P. H., Rehberger, R., Eichmann, K., Antigen receptors on major histocompatibility complex-restricted T lymphocytes. I. Preparation and characterization of syngeneic antisera against trinitrophenyl-activated T cell blasts and demonstration of their specificity for idiotypes on cytotoxic T lymphocytes, **1166**

Krolick, K. A. *see* Isakson, Uhr, Krolick, Finkelman, Vitetta

Kunkel, H. G. *see* Yu, Winchester, Fu, Gibofsky, Ko, Kunkel

Kurland, J. I., Meyers, P. A., Moore, M. A. S., Synthesis and release of erythroid colony- and burst-potentiating activities by purified populations of murine peritoneal macrophages, **839**

Kurtz, S. E. *see* Borel, Kilham, Kurtz, Reinisch

L

Lachman, L. B. *see* Smith, Lachman, Oppenheim, Favata

Lacy, P. E. *see* Faustman, Hauptfeld, Davie, Lacy, Shreffler

Lafuse, W. P., McCormick, J. F., David, C. S., Serological and biochemical identification of hybrid Ia antigens, **709**

Lalande, M. E., McCutcheon, M. J., Miller, R. G., Quantitative studies on the precursors of cytotoxic lymphocytes. VI. Second signal requirements of specifically activated precursors isolated 12 h after stimulation, **12**

Lamon, E. W. *see* Walia, Shaw, Fuson, Andersson, Lamon

Lamoyi, E. *see* Estess, Lamoyi, Nisonoff, Capra

Lerman, S. P. *see* Katz, Lerman, Ponzio, Shreffler, Thorbecke

Lernhardt, W. *see* Schreier, Andersson, Lernhardt, Melchers

Leung, K.-N., Ada, G. L., McKenzie, I. F. C., Specificity, Ly phenotype, and H-2 compatibility requirements of effector cells in delayed-type hypersensitivity responses to murine influenza virus infection, **815**

Levy, G. A., Edgington, T. S., Lymphocyte cooperation is required for amplification of macrophage procoagulant activity, **1232**

Levy, J. P. *see* Gomard, Henin, Colombani, Levy

Levy, R. B., Shearer, G. M., Regulation of T-cell-mediated lympholysis by the murine major histocompatibility complex. II. Control of cytotoxic responses to trinitrophenyl-*K* and -*D* self products by *H-2 K*- and *H-2 D*- region genes, **252**

Li, J. *see* Jandinski, Li, Wettstein, Frelinger, Scott

Lieberman, R. *see* Stein, Bona, Lieberman, Chien, Paul

Liew, F. Y., Russell, S. M., Delayed-type hypersensitivity to influenza virus. Induction of antigen-specific suppressor T cells for delayed-type hypersensitivity to hemagglutinin during influenza virus infection in mice, **799**

Lilly, F. *see* Plata, Goodenow, Lilly

Longo, D. L., Schwartz, R. H., Gene complementation. Neither *Ir*-GL ϕ gene need be present in the proliferative T cell to generate an immune response to poly $(Glu^{55}\ Lys^{36}\ Phe^{9})_n$, **1452**

Lundin, A. P., III *see* Kaldany, Carpenter, Shadur, George, Lundin, Suthanthiran, Strom

M

MacDonald, H. R. *see* Taswell, MacDonald, Cerottini

MacDonald, M. E., Mak, T. W., Bernstein, A., Erythroleukemia induction by replication-competent type C viruses cloned from the anemia- and polycythemia-inducing isolates of Friend leukemia virus, **1493**

—. **Reynolds, F. H., Jr., Van de Ven, W. J. M., Stephenson, J. R., Mak, T. W., Bernstein, A.,** Anemia- and polycythemia-inducing isolates of Friend spleen focus-forming virus. Biological and molecular evidence for two distinct viral genomes, **1477**

Macphail, S. *see* Hayes, Macphail, Bach

Mahmoud, A. A. F. *see* Olds, Ellner, Kearse, Kazura, Mahmoud

Mak, T. W. *see* MacDonald, Mak, Bernstein

—. *see* MacDonald, Reynolds, Van de Ven, Stephenson, Mak, Bernstein

Mandel, T. E. *see* Teale, Mandel

Manjula, B. N., Fischetti, V. A., Tropomyosin-like seven residue periodicity in three immunologically distinct streptococcal M proteins and its implications for the antiphagocytic property of the molecule, **695**

Mann, D. L. *see* Broder, Mann, Waldmann

Marcu, K. *see* D'Eustachio, Pravtcheva, Marcu, Ruddle

Masson, P. L. *see* Van Snick, Masson

McCormick, J. F. *see* Lafuse, McCormick, David

McCullagh, P. *see* Cunningham, de Vere-Tyndall, McCullagh

McCutcheon, M. J. *see* Lalande, McCutcheon, Miller

McDougal, J. S. *see* Shen, McDougal, Bard, Cort

McGinnis, K. *see* Atkinson, McGinnis, Brown, Peterein, Shreffler

McKearn, T. J. *see* Smilek, Boyd, Wilson, Zmijewski, Fitch, McKearn

McKenzie, I. F. C. *see* Leung, Ada, McKenzie

Melchers, F. *see* Schreier, Andersson, Lernhardt, Melchers

Melief, C. J. M., de Waal, L. P., van der Meulen, M. Y., Melvold, R. W., Kohn, H. I., Fine specificity of alloimmune cytotoxic T lymphocytes directed against H-2K. A study with K^b mutants, **993**

Melvold, R. W. *see* Melief, de Waal, van der Meulen, Melvold, Kohn

Merz, D. C., Scheid, A., Choppin, P. W., Importance of antibodies to the fusion glycoprotein of paramyxoviruses in the prevention of spread of infection, **275**

Metcalf, E. S., Scher, I., Klinman, N. R., Susceptibility to in vitro tolerance induction of adult B cells from mice with an X-linked B-cell defect, **486**

Meyers, P. A. *see* Kurland, Meyers, Moore

Miller, J. F. A. P. *see* Smith, Miller

Miller, L. H., Johnson, J. G., Schmidt-Ullrich, R., Haynes, J. D., Wallach, D. F. H., Carter, R., Determinants on surface proteins of *Plasmodium knowlesi* merozoites common to *Plasmodium falciparum* schizonts, **790**

Miller, R. G. *see* Lalande, McCutcheon, Miller

Miller, S. D. *see* Conlon, Moorhead, Miller, Claman
Mingari, M. C. *see* Reinherz, Moretta, Roper, Breard, Mingari, Cooper, Schlossman
Molnar-Kimber, K., Sprent, J., Absence of H-2 restriction in primary and secondary mixed-lymphocyte reactions to strong Mls determinants, **407**
Mond, J. J. *see* Bona, Mond, Paul
Mongini, P. K. A. *see* Bona, Mongini, Stein, Paul
Moore, M. A. S. *see* Kurland, Meyers, Moore
Moorhead, J. W. *see* Conlon, Moorhead, Miller, Claman
Moretta, L. *see* Reinherz, Moretta, Roper, Breard, Mingari, Cooper, Schlossman
Morgan, E. L., Weigle, W. O., Regulation of Fc fragment-induced murine spleen cell proliferation, **1**
Morgenstern, F. *see* Hurtenbach, Morgenstern, Bennett
Mozes, E. *see* Strassmann, Eshhar, Mozes
—. *see* Strassmann, Eshhar, Mozes
Muller-Eberhard, H. J. *see* Podack, Esser, Biesecker, Muller-Eberhard
Murphy, P. A. *see* Hanson, Murphy, Windle

N

Nahm, M. *see* Slack, Der-Balian, Nahm, Davie
Neauport-Sautes, C. *see* Vazquez, Neauport-Sautes, Fridman, Senik
Newman, D. *see* Novogrodsky, Suthanthiran, Saltz, Newman, Rubin, Stenzel
Nicholson-Weller, A. *see* Edwards, Nicholson-Weller, Baker, Kasper
Niederhuber, J. E., Allen, P., Role of *I*-region gene products in macrophage induction of an antibody response. II. Restriction at the level of T cell in recognition of *I-J*- subregion macrophage determinants, **1103**
Nisonoff, A. *see* Estess, Lamoyi, Nisonoff, Capra
—. *see* Hirai, Nisonoff
North, R. J. *see* Berendt, North
Novogrodsky, A., Suthanthiran, M., Saltz, B., Newman, D., Rubin, A. L., Stenzel, K. H., Generation of a lymphocyte growth factor by treatment of human cells with neuraminidase and galactose oxidase, **755**
Nussenzweig, M. C., Steinman, R. M., Contribution of dendritic cells to stimulation of the murine syngeneic mixed leukocyte reaction, **1196**
Nussenzweig, R. S. *see* Potocnjak, Yoshida, Nussenzweig, Nussenzweig
Nussenzweig, V. *see* Ferreira, David, Nussenzweig
—. *see* Potocnjak, Yoshida, Nussenzweig, Nussenzweig

O

Ofek, I. *see* Dale, Ofek, Beachey
Oi, V. T., Bryan, V. M., Herzenberg, L. A., Herzenberg, L. A., Lymphocyte membrane IgG and secreted IgG are structurally and allotypically distinct, **1260**
Olds, G. R., Ellner, J. J., Kearse, L. A., Jr., Kazura, J. W., Mahmoud, A. A. F., Role of arginase in killing of schistosomula of *Schistosoma mansoni*, **1557**
Omary, M. B., Trowbridge, I. S., Scheid, M. P., T200 cell surface glycoprotein of the mouse. Polymorphism defined by the Ly-5 system of alloantigens, **1311**
Onoe, K., Fernandes, G., Good, R. A., Humoral and cell-mediated immune responses in fully allogeneic bone marrow chimera in mice, **115**
Oppenheim, J. J. *see* Smith, Lachman, Oppenheim, Favata
Ortaldo, J. *see* Haliotis, Roder, Klein, Ortaldo, Fauci, Herberman

P

Pabst, M. J., Johnston, R. B., Jr., Increased production of superoxide anion by macrophages exposed in vitro to muramyl dipeptide or lipopolysaccharide, **101**
Parish, C. R. *see* Sia, Parish
Patarroyo, M. *see* Blazar, Patarroyo, Klein, Klein
Patch, V. *see* Haas, Patch
Patrick, J. *see* Berman, Patrick
Paul, W. E. *see* Bona, Mond, Paul
—. *see* Bona, Mongini, Stein, Paul
—. *see* Stein, Bona, Lieberman, Chien, Paul
Peterein, J. *see* Atkinson, McGinnis, Brown, Peterein, Shreffler
Peterson, C. M. *see* Jones, Peterson, Grady, Cerami
Pincetl, P. *see* Zinkernagel, Althage, Waterfield, Kindred, Welsh, Callahan, Pincetl
Plata, F., Goodenow, M. M., Lilly, F., Studies of cloned Friend erythroleukemia tumor cells. Modulation of the tumor-specific cytolytic T lymphocyte response by infectious Friend virus production in vitro, **726**
Podack, E. R., Esser, A. F., Biesecker, G., Muller-Eberhard, H. J., Membrane attack complex of complement. A structural analysis of its assembly, **301**
Polisson, R. P. *see* Shearer, Polisson
Ponzio, N. M. *see* Katz, Lerman, Ponzio, Shreffler, Thorbecke
Potocnjak, P., Yoshida, N., Nussenzweig, R. S., Nussenzweig, V., Monovalent fragments (Fab) of monoclonal antibodies to a sporozoite surface antigen (Pb44) protect mice against malarial infection, **1504**
Powell, R. *see* Agnello, Arbetter, Ibanez de Kasep, Powell, Tan, Joslin
Pravtcheva, D. *see* D'Eustachio, Pravtcheva, Marcu, Ruddle
Ptak, W., Rozycka, D., Askenase, P. W., Gershon, R. K., Role of antigen-presenting cells in the development and persistence of contact hypersensitivity, **362**

R

Rehberger, R. *see* Krammer, Rehberger, Eichmann
Reinherz, E. L., Moretta, L., Roper, M., Breard, J. M., Mingari, M. C., Cooper, M. D., Schlossman, S. F., Human T lymphocyte subpopulations defined by Fc receptors and monoclonal antibodies. A comparison, **969**
Reinisch, C. L. *see* Borel, Kilham, Kurtz, Reinisch
Remington, J. S. *see* Wilson, Tsai, Remington
Reynolds, F. H., Jr. *see* MacDonald, Reynolds, Van de Ven, Stephenson, Mak, Bernstein
Roder, J. *see* Haliotis, Roder, Klein, Ortaldo, Fauci, Herberman

Roder, J. (cont'd)
—. *see* Klein, Roder, Haliotis, Korec, Jett, Herberman, Katz, Fauci,
Roper, M. *see* Reinherz, Moretta, Roper, Breard, Mingari, Cooper, Schlossman
Rosen, F. S. *see* Braun, Rosen, Unanue
Rowe, W. P. *see* Cloyd, Hartley, Rowe
Rozycka, D. *see* Ptak, Rozycka, Askenase, Gershon
Rubin, A. L. *see* Novogrodsky, Suthanthiran, Saltz, Newman, Rubin, Stenzel
Ruddle, F. H. *see* D'Eustachio, Pravtcheva, Marcu, Ruddle
Russell, S. M. *see* Liew, Russell

S

Saito, K. *see* Ishikawa, Saito
Salit, I. E., Blake, M., Gotschlich, E. C., Intra-strain heterogeneity of gonococcal pili is related to opacity colony variance, **716**
Saltz, B. *see* Novogrodsky, Suthanthiran, Saltz, Newman, Rubin, Stenzel
Scheid, A. *see* Merz, Scheid, Choppin
Scheid, M. P. *see* Omary, Trowbridge, Scheid
Scher, I. *see* Metcalf, Scher, Klinman
Schilling, J. *see* Clevinger, Schilling, Hood, Davie
Schirrmacher, V., Cheingsong, R., Arnheiter, H., Hepatocyte-tumor cell interaction in vitro. I. Conditions for rosette formation and inhibition by anti-H-2 antibody, **984**
Schiossman, S. F. *see* Reinherz, Moretta, Roper, Breard, Mingari, Cooper, Schlossman
Schmidt-Ullrich, R. *see* Miller, Johnson, Schmidt-Ullrich, Haynes, Wallach, Carter
Schrader, J. W. *see* Boyd, Schrader
Schreier, M. H., Andersson, J., Lernhardt, W., Melchers, F., Antigen-specific T-helper cells stimulate H-2-compatible and H-2-incompatible B-cell blasts polyclonally, **194**
Schwartz, R. H. *see* Longo, Schwartz
Scott, D. W. *see* Jandinski, Li, Wettstein, Frelinger, Scott
Senik, A. *see* Vazquez, Neauport-Sautes, Fridman, Senik
Shackelford, D. A., Strominger, J. L., Demonstration of structural polymorphism among HLA-DR light chains by two-dimensional gel electrophoresis, **144**
Shadur, C. A. *see* Kaldany, Carpenter, Shadur, George, Lundin, Suthanthiran, Strom
Shaw, D. R. *see* Walia, Shaw, Fuson, Andersson, Lamon
Shaw, S., Shearer, G. M., Biddison, W. E., Human cytotoxic T-cell responses to type A and type B influenza viruses can be restricted by different HLA antigens. Implications for HLA polymorphism and genetic regulation, **235**
Shawler, D. L. *see* Theofilopoulos, Shawler, Eisenberg, Dixon
Shearer, G. M., Polisson, R. P., Mutual recognition of parental and F_1 lymphocytes. Selective abrogation of cytotoxic potential of F_1 lymphocytes by parental lymphocytes, **20**
—. *see* Levy, Shearer
—. *see* Shaw, Shearer, Biddison
Shen, F. W., McDougal, J. S., Bard, J., Cort, S. P., Developmental and communicative interrelations of Ly123 and Ly1 cell sets, **566**
—. *see* Tung, Boyse, Shen
Sherman, L. A., Dissection of the B10.D2 anti-H-2K^k cytolytic T lymphocyte receptor repertoire, **1386**
Shreffler, D. *see* Atkinson, McGinnis, Brown, Peterein, Shreffler
Shreffler, D. C. *see* Faustman, Hauptfeld, Davie, Lacy, Shreffler
—. *see* Katz, Lerman, Ponzio, Shreffler, Thorbecke
Sia, D. Y., Parish, C. R., Anti-self receptors. I. Direct detection of *H-2L* region-restricted receptors on murine thymocytes, 553
Slack, J., Der-Balian, G. P., Nahm, M., Davie, J. M., Subclass restriction of murine antibodies. II. The IgG plaque-forming cell response to thymus-independent type 1 and type 2 antigens in normal mice and mice expressing an X-linked immunodeficiency, **853**
Smilek, D. E., Boyd, H. C., Wilson, D. B., Zmijewski, C. M., Fitch, F. W., McKearn, T. J., Monoclonal rat anti-major histocompatibility complex antibodies display specificity for rat, mouse, and human target cells, **1139**
Smith, F. I., Miller, J. F. A. P., Suppression of T cells specific for the nonthymic parental H-2 haplotype in thymus-grafted chimeras, **246**
Smith, K. A., Lachman, L. B., Oppenheim, J. J., Favata, M. F., The functional relationship of the interleukins, **1551**
Solter, D. *see* Gmur, Solter, Knowles
Sprent, J. *see* Korngold, Sprent
—. *see* Korngold, Sprent
—. *see* Molnar-Kimber, Sprent
Stein, K. E., Bona, C., Lieberman, R., Chien, C. C., Paul, W. E., Regulation of the anti-inulin antibody response by a nonallotype-linked gene, **1088**
—. *see* Bona, Mongini, Stein, Paul
Steinman, R. M. *see* Nussenzweig, Steinman
Stenzel, K. H. *see* Novogrodsky, Suthanthiran, Saltz, Newman, Rubin, Stenzel
Stephenson, J. R. *see* MacDonald, Reynolds, Van de Ven, Stephenson, Mak, Bernstein
Strassmann, G., Eshhar, Z., Mozes, E., Genetic regulation of delayed-type hypersensitivity responses to poly(LTyr,LGlu)-poly(DLAla)-poly(LLys) I. Expression of the genetic defect at two phases of the immune process, **265**
—. **Eshhar, Z., Mozes, E.,** Genetic regulation of delayed-type hypersensitivity responses to poly(L Tyr, L Glu)-poly(DL Ala)--poly(L Lys). II. Evidence for a T-T-cell collaboration in delayed-type hypersensitivity responses and for a T-cell defect at the efferent phase in nonresponder H-2k mice, **628**
Strom, T. B. *see* Kaldany, Carpenter, Shadur, George, Lundin, Suthanthiran, Strom
Strominger, J. L. *see* Shackelford, Strominger
Suthanthiran, M. *see* Kaldany, Carpenter, Shadur, George, Lundin, Suthanthiran, Strom
—. *see* Novogrodsky, Suthanthiran, Saltz, Newman, Rubin, Stenzel
Switzer, K. A. *see* Corley, Switzer, Hudson, Cooley

Sy, M.-S., Brown, A. R., Benacerraf, B., Greene, M. I., Antigen- and receptor-driven regulatory mechanisms. III. Induction of delayed-type hypersensitivity to azobenzenearsonate with anti-cross- reactive idiotypic antibodies, **896**

—. **Dietz, M. H., Germain, R. N., Benacerraf, B., Greene, M. I.,** Antigen and receptor-driven regulatory mechanisms. IV. Idiotype-bearing I-J suppressor T cell factors induce second-order suppressor T cells which express anti-idiotypic receptors, **1183**

T

Tan, E. M. *see* Agnello, Arbetter, Ibanez de Kasep, Powell, Tan, Joslin

Taniguchi, M., Tokuhisa, T., Cellular consequences in the suppression of antibody response by the antigen-specific T-cell factor, **517**

Tansey, F. A. *see* Kadish, Tansey, Yu, Doyle, Bloom

Taswell, C., MacDonald, H. R., Cerottini, J.-C., Clonal analysis of cytolytic T lymphocyte specificity. I. Phenotypically distinct sets of clones as the cellular basis of cross-reactivity to alloantigens, **1372**

Teale, J. M., Mandel, T. E., Ontogenetic development of B-lymphocyte function and tolerance susceptibility in vivo and in an in vitro fetal organ culture system, **429**

Theofilopoulos, A. N., Shawler, D. L., Eisenberg, R. A., Dixon, F. J., Splenic immunoglobulin-secreting cells and their regulation in autoimmune mice, **446**

Thorbecke, G. J. *see* Katz, Lerman, Ponzio, Shreffler, Thorbecke

Tokuhisa, T. *see* Herzenberg, Black, Tokuhisa, Herzenberg

—. *see* Taniguchi, Tokuhisa

Trowbridge, I. S. *see* Omary, Trowbridge, Scheid

Tsai, V. *see* Wilson, Tsai, Remington

Tung, J.-S., Boyse, E. A., Shen, F.-W., Influence of *Fv-1* alleles on cellular expression of gp70, **980**

—. **Fleissner, E.,** Amplified *env* and *gag* products on AKR cells. Origin from different murine leukemia virus genomes, **975**

U

Uhr, J. W. *see* Isakson, Uhr, Krolick, Finkelman, Vitetta

Unanue, E. R. *see* Braun, Rosen, Unanue

V

Vaheri, A. *see* Alitalo, Hovi, Vaheri

Van de Ven, W. J. M. *see* MacDonald, Reynolds, Van de Ven, Stephenson, Mak, Bernstein

van der Meulen, M. Y. *see* Melief, de Waal, van der Meulen, Melvold, Kohn

Van Snick, J. L., Masson, P. L., Incidence and specificities of IgA and IgM anti-IgG autoantibodies in various mouse strains and colonies, **45**

van Wyke, K. *see* Hackett, Askonas, Webster, van Wyke

Vanky, F. T., Argov, S. A., Einhorn, S. A., Klein, E., Role of alloantigens in natural killing. Allogeneic but not autologous tumor biopsy cells are sensitive for interferon-induced cytotoxicity of human blood lymphocytes, **1151**

Vazquez, A., Neauport-Sautes, C., Fridman, W. H., Senik, A., Separate cytotoxic T lymphocyte subsets recognize the different H-2 specificities, **773**

Vitetta, E. S. *see* Isakson, Uhr, Krolick, Finkelman, Vitetta

W

Waldmann, T. A. *see* Broder, Mann, Waldmann

Walia, A. S., Shaw, D. R., Fuson, E. W., Andersson, B., Lamon, E. W., Different divalent cation requirements for binding IgM complexes to lymphocytes and macrophages, **1528**

Wallach, D. F. H. *see* Miller, Johnson, Schmidt-Ullrich, Haynes, Wallach, Carter

Waltenbaugh, C. *see* Germain, Waltenbaugh, Benacerraf

Wang, C. Y., Good, R. A., Ammirati, P., Dymbort, G., Evans, R. L., Identification of a p69,71 complex expressed on human T cells sharing determinants with B-type chronic lymphatic leukemic cells, **1539**

Wannamaker, L. W. *see* Ferrieri, Gray, Wannamaker

Waterfield, E. *see* Zinkernagel, Althage, Waterfield, Kindred, Welsh, Callahan, Pincetl

Waterfield, M. D. *see* Koszinowski, Allen, Gething, Waterfield, Klenk

Webster, R. G. *see* Hackett, Askonas, Webster, van Wyke

Weigle, W. O. *see* Morgan, Weigle

Weinberger, J. Z., Benacerraf, B., Dorf, M. E., Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. III. Interaction of effector suppressor T cells is restricted by H-2 and Igh-V genes, **1413**

Wekerle, H., Ketelsen, U.-P., Ernst, M., Thymic nurse cells. Lymphoepithelial cell complexes in murine thymuses: morphological and serological characterization, **925**

Welsh, R. M. *see* Zinkernagel, Althage, Waterfield, Kindred, Welsh, Callahan, Pincetl

Wettstein, P. J. *see* Jandinski, Li, Wettstein, Frelinger, Scott

Whaley, K., Biosynthesis of the complement components and the regulatory proteins of the alternative complement pathway by human peripheral blood monocytes, **501**

Wilson, C. B., Tsai, V., Remington, J. S., Failure to trigger the oxidative metabolic burst by normal macrophages. Possible mechanism for survival of intracellular pathogens, **328**

Wilson, D. B. *see* Smilek, Boyd, Wilson, Zmijewski, Fitch, McKearn

Winchester, R. J. *see* Yu, Winchester, Fu, Gibofsky, Ko, Kunkel

Windle, B. E. *see* Hanson, Murphy, Windle

Y

Yoshida, N. *see* Potocnjak, Yoshida, Nussenzweig, Nussenzweig

Yu, D. T. Y., Winchester, R. J., Fu, S. M., Gibofsky, A., Ko, H. S., Kunkel, H. G., Peripheral blood Ia-positive T cells. Increases in certain diseases and after immunization, **91**

Yu, G. S. M. *see* Kadish, Tansey, Yu, Doyle, Bloom

Z

Zinkernagel, R. M., Althage, A., Waterfield, E., Kindred, B., Welsh, R. M., Callahan, G., Pincetl, P., Restriction specificities, alloreactivity, and allotolerance expressed by T cells from nude mice reconstituted with H-2-compatible or -incompatible thymus grafts, **376**

Zmijewski, C. M. *see* Smilek, Boyd, Wilson, Zmijewski, Fitch, McKearn

Zubler, R. H., Benacerraf, B., Germain, R. N., Feedback suppression of the immune response in vitro. II. IgVH-restricted antibody-dependent suppression, **681**

—. **Cantor, H., Benacerraf, B., Germain, R. N.,** Feedback suppression of the immune response in vitro. I. Activity of antigen-stimulated B cells, **667**

Zwerner, R. K. *see* Ades, Zwerner, Acton, Balch

SUBJECT INDEX

A

Acetylcholine
Receptors, cholinergic
Anti-antibodies, 204

Adenocarcinoma
Killer cells
Interferon, 1151

Adenosine cyclic-3',5' monophosphate
Monocytes
Receptors, Fc, 32

Adenosine deaminase
B Lymphocytes
Immunoglobulins, surface, 174
Metabolism, inborn errors
Immunologic capping, 174

Adenosine, 3-deaza-
B Lymphocytes
Immunologic capping, 174

Adenosine triphosphate
Monocytes
Receptors, Fc, 32

Alloantigens
see Isoantigens

Amino acid sequence
p-Azophenylarsonate
Antibody diversity, 863
Streptococci group A
Bacterial proteins, 695

Anemia
Virus, Friend murine leukemia
Mouse, newborn, 1493
Virus, Friend spleen focus-forming
Replication-defective variants, 1477

Anti-antibodies
Acetylcholine
Receptors, cholinergic, 204
p-Azobenzenearsonate
Hypersensitivity, delayed, 896
IgG
Genes, immune response, 1334
Immunoglobulin idiotypes, 1334
B Lymphocytes
Genes, immune response, 681
Suppressor cells, 667, 681
T Lymphocytes
Lymphocyte cooperation, 667, 681
Suppressor cells, 681
Myeloma proteins
T Lymphocytes, 289

Antibodies
Dextran
Immunoglobulin idiotypes, 1059
Major histocompatibility complex
Interspecies cross reactions, rat/mouse/human 1139
Phagocytosis
Granulomatous disease, chronic, 328
Toxoplasma gondii, 328
Plasmodium berghei
Immunoglobulins, Fab, 1504
Virus, paramyxo
Hemagglutination, 275
Neuraminidase, 275

Antibody affinity
T Lymphocytes
IgD, 1071

Antibody-dependent cell-mediated cytotoxicity
Chediak-Higashi syndrome
Leukocytes, 1049
Radiation chimera
Histocompatibility antigens, 115

Antibody diversity
p-Azophenylarsonate
Amino acid sequence, 863
Immunoglobulins, heavy chain, 863
Immunoglobulins, light chain, 863
Mouse, A/J, 863

Antibody formation
Genes, immune response
IgG, 1334
B Lymphocytes
Cell cycle, 194
Erythrocytes, 194
Haptens, 133
Lipopolysaccharides, 587
Lymphocyte cooperation, 194, 587
Trinitrobenzenes, 194
T Lymphocytes
Guanosine, 743
IgG, 587
IgM, 587
Myeloma proteins
T Lymphocytes, 289
Plasmacytoma
Hybrid cells, mouse, 1436
Radiation chimera
Plaque assay, 115
Thymectomy
Guanosine, 743

Antibody specificity
Genes, immune response
Histocompatibility antigens, 481

Antibody specificity (cont'd)
Inulin
Genes, immune response, 1088
IgG, 1088
Leukemia, lymphocytic
Antigens, surface, 1539
B Lymphocytes
Virus, influenza, 761
T Lymphocytes
Antigens, surface, 1539
Haptens, 1166
Isoantigens, 1311
Major histocompatibility complex
Hybrid cells, 1139
Streptococci group B
Complement pathway, alternative, 1275

Antigen-antibody complex
IgM
Lymphocytes, 1528
Macrophages, 1528
Monocytes
Receptors, Fc, 32
Rosette formation, 32

Antigenic determinants
Histocompatibility antigens
Complement 4, 1424
Mouse, hybrid, 709
B Lymphocytes
IgG, 1260
T Lymphocytes
Histocompatibility antigens, 1386
Immunity, cellular, 773
Virus, influenza type A, 945
Plasmodium knowlesi
Plasmodium falciparum, 790
Streptococci group A
Antigens, surface, 1026
Thymus gland
Lymphoepithelial cell complexes, 925
Treponema pallidum
Treponema pertenue, 573
Virus, Rauscher murine leukemia
Virus, recombinant, 467

Antigens, bacterial
Streptococci group B
Sialic acid, 1275

Antigens, neoplasm
Virus, Moloney murine sarcoma
Killer cells, 1468

Antigens, surface
Leukemia, lymphocytic
Antibody specificity, 1539
B Lymphocytes, 1539
T Lymphocytes
Antibody specificity, 1539
Hybrid cells, mouse, 1539
B Lymphocytes, 1539
Lymphoma
Virus, murine leukemia, 1321
Plasmodium berghei
Immunity, passive, 1504
Streptococci group A
Antigenic determinants, 1026
Immune serums, 1026
Streptococci group B
Complement pathway, alternative, 1275
Phagocytosis, 1275

Antigens, viral
Erythroleukemia
Virus, Friend murine leukemia, 726
Histocompatibility antigens
Immunogenetics, 235
Sarcoma, mast cell, 1014
Virus, influenza type A
Cell membrane, 1014
T Lymphocytes, 1014
Virus, murine leukemia
Killer cells, 1468

Antinuclear factors
DNA, single stranded
B Lymphocytes, 446

Arginase
Schistosoma mansoni
Macrophages, 1557

Arthritis, rheumatoid
T Lymphocytes
Histocompatibility antigens, 91
Rheumatoid factor
Antigen-antibody reactions, 1514

Autoantibodies
IgG
Strain differences, mouse, 45
Immunoglobulin allotypes
IgA, 45
IgM, 45

Autoantigens
Histocompatibility antigens
Immunity, cellular, 20
Testis
Lymphocyte transformation, 827

Autoimmune diseases
IgG
Mouse, NZB, 45
Lipopolysaccharides
Lymphocyte cooperation, 446
B Lymphocytes
IgM, 446
Mouse, 446

***p*-Azobenzenearsonate**
Hypersensitivity, delayed
Anti-antibodies, 896
Cyclophosphamide, 896
T Lymphocytes
Suppressor cells, 1183

***p*-Azophenylarsonate**
Antibody diversity
Amino acid sequence, 863

p-Azophenylarsonate (cont'd)
Immunoglobulins, heavy chain, 863
Immunoglobulins, light chain, 863
Mouse, A/J, 863
Suppressor cells
Idiotypic determinants, 1213

B

B cells, pancreatic
see β Cells

Bacteria
Iron transfer factor
Growth potentiation, 418
Iron uptake, 418

Bacterial infections
T Lymphocytes
Histocompatibility antigens, 91

Bacterial proteins
Streptococci group A
Amino acid sequence, 695
Phagocytosis, 695
Tropomyosin, 695

Benzene, 2,4-dinitro-1-fluoro-
Immune tolerance
Hypersensitivity, delayed, 959
Radiation chimera
Immune tolerance, 115

Binding proteins
see Carrier proteins

Binding sites, antibody
IgM
Cations, divalent, 1528

Blood coagulation
Lymphocytes
Lipopolysaccharides, 1232

Bone marrow
Radiation chimera
Immune tolerance, 115

Butyric acid, 2-amino-4-mercapto-
B Lymphocytes
Immunologic capping, 174

Butyric acid, sodium salt
Virus, Epstein-Barr
Killer cells, 614

C

Carrier proteins
Dextran
Genes, immune response, 1059

Cations, divalent
IgM
Binding sites, antibody, 1528

Cell adhesion
Lymphoma
Neuraminidase, 984

Cell differentiation
B Lymphocytes
IgD, 749
IgG, 429
IgM, 429
Lymphocyte cooperation, 1071
Organ culture, spleen/liver fetal mouse, 429
T Lymphocytes
Fluorescence flow analysis, 12
Histocompatibility antigens, 314, 1288
Lymphocyte cooperation, 566
Lymphocyte culture test, mixed, 12
Suppressor cells, 566
Macrophages
Fibronectin, 602
Hematopoietic stem cells, 839

Cell division
T Lymphocytes
Genes, immune response, 1452

Cell fusion
Virus, paramyxo
Glycoproteins, 275
Infectivity, 275

Cell membrane
Entamoeba histolytica
Immunologic capping, 184
Entamoeba invadens
Immunologic capping, 184

Cell movement
Macrophages
Superoxide, 101

Cell proliferation
T Lymphocytes
Dendritic cells, 1196

Chediak-Higashi syndrome
Interferon
Killer cells, 1039
Leukocytes
Antibody-dependent cell-mediated cytotoxicity 1049
Killer cells, 1039, 1049
Receptors, Fc, 1039, 1049

Chelating agents
Bacteria
Growth potentiation, 418
Iron uptake, 418

Cholanthrene, 3-methyl-
Fibrosarcoma
Transplantation immunology, 69

Cholecystitis
Ellagic acid
Factor XII, 81
Endotoxins
Escherichia coli, 81
Factor XII, 81
Rutin

Cholecystitis (cont'd)
Factor XII, 81

Coformycin
B Lymphocytes
Immunologic capping, 174

Colony forming units
see Hematopoietic stem cells

Colony-stimulating factor
Macrophages
Erythropoiesis, 839

Colostrum
Immunoglobulins, J chain
IgA, 767
Serum, lactating mouse, 767

Complement
Membrane attack complex
Assembly analysis, 301
Cb5-9 dimers, 301
Ultrastructural study, 301
Monocytes
Immunoperoxidase localization, 501
Protein synthesis, human, 501

Complement 4
Histocompatibility antigens
Antigenic determinants, 1424
Hemolysis, 492
Immunoglobulins, gamma chain, 1424
Polymorphism, 1424
Immunogenetics
Ss and Slp proteins, 492

Complement pathway, alternative
Monocytes
Protein synthesis, human, 501
Streptococci group B
Antibody specificity, 1275
Antigens, surface, 1275
Neuraminidase, 1275
Phagocytosis, 1275

Concanavalin A
Interferon
Lymphocyte transformation, 637
Suppressor cells, 637

Connective tissue diseases
Rheumatoid factor
Antigen-antibody reactions, 1514

Contact hypersensitivity
see Hypersensitivity, delayed

Contractile proteins
Entamoeba histolytica
Immunologic capping, 184

Corrections, 263

Corynebacterium parvum
Schistosoma mansoni
Immune response, mouse, 1557

Cyclophosphamide
p-Azobenzenearsonate
Hypersensitivity, delayed, 896

D

Delayed-type hypersensitivity
see Hypersensitivity, delayed

Dendritic cells
T Lymphocytes
Cell proliferation, 1196
Histocompatibility antigens, 1196
Leukocyte culture test, mixed, 1196

2-Deoxy-D-glucose
see Glucose, 2-deoxy-

Deoxyribonuclease
Streptococci
Isolation and characterization, 56

Desferrioxamine
Iron transfer factor
Iron uptake, 418

Dextran
Carrier proteins
Genes, immune response, 1059
Immunoglobulin idiotypes
Antibodies, 1059
Genes, immune response, 1059

2,4-Dinitro-1-fluorobenzene
see Benzene, 2,4-dinitro-1-fluoro-

DNA
Rheumatoid factor
IgG, 1514

DNA, single stranded
B Lymphocytes
Antinuclear factors, 446

E

Ellagic acid
Cholecystitis
Factor XII, 81
Pulmonary edema
Neutrophils, 81

Endotoxins
Cholecystitis
Escherichia coli, 81
Factor XII, 81

Entamoeba histolytica
Cell membrane
Immunologic capping, 184
IgE
Binding sites, antibody, 184
Immunologic capping
Contractile proteins, 184

Entamoeba invadens
Cell membrane
Immunologic capping, 184
IgE
Binding sites, antibody, 184

Erythrocytes
Feedback regulation
Immune response, mouse, 667

Erythrocytes (cont'd)
Histocompatibility complex
Rosette formation, 553
Lymphocyte cooperation
Immune response, mouse, 667
B Lymphocytes
Antibody formation, 194
Lymphocyte cooperation, 681
T Lymphocytes
Histocompatibility complex, 553
Suppressor cells
Genes, immune response, 667

Erythroleukemia
Virus, Friend murine leukemia
Antigens, viral, 726
T Lymphocytes, 726
Mouse, newborn, 1493

Erythropoiesis
Colony-stimulating factor
Peritoneal macrophages, mouse, 839
Macrophages
Bone marrow, mouse, 839
Colony-stimulating factor, 839
Virus, Friend spleen focus-forming
Mouse, 1477

Escherichia coli
Cholecystitis
Endotoxins, 81

F

Factor XII
Cholecystitis
Ellagic acid, 81
Endotoxins, 81
Rutin, 81

Fibronectin
Macrophages
Cell differentiation, 602
Immunoprecipitation technique, 602

Fibrosarcoma
Cholanthrene, 3-methyl-
Transplantation immunology, 69
Immunity, passive
Neoplasm regression, 69
T Lymphocytes
Immunosuppression, 69

1-Fluoro-2,4-dinitrobenzene
see Benzene, 1-fluoro-2,4-dinitro-

G

Galactose oxidase
T Lymphocytes
Lymphocyte transformation, 755

Genes, immune response
Dextran
Carrier proteins, 1059
Immunoglobulin idiotypes, 1059
Histocompatibility antigens
Antibody specificity, 481
Hybrid cells, mouse, 1349
Leukocyte culture test, mixed, 481
Lymphocyte cooperation, 133
T Lymphocytes, 265
Hypersensitivity, delayed
Haptens, 1413
4-Hydroxy-3-nitrophenyl acetyl, 1413
Suppressor cells, 1413
IgG
Anti-antibodies, 1334
Immunoglobulins, heavy chain
Chromosomes, mouse, 1545
Nucleic-acid hybridization, 1545
Inulin
Antibody specificity, 1088
B Lymphocytes
Anti-antibodies, 681
Histocompatibility antigens, 709
T Lymphocytes
Cell division, 1452
Peptides, 1452
Radiation chimera, 1452
Suppressor cells, 1245
Macrophages
Lymphocyte cooperation, 1103
Sarcoma, reticulum cell
Growth potentiation, 347
Suppressor cells
Erythrocytes, 667
Virus, murine leukemia
T Lymphocytes, 1468

Genes, structural
Immunoglobulins, heavy chain
Chromosomes, mouse, 1545
Nucleic-acid hybridization, 1545

Genes, viral
Virus, murine leukemia
Carcinogenic potential, 467
Glycoproteins, 975
Polypeptides, 975
Thymocytes, mouse, AKR, 980

Glucose, 2-deoxy-
Monocytes
Receptors, Fc, 32

L-Glutamic acid-L-tyrosine
T Lymphocytes
Suppressor cells, 1245

Glutaraldehyde
T Lymphocytes
Histocompatibility antigens, 314

Glycoproteins
T Lymphocytes
Cell membrane, 1311
Polymorphism, mouse, 1311
Virus, influenza type A, 945
Virus, murine leukemia
Genes, viral, 975
Thymocytes, mouse, AKR, 975, 980
Virus, paramyxo

Glycoproteins (cont'd)
Cell fusion, 275
Infectivity, 275
Viral vaccines, 275

Graft *vs* host reaction
T Lymphocytes
Histocompatibility antigens, 1114
Radiation, ionizing, 1114

Graft rejection
Kidney
Histocompatibility complex, 651
Isoantigens, 651

Granuloma
Schistosoma mansoni
Hypersensitivity, delayed, 1398

Granulomatous disease, chronic
Phagocytosis
Antibodies, 328

Guanosine
T Lymphocytes
Antibody formation, 743
Thymectomy
Antibody formation, 743
Immune tolerance, mouse, 743

H

Hageman factor
see Factor XII

Haptens
Histocompatibility antigens
Immunity, cellular, 20
4-Hydroxy-3-nitrophenyl acetyl
T Lymphocytes, 1413
Hypersensitivity, delayed
Immunologic techniques, 362
Suppressor cells, 362
IgM
Effector-cell blockade, 1436
Immune tolerance
T Lymphocytes, 959
Immunoglobulin variable region
Hybrid cells, A/J mouse, 863
Idiotypic specificity, 863
B Lymphocytes
Antibody formation, 133
Immune tolerance, 486
Immunologic deficiency syndromes, 224
Precursor cells, 429
T Lymphocytes
Antibody specificity, 1166
Radiation chimera, 1288
Suppressor cells, 133

HeLa cells
Interferon
Suppressor cells, 637
Virus, measles
T Lymphocytes, 637

Helper cells
see also Lymphocyte cooperation
Isoantigens
Cytolytic clone cells, 876
T Lymphocytes
Hemagglutinins, viral, 799
Peritoneal cavity, mouse, nude, 695

Hemagglutination, viral
B Lymphocytes
Nude mouse, 761
T Lymphocytes
Helper cells, 799
Suppressor cells, 799
Virus, influenza
Hypersensitivity, delayed, 799
Virus, paramyxo
Antibodies, 275

Hematopoietic stem cells
T Lymphocytes
Antibody specificity, 1311
Glycoproteins, 1311
Macrophages
Cell differentiation, 839

Hemocyanin
Hypersensitivity, delayed
Thymus-grafted chimera, 246
T Lymphocytes
Suppressor cells, 517

Hemolysis
Complement 4
Histocompatibility antigens, 492

Histidine
Plasmodium falciparum
Proteins, 1534

Histocompatibility antigens
Antigenic determinants
Mouse, hybrid, 709
Antigens, viral
Immunogenetics, 235
Arthritis, rheumatoid
T Lymphocytes, 91
Bacterial infections
T Lymphocytes, 91
Complement 4
Antigenic determinants, 1424
Hemolysis, 492
Immunoglobulins, gamma chain, 1424
Polymorphism, 1424
Genes, immune response
Antibody specificity, 481
Leukocyte culture test, mixed, 481
Lymphocyte cooperation, 133
Graft *vs* host reaction
T Lymphocytes, 1114
Immune tolerance
T Lymphocytes, 959
Immunoglobulins, light chain
Structural polymorphism, 144
Islands of Langerhans
β Cells, mouse, 1563
Isoantibodies

Histocompatibility antigens (cont'd)
Immunoglobulins, surface, 257
K Locus mutants
Lymphocyte culture test, mixed, 993
Killer cells
Lymphocyte culture test, mixed, 993
Lupus erythematosus, systemic
T Lymphocytes, 91
B Lymphocytes
Genes, immune response, 709
Immunoglobulins, light chain, 144
Lymphocyte cooperation, 133
Suppressor cells, 133
T Lymphocytes
Antibody specificity, 91
Antigenic determinants, 1386
Cell differentiation, 314, 1288
Cytolytic clone cells, 876
Cytotoxicity, 1288, 1305
Dendritic cells, 1196
Genes, immune response, 265
Glutaraldehyde, 314
Hypersensitivity, delayed, 246, 265, 628 1413
Immune response, mouse, 815
Immune serums, 1305
Immunity, cellular, 252, 314, 376
Immunosuppression, 20
K Locus mutants, 993
Killer cells, 773, 1151
Lymphocyte cooperation, 12, 133, 194, 587 1125
Lymphocyte culture test, mixed, 407, 993
Mls determinants, 407
Neurons, 1299
Radiation chimera, 1288
Receptors, immunologic, 1386
Suppressor cells, 1183, 1245
Target cell recognition, 773
Thymus graft reconstitution, 376
Thymus-grafted chimera, 246
Virus, vaccinia, 166
Neoplasm metastasis
Cell adhesion, 984
Neuraminidase
Immunoglobulins, light chain, 144
Peptides
Hypersensitivity, delayed, 265
Radiation chimera
Antibody-dependent cell cytotoxicity, 115
Lymphocyte transformation, 115
Radiation, ionizing
Thymus graft reconstitution, 376
Sarcoma, reticulum cell
Transplantation immunology, 347
Suppressor cells
Idiotypic determinants, 1213
Teratoid tumor
Hybrid cells, mouse, 1349
Thymoma
Hybrid cells, mouse, 1349
Thymus gland
Lymphocytes, 910

Histocompatibility antigens (cont'd)
Trinitrobenzenes
Immunity, cellular, 252
Tunicamycin
Immunoglobulins, light chain, 144
Virus, influenza
Hypersensitivity, delayed, 815
Virus, influenza type A
Immunogenetics, 235
T Lymphocytes, 235
Virus, influenza type B
Immunogenetics, 235
T Lymphocytes, 235
Virus, murine leukemia
T Lymphocytes, 1468

Histocompatibility complex
Antibodies
Interspecies cross reactions, rat/mouse/human 1139
Antibody specificity
Hybrid cells, 1139
Erythrocytes
Rosette formation, 553
Kidney
Graft rejection, 651
Lymphocyte cooperation
Cytotoxicity, 1125
T Lymphocytes
Erythrocytes, 553
Immune response, mouse, 517
Lymphocyte cooperation, 517
Receptors, immunologic, 553, 1166
Rosette formation, 553

Histones
Rheumatoid factor
IgG, 1514

Homocysteine
see Butyric acid, 2-amino-4-mercapto-

Hybrid cells
Haptens
Immunoglobulin variable region, 863
Major histocompatibility complex
Antibody specificity, 1139

4-Hydroxy-3-nitrophenyl acetyl
T Lymphocytes
Immune response, mouse, 1413

Hypernephroma
see Adenocarcinoma

Hypersensitivity, delayed
p-Azobenzenearsonate
Anti-antibodies, 896
Cyclophosphamide, 896
Granuloma
Schistosoma mansoni, 1398
Haptens
Immunologic techniques, 362
Suppressor cells, 362
Hemocyanin
Thymus-grafted chimera, 246

Hypersensitivity, delayed (cont'd)
Histocompatibility antigens
T Lymphocytes, 265
Peptides, 265
4-Hydroxy-3-nitrophenyl acetyl
Suppressor cells, 1413
Immune tolerance
Benzene, 1-fluoro-2,4-dinitro-, 959
Isoantigens
Langerhans cells, 362
T Lymphocytes
Histocompatibility antigens, 246, 628, 1413
Lymphocyte cooperation, 628
Peptides, 628
Suppressor cells, 1413
Radiation, ionizing
Lymphocyte cooperation, 628
Suppressor cells
Receptors, immunologic, 1183
Virus, influenza
Hemagglutinins, viral, 799
Histocompatibility antigens, 815
T lymphocytes, 815
Suppressor cells, 799

I

Idiotypic specificity
Haptens
Immunoglobulin variable region, 863

IgA
Autoantibodies
Immunoglobulin allotypes, 45
Colostrum
Immunoglobulins, J chain, 767

IgD
B Lymphocytes
Cell differentiation, 749
Immunologic memory, 1071
Receptors, immunologic, 1071
T Lymphocytes
Antibody affinity, 1071
Immunologic memory, 1071

IgE
Entamoeba histolytica
Binding sites, antibody, 184
Entamoeba invadens
Binding sites, antibody, 184

IgG
Anti-antibodies
Genes, immune response, 1334
Immunoglobulin idiotypes, 1334
Autoantibodies
Strain differences, mouse, 45
Autoimmune diseases
Mouse, NZB, 45
Immunologic deficiency syndromes
Immune response, mouse, 853
Inulin
Antibody specificity, 1088
B Lymphocytes

IgG (cont'd)
Antigenic determinants, 1260
Cell differentiation, 429
Cell membrane/secretion, 1260
T Lymphocytes
Antibody formation, 587
Receptors, Fc, 969
Rheumatoid factor
Antigen-antibody reactions, 1514
DNA, 1514
Histones, 1514

IgM
Antigen-antibody complex
Lymphocytes, 1528
Macrophages, 1528
Autoantibodies
Immunoglobulin allotypes, 45
Autoimmune diseases
B Lymphocytes, 446
Cations, divalent
Binding sites, antibody, 1528
Haptens
Effector-cell blockade, 1436
B Lymphocytes
Cell differentiation, 429
Lipopolysaccharides, 194
T Lymphocytes
Antibody formation, 587
Lymphocyte cooperation, 194
Receptors, Fc, 969
Plasmacytoma
Effector-cell blockade, 1436

Immune complex
see Antigen-antibody complex

Immune serums
T Lymphocytes
Histocompatibility antigens, 1305
Immunoglobulin idiotypes, 1166
Plasmodium knowlesi
Plasmodium falciparum, 790
Streptococci
Pregnancy, 56
Streptococci group A
Antigens, surface, 1026

Immune tolerance
Benzene, 2,4-dinitro-1-fluoro-
Radiation chimera, 115
Haptens
B Lymphocytes, 486
Hypersensitivity, delayed
Benzene, 2,4-dinitro-1-fluoro-, 959
T Lymphocytes
Haptens, 959
Histocompatibility antigens, 959
Virus, vaccinia, 166
Testis
T Lymphocytes, 827

Immunity, active
Corynebacterium parvum
Schistosoma mansoni, 1557

Immunity, cellular
T Lymphocytes
Antigenic determinants, 773
Histocompatibility antigens, 252, 314, 376
Trinitrobenzenes
Histocompatibility antigens, 252

Immunity, passive
Fibrosarcoma
Neoplasm regression, 69
Plasmodium berghei
Antigens, surface, 1504

Immunogenetics
Antigens, viral
Histocompatibility antigens, 235
Virus, influenza type A
Histocompatibility antigens, 235
Virus, influenza type B
Histocompatibility antigens, 235

Immunoglobulin allotypes
Autoantibodies
IgA, 45
IgM, 45

Immunoglobulin idiotypes
Dextran
Antibodies, 1059
Genes, immune response, 1059
IgG
Anti-antibodies, 1334
T Lymphocytes
Immune serums, 1166

Immunoglobulin variable region
Haptens
Hybrid cells, A/J mouse, 863
Idiotypic specificity, 863

Immunoglobulins, Fab
Plasmodium berghei
Antibodies, 1504

Immunoglobulins, Fc
B Lymphocytes
Mitosis, 1
Peptide hydrolases
Lymphocyte mitogenic factor, 1

Immunoglobulins, gamma chain
Histocompatibility antigens
Complement 4, 1424

Immunoglobulins, heavy chain
Anti-antibodies
Hypersensitivity, delayed, 896
p-Azophenylarsonate
Antibody diversity, 863
Genes, structural
Chromosomes, mouse, 1545
Nucleic-acid hybridization, 1545
T Lymphocytes
Suppressor cells, 1183

Immunoglobulins, J chain
Colostrum
IgA, 767
Serum, lactating mouse, 767

Immunoglobulins, light chain
p-Azophenylarsonate
Antibody diversity, 863
Histocompatibility antigens
Neuraminidase, 144
Structural polymorphism, 144
Tunicamycin, 144
B Lymphocytes
Histocompatibility antigens, 144

Immunoglobulins, surface
3-Deazaadenosine
Immunologic capping, 174
Histocompatibility antigens
Isoantibodies, 257
Leukemia
B Lymphocytes, 749
B Lymphocytes
Adenosine deaminase, 174
Isoantibodies, 257
Mitogens, 257
T Lymphocytes
Radiation tolerance, 257
Suppressor cells, 257

Immunologic capping
Adenosine deaminase
Metabolism, inborn errors, 174
Entamoeba histolytica
Cell membrane, 184
Contractile proteins, 184
Entamoeba invadens
Cell membrane, 184
B Lymphocytes
Coformycin, 174

Immunologic deficiency syndromes
IgG
Immune response, mouse, 853
Killer cells
Antibody-dependent cell-mediated cytotoxicity 1049
Leukocytes
Antibody-dependent cell-mediated cytotoxicity 1049
Lipopolysaccharides
Genetics, mouse, 224
B Lymphocytes
Haptens, 224
Immune response, mouse, 853
Lipopolysaccharides, 224
Mitogens, 224
Thymus-independent antigens, 853
X Chromosome, 224, 486

Immunologic memory
B Lymphocytes
IgD, 1071
T Lymphocytes
IgD, 1071

Immunologic techniques
Hypersensitivity, delayed
Haptens, 362

Immunosuppression
Fibrosarcoma
T Lymphocytes, 69
T Lymphocytes
Histocompatibility antigens, 20
Mouse, hybrid, 20
Suppressor cells
Immune tolerance, mouse, 743
Thymectomy, 743

Infectivity
Virus, Epstein-Barr
Killer cells, 614

Interferon
Chediak-Higashi syndrome
Killer cells, 1039
Concanavalin A
Lymphocyte transformation, 637
Suppressor cells, 637
HeLa cells
Suppressor cells, 637
Lymphocytes
Killer cells, 1151
Lymphoma
Killer cells, 781
Nude/normal mouse, *in vitro*, 781
Melanoma
Suppressor cells, 637
Purified protein derivative
Suppressor cells, 637
Tuberculin
Suppressor cells, 637
Virus, measles
T Lymphocytes, 637
Virus, Newcastle disease
T Lymphocytes, 637

Interleukins
see Lymphokines

Inulin
Antibody specificity
Genes, immune response, 1088
IgG, 1088

Ionophore A23187
B Lymphocytes
Immunologic capping, 174

Iron transfer factor
Assay, blood / tissue rat, 418
Bacteria
Growth potentiation, 418
Iron uptake, 418
Isolation, horse liver, 418
Salmonella infections
Growth potentiation, 418

Islands of Langerhans
Histocompatibility antigens
β Cells, mouse, 1563
Isoantigens
β Cells, mouse, 1563

Isoantibodies
Histocompatibility antigens
Immunoglobulins, surface, 257
B Lymphocytes
Immunoglobulins, surface, 257

Isoantigens
see also Histocompatibility antigens
Hypersensitivity, delayed
Epidermal cells, 362
Islands of Langerhans
β Cells, mouse, 1563
Kidney
Graft rejection, 651
Transplantation, rat, 651
B Lymphocytes
Mouse, hybrid, 709
T Lymphocytes
Antibody specificity, 1311
Cross-reactivity, clone cells, 1372
Isolation and characterization, MOLT-3 cells 400
Leukocyte culture test, mixed, 876, 1372
Lymphocyte cooperation, 1125

K

Kidney
Graft rejection
Histocompatibility complex, 651
Isoantigens, 651

Kidney tubules, proximal
Basement membrane
Isoantigens, 651

Killer cells
Chediak-Higashi syndrome
Interferon, 1039
Leukocytes, 1039, 1049
Haptens
Radiation chimera, 1288
Histocompatibility antigens
Lymphocyte culture test, mixed, 993
Lymphocytes
Histocompatibility antigens, 1151
Interferon, 1151
Virus, Epstein-Barr, 614
T Lymphocytes
Histocompatibility antigens, 773
Lymphoma
Interferon, 781
Sarcoma, mast cell
Virus, influenza type A, 1014
Virus, Epstein-Barr
Infectivity, 614
Sodium butyrate, 614
Virus, Moloney murine sarcoma
Antigens, neoplasm, 1468
Virus, murine leukemia
Antigens, viral, 1468

L

Leukemia
B Lymphocytes
Immunoglobulins, surface, 749
Virus, mink cell focus-inducing
Host range, mouse, 542
Virus, murine leukemia
Host range, mouse, 542

Leukemia, lymphocytic
Antigens, surface
Antibody specificity, 1539
B Lymphocytes, 1539

Leukocytes
Chediak-Higashi syndrome
Antibody-dependent cell-mediated cytotoxicity 1049
Killer cells, 1039, 1049
Receptors, Fc, 1039, 1049

Leydig cells
Suppressor cells
Lymphocyte transformation, 827

Lipopolysaccharides
Autoimmune diseases
Lymphocyte cooperation, 446
Lymphocytes
Blood coagulation, 1232
B Lymphocytes
Antibody formation, 587
IgM, 194
Immunologic deficiency syndromes, 224
Macrophages
Superoxide, 101
Radiation chimera
Lymphocyte transformation, 115

Liposarcoma
Killer cells
Interferon, 1151

Lupus erythematosus, systemic
T Lymphocytes
Histocompatibility antigens, 91

Lymphocyte cooperation
Autoimmune diseases
Lipopolysaccharides, 446
Erythrocytes
Immune response, mouse, 667
Histocompatibility antigens
Genes, immune response, 133
Immunologic technics, 910
B Lymphocytes
Antibody formation, 194, 587
Cell differentiation, 1071
Erythrocytes, 681
Histocompatibility antigens, 133
T Lymphocytes
Anti-antibodies, 667, 681
Cell differentiation, 566
Concanavalin A, 12
Histocompatibility antigens, 12, 133, 194 587, 1125

Lymphocyte cooperation (cont'd)
Histocompatibility complex, 517
Hypersensitivity, delayed, 628
IgM, 194
Isoantigens, 1125
Peritoneal cavity, mouse, nude, 695
Radiation, ionizing, 695
Macrophages
Genes, immune response, 1103
Procoagulant activity, 1232
Receptors, immunologic, 1103
Radiation, ionizing
Hypersensitivity, delayed, 628

Lymphocyte mitogenic factor
Immunoglobulins, Fc
Peptide hydrolases, 1
B Lymphocytes
Macrophages, 1

Lymphocyte transformation
Interferon
Concanavalin A, 637
T Lymphocytes
Galactose oxidase, 755
Mitogenic/growth factor, 755
Neuraminidase, 755
Radiation chimera
Histocompatibility antigens, 115
Testis
Autoantigens, 827

T Lymphocytes
Histocompatibility antigens
Immunity, cellular, 252
IgM
Antigen-antibody complex, 1528
Killer cells
Histocompatibility antigens, 1151
Interferon, 1151
Lipopolysaccharides
Blood coagulation, 1232
Neurons
Auto-sensitization, 1299
Cytotoxicity, 1299
Histocompatibility antigens, 1299
Thymus gland
Histocompatibility antigens, 910
Subcellular fractions, 910
Trinitrobenzenes
Immunity, cellular, 252
Virus, Epstein-Barr
Killer cells, 614

B Lymphocytes
Anti-antibodies
Genes, immune response, 681
Suppressor cells, 667, 681
Antibody formation
Cell cycle, 194
Lipopolysaccharides, 587
Lymphocyte cooperation, 194, 587
Autoimmune diseases
IgM, 446
Mouse, 446
Cell differentiation

B Lymphocytes (cont'd)
IgG, 429
IgM, 429
Lymphocyte cooperation, 1071
Organ culture, spleen/liver fetal mouse, 429
Coformycin
Immunologic capping, 174
DNA, single stranded
Antinuclear factors, 446
Erythrocytes
Lymphocyte cooperation, 681
Haptens
Antibody formation, 133
Immune tolerance, 486
Hemagglutination, viral
Nude mouse, 761
Histocompatibility antigens
Genes, immune response, 709
Immunoglobulins, light chain, 144
Immunoprecipitation, 144
Lymphocyte cooperation, 133
Suppressor cells, 133
Idiotypic determinants
Immune response, 528
IgD
Cell differentiation, 749
Immunologic memory, 1071
Receptors, immunologic, 1071
IgG
Antigenic determinants, 1260
Cell membrane/secretion, 1260
Immunoglobulins, Fc
Mitosis, 1
Immunoglobulins, surface
Adenosine deaminase, 174
Immunologic deficiency syndromes
Haptens, 224
Immune response, mouse, 853
Lipopolysaccharides, 224
Mitogens, 224
Thymus-independent antigens, 853
X Chromosome, 224, 486
Isoantibodies
Immunoglobulins, surface, 257
Isoantigens
Mouse, hybrid, 709
Leukemia
Immunoglobulins, surface, 749
Leukemia, lymphocytic
Antigens, surface, 1539
Lipopolysaccharides
IgM, 194
T Lymphocytes
Antigens, surface, 1539
Lymphoma
Virus, murine leukemia, 1321
Macrophages
Lymphocyte mitogenic factor, 1
Mitogens
Immunoglobulins, surface, 257
Precursor cells
Haptens, 429
Virus, influenza
Antibody specificity, 761

B Lymphocytes (cont'd)
Nude mouse, 761

T Lymphocytes
Anti-antibodies
Lymphocyte cooperation, 667, 681
Suppressor cells, 681
Antibodies, monoclonal
Subset characterization, 969
Antibody formation
IgG, 587
IgM, 587
Antigenic determinants
Immunity, cellular, 773
Antigens, surface
Antibody specificity, 1539
Hybrid cells, mouse, 1539
B Lymphocytes, 1539
Antigens, viral
Genes, immune response, 1468
Antilymphocyte serum
Radiation chimera, 115
Arthritis, rheumatoid
Histocompatibility antigens, 91
Bacterial infections
Histocompatibility antigens, 91
Cell differentiation
Fluorescence flow analysis, 12
Lymphocyte cooperation, 566
Lymphocyte culture test, mixed, 12
Suppressor cells, 566
Dendritic cells
Cell proliferation, 1196
Histocompatibility antigens, 1196
Leukocyte culture test, mixed, 1196
Erythroleukemia
Virus, Friend murine leukemia, 726
Fibrosarcoma
Immunosuppression, 69
Genes, immune response
Cell division, 1452
Peptides, 1452
Glycoproteins
Cell membrane, 1311
Polymorphism, mouse, 1311
Graft *vs* host reaction
Histocompatibility antigens, 1114
Radiation, ionizing, 1114
Guanosine
Antibody formation, 743
Haptens
Antibody specificity, 1166
Radiation chimera, 1288
Suppressor cells, 133
HeLa cells
Virus, measles, 637
Helper cells
Peritoneal cavity, mouse, nude, 695
Hemagglutinins, viral
Helper cells, 799
Suppressor cells, 799
Hemocyanin
Suppressor cells, 517
Histocompatibility antigens
Antibody specificity, 91

T Lymphocytes (cont'd)
Antigenic determinants, 1386
Cell differentiation, 314, 1288
Cytolytic clone cells, 876
Cytotoxicity, 1288, 1305
Genes, immune response, 265
Glutaraldehyde, 314
Hypersensitivity, delayed, 246, 265
Immune response, mouse, 815
Immune serums, 1305
Immunity, cellular, 314, 376
K Locus mutants, 993
Killer cells, 773
Lymphocyte cooperation, 133, 194, 587
Lymphocyte culture test, mixed, 407, 993
Mls determinants, 407
Radiation chimera, 1288
Receptors, immunologic, 1386
Target cell recognition, 773
Thymus graft reconstitution, 376
Thymus-grafted chimera, 246
Histocompatibility complex
Erythrocytes, 553
Immune response, mouse, 517
Lymphocyte cooperation, 517
Receptors, immunologic, 553, 1166
Rosette formation, 553
4-Hydroxy-3-nitrophenyl acetyl
Immune response, mouse, 1413
Hypersensitivity, delayed
Histocompatibility antigens, 628, 1413
Immunity, passive, 896
Lymphocyte cooperation, 628
Peptides, 628
Suppressor cells, 1413
Idiotypic determinants
Immune response, 528
IgD
Antibody affinity, 1071
Immunologic memory, 1071
IgM
Lymphocyte cooperation, 194
Immune serums
Immunoglobulin idiotypes, 1166
Immune tolerance
Haptens, 959
Histocompatibility antigens, 959
Immunoglobulins, Fab
Immune response, mouse, 896
Immunoglobulins, surface
Suppressor cells, 257
Immunosuppression
Histocompatibility antigens, 20
Mouse, hybrid, 20
Isoantigens
Antibody specificity, 1311
Cross-reactivity, clone cells, 1372
Glycoproteins, 400
Immunologic capping, 174
Leukocyte culture test, mixed, 876, 1372
Lupus erythematosus, systemic
Histocompatibility antigens, 91
Lymphocyte cooperation
Concanavalin A, 12

T Lymphocytes (cont'd)
Histocompatibility antigens, 12, 1125
Isoantigens, 1125
Peritoneal cavity, mouse, nude, 695
Radiation, ionizing, 695
Lymphocyte transformation
Galactose oxidase, 755
Mitogenic/growth factor, 755
Neuraminidase, 755
Lymphokines
Amplifier cells, 876
Lymphoma
Virus, murine leukemia, 1321
Macrophages
Lymphocyte cooperation, 1103
Lymphokines, 1551
Mitogenic factor, 1551
Melanoma
Virus, measles, 637
Mitogenic/growth factor
Immunologic memory, human cells, 755
Lymphocyte culture test, mixed, 755
Myeloma proteins
Anti-antibodies, 289
Antibody formation, 289
Nurse cells
Morphologic/serologic characteristics, 925
Phenotype
Cortisone resistance, 566
Precursor cells
Cytotoxicity, 314
Radiation sensitivity
Transplantation immunology, 20
Radiation tolerance
Immunoglobulins, surface, 257
Receptors, Fc
IgG, 969
IgM, 969
Sarcoma, reticulum cell
Transplantation immunology, 347
Schistosomiasis
Lymphokines, 1398
Migration inhibitory factor, 1398
Suppressive factor
Isolation and characterization, 1213
Suppressor cells
p-Azobenzenearsonate, 1183
Genes, immune response, 1245
L-Glutamic acid-L-tyrosine, 1245
Histocompatibility antigens, 1183, 1245
Idiotypic determinants, 1213
Immunoglobulins, heavy chain, 1183
Receptors, immunologic, 1213
Testis
Immune tolerance, 827
Thymectomy
Suppressor cells, 743
L-Tyrosine-*p*-azophenyltrimethylammonium
Suppressor cells, 528
Virus, Friend murine leukemia
Leukocyte culture test, mixed, 726
Virus, influenza
Hypersensitivity, delayed, 815
Immune response, mouse, 799

T Lymphocytes (cont'd)
Virus, influenza type A
Antigenic determinants, 945
Antigens, viral, 1014
Glycoproteins, 945
Histocompatibility antigens, 235
Virus, influenza type B
Histocompatibility antigens, 235
Virus, measles
Interferon, 637
Virus, murine leukemia
Genes, immune response, 1468
Histocompatibility antigens, 1468
Virus, Newcastle disease
Interferon, 637
Virus, vaccinia
Histocompatibility antigens, 166
Immune tolerance, 166

Lymphokines
T Lymphocytes
Amplifier cells, 876
Macrophages, 1551
Schistosomiasis
T Lymphocytes, 1398

Lymphoma
Cell adhesion
Neuraminidase, 984
Interferon
Killer cells, 781
Nude/normal mouse, *in vitro*, 781
B Lymphocytes
Immunoglobulins, heavy chain, 1260
T Lymphocytes
Antibody specificity, 1311
Glycoproteins, 1311
Leukocyte culture test, mixed, 1372
Neoplasm metastasis
Hepatocytes, binding, 984
Virus, mink cell focus-inducing
Host range, mouse, 542
Virus, murine leukemia
Antigens, surface, 1321
Host range, mouse, 542
B Lymphocytes, 1321
T Lymphocytes, 1321

M

Macrophages
Erythropoiesis
Bone marrow, mouse, 839
Colony-stimulating factor, 839
Fibronectin
Cell differentiation, 602
Immunoprecipitation technique, 602
Hematopoietic stem cells
Cell differentiation, 839
IgM
Antigen-antibody complex, 1528

Macrophages (cont'd)
Lipopolysaccharides
Superoxide, 101
Lymphocyte cooperation
Genes, immune response, 1103
Procoagulant activity, 1232
Receptors, immunologic, 1103
Lymphocyte mitogenic factor
Isolation and characterization, 1
B Lymphocytes
Lymphocyte mitogenic factor, 1
T Lymphocytes
Lymphokines, 1551
Mitogenic factor, 1551
Muramyl dipeptide
Superoxide, 101
Oxygen metabolites
Antimicrobial activity, 328
Schistosoma mansoni
Arginase, 1557
Cytotoxicity, 1557
Staphylococcus epidermidis
Pyrogens, 1360
Superoxide
Cell movement, 101

Mastocytoma
see Sarcoma, mast cell

Melanoma
Interferon
Suppressor cells, 637
Virus, measles
T Lymphocytes, 637

Membrane attack complex
Complement
Assembly analysis, 301
Cb5-9 dimers, 301
Ultrastructural study, 301

Menstruation
Neisseria gonorrhoeae
Host-parasite relationship, 716

Mesenchymoma
Killer cells
Interferon, 1151

Metabolism, inborn errors
Adenosine deaminase
Immunologic capping, 174

Methyl isobutyl xanthine
see Xanthine, 3-isobutyl-1-methyl-

Migration inhibitory factor
Schistosomiasis
T Lymphocytes, 1398

Mitogenic factor
T Lymphocytes
Macrophages, 1551

Mitogens
B Lymphocytes
Immunoglobulins, surface, 257
Immunologic deficiency syndromes, 224

Mitosis
B Lymphocytes
Immunoglobulins, Fc, 1

Monocytes
Complement
Immunoperoxidase localization, 501
Protein synthesis, human, 501
Immune complex
Receptors, Fc, 32
Rosette formation, 32
Nucleotides, cyclic
Receptors, Fc, 32
Oxygen metabolites
Antimicrobial activity, 328

Muramyl dipeptide
Macrophages
Superoxide, 101

Myasthenia gravis
Receptors, cholinergic
Animal model, mouse, 204

Myeloma
see Plasmacytoma

Myeloma proteins
IgG
Anti-antibodies, 1334
T Lymphocytes
Anti-antibodies, 289
Antibody formation, 289
Streptococcus pneumoniae
Idiotypic responses, nude/normal mouse, 289

N

Natural killer cells
see Killer cells

Neisseria gonorrhoeae
Menstruation
Host-parasite relationship, 716
Pili, bacterial
Isolation and characterization, 716
Opacity variants, 716

Neoplasm metastasis
Lymphoma
Hepatocytes, binding, 984

Nerve cells
see Neurons

Neuraminidase
Histocompatibility antigens
Immunoglobulins, light chain, 144
T Lymphocytes
Lymphocyte transformation, 755
Lymphoma
Cell adhesion, 984
Streptococci group B
Complement pathway, alternative, 1275
Virus, paramyxo
Antibodies, 275

Neurons
Lymphocytes

Neurons (cont'd)
Auto-sensitization, 1299
Cytotoxicity, 1299
Histocompatibility antigens, 1299

Neutrophils
Ellagic acid, 81
Pulmonary edema
Rutin, 81
Staphylococcus epidermidis
Pyrogens, 1360

Nucleases
Streptococci
Immunogenetics, mouse, 56

Nucleotides, cyclic
Monocytes
Receptors, Fc, 32

O

Osteosarcoma
see Sarcoma, osteogenic

P

Peptide hydrolases
Immunoglobulins, Fc
Lymphocyte mitogenic factor, 1

Peptides
Histocompatibility antigens
Hypersensitivity, delayed, 265
T Lymphocytes
Genes, immune response, 1452
Hypersensitivity, delayed, 628

Phagocytosis
Antibodies
Granulomatous disease, chronic, 328
Toxoplasma gondii, 328
Macrophages
Fibronectin, 602
Oxygen metabolites
Antimicrobial activity, 328
Staphylococcus epidermidis
Neutrophils, 1360
Streptococci group A
Bacterial proteins, 695
Streptococci group B
Antigens, surface, 1275
Complement pathway, alternative, 1275

Phorbol myristate acetate
Superoxide
Phagocytosis, 101

Phospholipids
Complement
Membrane attack complex, 301

Phosphorylcholine
Antibody formation
Idiotypic responses, nude/normal mouse, 289

Pili, bacterial
Neisseria gonorrhoeae

Pili, bacterial (cont'd)
Isolation and characterization, 716
Opacity variants, 716

Plasma membrane
see Cell membrane

Plasmacytoma
Antibody formation
Hybrid cells, mouse, 1436
IgM
Effector-cell blockade, 1436
T Lymphocytes
Leukocyte culture test, mixed, 1372
Major histocompatibility complex
Antibody specificity, 1139
Hybrid cells, 1139
Plasmodium berghei
Antibodies, 1504

Plasmodium berghei
Antigens, surface
Immunity, passive, 1504
Immunoglobulins, Fab
Antibodies, 1504

Plasmodium falciparum
Plasmodium knowlesi
Antigenic determinants, 790
Immune serums, 790
Plasmodium lophurae
Amino acid homology, 1534
Proteins
Erythrocyte membrane, 1534
Histidine, 1534

Plasmodium knowlesi
Plasmodium falciparum
Antigenic determinants, 790
Immune serums, 790

Plasmodium lophurae
Plasmodium falciparum
Amino acid homology, 1534

Polycythemia
Virus, Friend spleen focus-forming
Replication-defective variants, 1477

Polypeptides
see also Peptides
Virus, murine leukemia
Genes, viral, 975
Thymocytes, mouse, AKR, 975

Precursor cells
B Lymphocytes
Haptens, 429
T Lymphocytes
Cytotoxicity, 314

Pregnancy
Streptococci
Immune serums, 56

Proteases
see Peptide hydrolases

Proteins
Plasmodium falciparum

Proteins (cont'd)
Erythrocyte membrane, 1534
Histidine, 1534

Pulmonary edema
Ellagic acid
Neutrophils, 81
Rutin
Neutrophils, 81

Purified protein derivative
Interferon
Suppressor cells, 637

Pyrogens
Staphylococcus epidermidis
Macrophages, 1360
Neutrophils, 1360

R

Radiation chimera
Antibody formation
Plaque assay, 115
Benzene, 2,4-dinitro-1-fluoro-
Immune tolerance, 115
Histocompatibility antigens
Antibody-dependent cell cytoxicity, 115
Lymphocyte transformation, 115

Radiation, ionizing
Graft *vs* host reaction
T Lymphocytes, 1114
Histocompatibility antigens
Thymus graft reconstitution, 376
Hypersensitivity, delayed
Lymphocyte cooperation, 628
T Lymphocytes
Lymphocyte cooperation, 695

Radiation sensitivity
T Lymphocytes
Transplantation immunology, 20

Receptors, cholinergic
Acetylcholine, 204
Anti-antibodies
Paralysis, spastic, 204
Myasthenia gravis
Animal model, mouse, 204

Receptors, Fc
Chediak-Higashi syndrome
Leukocytes, 1039, 1049
T Lymphocytes
IgG, 969
IgM, 969
Monocytes
Immune complex, 32
Nucleotides, cyclic, 32

Receptors, immunologic
T Lymphocytes
Histocompatibility antigens, 1386
Histocompatibility complex, 553, 1166
Suppressor cells, 1213
Macrophages
Lymphocyte cooperation, 1103

Receptors, immunologic (cont'd)
Suppressor cells
Hypersensitivity, delayed, 1183

Rheumatoid factor
IgG
Antigen-antibody reactions, 1514
DNA, 1514
Histones, 1514

Ribonuclease
Streptococci
Isolation and characterization, 56

Rutin
Cholecystitis
Factor XII, 81
Pulmonary edema
Neutrophils, 81

S

Salmonella infections
Iron transfer factor
Growth potentiation, 418

Sarcoma, mast cell
T Lymphocytes
Cytotoxicity, 12
Virus, influenza type A
Antigens, viral, 1014
Killer cells, 1014

Sarcoma, osteogenic
Lymphocytes
Interferon, 1151

Sarcoma, reticulum cell
Genes, immune response
Growth potentiation, 347
Transplantation immunology
Histocompatibility antigens, 347
T Lymphocytes, 347

Schistosoma mansoni
Corynebacterium parvum
Immune response, mouse, 1557
Granuloma
Hypersensitivity, delayed, 1398
Macrophages
Arginase, 1557
Cytotoxicity, 1557

Schistosomiasis
T Lymphocytes
Lymphokines, 1398
Migration inhibitory factor, 1398

Sialic acid
Streptococci group B
Antigens, bacterial, 1275

Sodium butyrate
see Butyric acid, sodium salt

Staphylococcus epidermidis
Pyrogens
Macrophages, 1360
Neutrophils, 1360

Streptococci
Deoxyribonuclease
Isolation and characterization, 56
Pregnancy
Immune serums, 56
Ribonuclease
Isolation and characterization, 56

Streptococci group A
Antigens, surface
Antigenic determinants, 1026
Immune serums, 1026
Bacterial proteins
Amino acid sequence, 695
Phagocytosis, 695
Tropomyosin, 695

Streptococci group B
Antigens, bacterial
Sialic acid, 1275
Antigens, surface, 1275
Complement pathway, alternative
Antibody specificity, 1275
Neuraminidase, 1275
Phagocytosis, 1275

Superoxide
Macrophages
Cell movement, 101
Lipopolysaccharides, 101
Muramyl dipeptide, 101

Suppressor cells
Erythrocytes
Genes, immune response, 667
Fibrosarcoma
Neoplasm regression, 69
HeLa cells, 637
Interferon
Concanavalin A, 637
Purified protein derivative, 637
Tuberculin, 637
B Lymphocytes
Anti-antibodies, 667, 681
Histocompatibility antigens, 133
T Lymphocytes
Anti-antibodies, 681
p-Azobenzenearsonate, 1183
Cell differentiation, 566
Genes, immune response, 1245
L-Glutamic acid-L-tyrosine, 1245
Haptens, 133
Hemagglutinins, viral, 799
Hemocyanin, 517
Histocompatibility antigens, 1183, 1245
Hypersensitivity, delayed, 1413
Idiotypic determinants, 1213
Immunoglobulins, heavy chain, 1183
Immunoglobulins, surface, 257
Receptors, immunologic, 1213
Thymectomy, 743

Suppressor cells (cont'd)
L-Tyrosine-*p*-azophenyltrimethylammonium 528
Melanoma
Interferon, 637
Receptors, immunologic
Hypersensitivity, delayed, 1183
Transplantation immunology
T Lymphocytes, 69
L-Tyrosine-*p*-azophenyltrimethylammonium
Lymphocyte cooperation, 528
Virus, influenza
Hypersensitivity, delayed, 799

Syphilis
Treponema pallidum
Antibody specificity, 573

T

Teratocarcinoma
see Teratoid tumor

Teratoid tumor
Histocompatibility antigens
Hybrid cells, mouse, 1349

Testis
Autoantigens
Lymphocyte transformation, 827
T Lymphocytes
Immune tolerance, 827

Tetanus toxoid
T Lymphocytes
Histocompatibility antigens, 91

Thy-1 antigen
Isoantigens
Isolation and characterization, MOLT-3 cells 400

Thymectomy
Guanosine
Antibody formation, 743
Immune tolerance, mouse, 743
T Lymphocytes
Suppressor cells, 743

Thymocytes, mouse, AKR
Virus, murine leukemia
Glycoproteins, 975
Polypeptides, 975

Thymoma
Histocompatibility antigens
Hybrid cells, mouse, 1349

Thymus gland
Antigenic determinants
Lymphoepithelial cell complexes, 925
Lymphocytes
Histocompatibility antigens, 910
Subcellular fractions, 910
Morphologic/serologic characteristics
Lymphoepithelial cell complexes, 925

Transplantation, allogenic
Bone marrow
Immune tolerance, 115

Transplantation immunology
Fibrosarcoma
Cholanthrene, 3-methyl-, 69
T Lymphocytes
Radiation sensitivity, 20
Sarcoma, reticulum cell
Histocompatibility antigens, 347
T Lymphocytes, 347

Treponema pallidum
Proteins
Binding sites, HEp-2 cells, 573
Treponema pertenue
Antigenic determinants, 573

Treponema pertenue
Treponema pallidum
Antigenic determinants, 573

Trinitrobenzenes
Histocompatibility antigens
Immunity, cellular, 252
T Lymphocytes
Histocompatibility antigens, 133
Immunity, cellular, 252
B Lymphocytes
Antibody formation, 194

Tropomyosin
Streptococci group A
Bacterial proteins, 695

Tuberculin
Interferon
Suppressor cells, 637
T Lymphocytes
Histocompatibility antigens, 91

Tumor antigens
see Antigens, neoplasm

Tunicamycin
Histocompatibility antigens
Immunoglobulins, light chain, 144

L-Tyrosine-*p*-azophenyltrimethylammonium
T Lymphocytes
Suppressor cells, 528

V

Viral vaccines
Virus, paramyxo
Glycoproteins, 275

Virus, C-type RNA tumor
Interferon
Killer cells, 781
Nude/normal mouse, *in vitro*, 781

Virus, Epstein-Barr
Killer cells
Infectivity, 614
Sodium butyrate, 614
Lymphocytes

Virus, Epstein-Barr (cont'd)
Killer cells, 614

Virus, Friend murine leukemia
Anemia
Mouse, newborn, 1493
Erythroleukemia
Antigens, viral, 726
T Lymphocytes, 726
Mouse, newborn, 1493
T Lymphocytes
Leukocyte culture test, mixed, 726

Virus, Friend spleen focus-forming
Anemia
Replication-defective variants, 1477
Antigenic determinants
Replication-defective variants, 1477
Polycythemia
Replication-defective variants, 1477

Virus, influenza
Hemagglutinins, viral
T Lymphocytes, 815
Hypersensitivity, delayed
Hemagglutinins, viral, 799
Histocompatibility antigens, 815
T Lymphocytes, 815
Suppressor cells, 799
B Lymphocytes
Antibody specificity, 761
Nude mouse, 761
T Lymphocytes
Immune response, mouse, 799

Virus, influenza type A
Antigens, viral
Cell membrane, 1014
T Lymphocytes, 1014
Histocompatibility antigens
Immunogenetics, 235
T Lymphocytes, 235
T Lymphocytes
Antigenic determinants, 945
Glycoproteins, 945
Sarcoma, mast cell
Antigens, viral, 1014
Killer cells, 1014

Virus, influenza type B
Histocompatibility antigens
Immunogenetics, 235
T Lymphocytes, 235

Virus, measles
HeLa cells
T Lymphocytes, 637
Interferon
T Lymphocytes, 637
Melanoma
T Lymphocytes, 637

Virus, mink cell focus-inducing
Leukemia
Host range, mouse, 542
Lymphoma
Host range, mouse, 542

Virus, Moloney murine sarcoma
Antigens, neoplasm
Killer cells, 1468

Virus, murine leukemia
Antigenic determinants
Virus replication, 980
Antigens, viral
Killer cells, 1468
Genes, viral
Carcinogenic potential, 467
Thymocytes, mouse, AKR, 980
Glycoproteins
Genes, viral, 975
Thymocytes, mouse, AKR, 975, 980
Leukemia
Host range, mouse, 542
T Lymphocytes
Genes, immune response, 1468
Histocompatibility antigens, 1468
Lymphoma
Antigens, surface, 1321
Host range, mouse, 542
B Lymphocytes, 1321
T Lymphocytes, 1321
Polypeptides
Genes, viral, 975
Thymocytes, mouse, AKR, 975
Virus, recombinant
Antigens, surface, 1321

Virus, Newcastle disease
Interferon
T Lymphocytes, 637
Transplantation immunology, 781

Virus, paramyxo
Antibodies
Hemagglutination, 275
Neuraminidase, 275
Glycoproteins
Cell fusion, 275
Infectivity, 275
Viral vaccines, 275

Virus, radiation leukemia
Virus, recombinant
Antigens, surface, 1321

Virus, Rauscher murine leukemia
Virus, recombinant
Antigenic determinants, 467
Host range, 467

Virus, recombinant
Lymphoma
Host range, mouse, 542
Virus, Rauscher murine leukemia
Antigenic determinants, 467
Host range, 467

Virus replication
Virus, murine leukemia
Thymocytes, mouse, AKR, 980

Virus, vaccinia
Histocompatibility antigens
Immunity, cellular, 166

Virus, vaccinia (cont'd)
T Lymphocytes
Histocompatibility antigens, 166
Immune tolerance, 166

X

X Chromosome
B Lymphocytes
Immunologic deficiency syndromes, 224, 486

Xanthine, 3-isobutyl-1-methyl-
Monocytes
Receptors, Fc, 32

Z

Zymosan
Superoxide
Phagocytosis, 101

THE JOURNAL
OF
EXPERIMENTAL MEDICINE

EDITED BY

ZANVIL A. COHN HENRY G. KUNKEL

JAMES G. HIRSCH MACLYN McCARTY

ASSISTANT EDITORS

SHU MAN FU ALLAN R. GOLDBERG

RALPH STEINMAN

ADVISORY EDITORS

K. FRANK AUSTEN
ALEXANDER G. BEARN
BARUJ BENACERRAF
DOROTHEA BENNETT
RUPERT E. BILLINGHAM
BARRY R. BLOOM
FRANK J. DIXON
MARILYN G. FARQUHAR
HIDESABURO HANAFUSA
ATTALLAH KAPPAS
THOMAS J. KINDT
RICHARD M. KRAUSE
FRANK LILLY
GEORGE B. MACKANESS
HUGH O. McDEVITT
HANS J. MÜLLER-EBERHARD
RALPH L. NACHMAN
ROBERT J. NORTH
WILLIAM E. PAUL
BENVENUTO PERNIS
EDWARD REICH
MATTHEW D. SCHARFF
JONATHAN SPRENT
IGOR TAMM
JONATHAN W. UHR
KENNETH S. WARREN
WILLIAM O. WEIGLE
DARCY B. WILSON
HENRY J. WINN

VOLUME 151

1980

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

COPYRIGHT © 1980 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS

Volume 151 No. 1 January 1, 1980

1 EDWARD L. MORGAN and WILLIAM O. WEIGLE. Regulation of Fc fragment-induced murine spleen cell proliferation

12 MARC E. LALANDE, MARK J. MCCUTCHEON, and RICHARD G. MILLER. Quantitative studies on the precursors of cytotoxic lymphocytes. VI. Second signal requirements of specifically activated precursors isolated 12 h after stimulation

20 GENE M. SHEARER and RICHARD P. POLISSON. Mutual recognition of parental and F_1 lymphocytes. Selective abrogation of cytotoxic potential of F_1 lymphocytes by parental lymphocytes

32 CAROL GODOSHIAN RAGSDALE and WILLIAM P. AREND. Loss of Fc receptor activity after culture of human monocytes on surface-bound immune complexes. Mediation by cyclic nucleotides

45 J. L. VAN SNICK and P. L. MASSON. Incidence and specificities of IgA and IgM anti-IgG autoantibodies in various mouse strains and colonies

56 PATRICIA FERRIERI, ERNEST D. GRAY, and LEWIS W. WANNAMAKER. Biochemical and immunological characterization of the extracellular nucleases of group B streptococci

69 MICH EL J. BERENDT and ROBERT J. NORTH. T-cell-mediated suppression of anti-tumor immunity. An explanation for progressive growth of an immunogenic tumor

81 CARL G. BECKER, THEODORE DUBIN, and FRANK GLENN. Induction of acute cholecystitis by activation of factor XII

91 D. T. Y. YU, R. J. WINCHESTER, S. M. FU, A. GIBOFSKY, H. S. KO, and H. G. KUNKEL. Peripheral blood Ia-positive T cells. Increases in certain diseases and after immunization

101 MICHAEL J. PABST and RICHARD B. JOHNSTON, JR. Increased production of superoxide anion by macrophages exposed in vitro to muramyl dipeptide or lipopolysaccharide

115 KAZUNORI ONOÉ, GABRIEL FERNANDES, and ROBERT A. GOOD. Humoral and cell-mediated immune responses in fully allogeneic bone marrow chimera in mice

133 JOHN J. JANDINSKI, JAMES LI, PETER J. WETTSTEIN, JEFFREY A. FRELINGER, and DAVID W. SCOTT. Role of self carriers in the immune response and tolerance. V. Reversal of trinitrophenyl-modified self suppression of the B-cell response by blocking of H-2 antigens

144 DEBORAH A. SHACKELFORD and JACK L. STROMINGER. Demonstration of structural polymorphism among HLA-DR light chains by two-dimensional gel electrophoresis

166 JACK R. BENNINK and PETER C. DOHERTY. T cells that encounter virus in the complete absence of a particular H-2 antigen are nonresponsive when stimulated again in the context of that H-2 antigen

174 JONATHAN BRAUN, FRED S. ROSEN, and EMIL R. UNANUE. Capping and adenosine metabolism. Genetic and pharmacologic studies

184 JESÚS CALDERÓN, MA. DE LOURDES MUÑOZ, and HÉCTOR M. ACOSTA. Surface redistribution and release of antibody-induced caps in *Entamoebae*

194 MAX H. SCHREIER, JAN ANDERSSON, WALDEMAR LERNHARDT, and FRITZ MELCHERS. Antigen-specific T-helper cells stimulate H-2-compatible and H-2-incompatible B-cell blasts polyclonally

204 PHILLIP W. BERMAN and JIM PATRICK. Experimental myasthenia gravis. A murine system

224 CONSTANTIN BONA, JAMES J. MOND, and WILLIAM E. PAUL. Synergistic genetic defect in B-lymphocyte function. I. Defective responses to B-cell stimulants and their genetic basis

235 STEPHEN SHAW, GENE M. SHEARER, and WILLIAM E. BIDDISON. Human cytotoxic T-cell responses to type A and type B influenza viruses can be restricted by different HLA antigens. Implications for HLA polymorphism and genetic regulation

BRIEF DEFINITIVE REPORTS

246 FRANCES I. SMITH and J. F. A. P. MILLER. Suppression of T cells specific for the nonthymic parental H-2 haplotype in thymus-grafted chimeras

252 ROBERT B. LEVY and GENE M. SHEARER. Regulation of T-cell-mediated lympholysis by the murine major histocompatibility complex. II. Control of cytotoxic responses to trinitrophenyl-*K* and -*D* self products by *H-2K*- and *H-2D*-region genes

257 SAMUEL BRODER, DEAN L. MANN, and THOMAS A. WALDMANN. Participation of suppressor T cells in the immunosuppressive activity of a heteroantiserum to human Ia-like antigens (p23,30)

263 CORRECTION

Volume 151 No. 2 February 1, 1980

265 GIDEON STRASSMANN, ZELIG ESHHAR, and EDNA MOZES. Genetic regulation of delayed-type hypersensitivity responses to poly(LTyr,LGlu)-poly(DLAla)--poly(LLys). I. Expression of the genetic defect at two phases of the immune process

275 DAVID CHARLES MERZ, ANDREAS SCHEID, and PURNELL W. CHOPPIN. Importance of antibodies to the fusion glycoprotein of paramyxoviruses in the prevention of spread of infection

289 GARNETT KELSOE, DALE ISAAK, and JAN CERNY. Thymic requirement for cyclical idiotypic and reciprocal anti-idiotypic immune responses to a T-independent antigen

301 ECKHARD R. PODACK, ALFRED F. ESSER, GREGORY BIESECKER, and HANS J. MÜLLER-EBERHARD. Membrane attack complex of complement. A structural analysis of its assembly

314 R. KORNGOLD and J. SPRENT. Selection of cytotoxic T-cell precursors specific for minor histocompatibility determinants. I. Negative selection across H-2 barriers induced with disrupted cells but not with glutaraldehyde-treated cells: evidence for antigen processing

328 CHRISTOPHER B. WILSON, VAN TSAI, and JACK S. REMINGTON. Failure to trigger the oxidative metabolic burst by normal macrophages. Possible mechanism for survival of intracellular pathogens

347 IRENE R. KATZ, STEPHEN P. LERMAN, NICHOLAS M. PONZIO, DONALD C. SHREFFLER, and G. JEANETTE THORBECKE. Growth of SJL/J-derived transplantable reticulum cell sarcoma as related to its ability to induce T-cell proliferation in the host. I. Dominant negative genetic influences of other parent haplotype in F_1 hybrids of SJL/J mice

362 W. PTAK, D. ROZYCKA, P. W. ASKENASE, and R. K. GERSHON. Role of antigen-presenting cells in the development and persistence of contact hypersensitivity

376 R. M. ZINKERNAGEL, A. ALTHAGE, E. WATERFIELD, B. KINDRED, R. M. WELSH, G. CALLAHAN, and P. PINCETL. Restriction specificities, alloreactivity, and allotolerance expressed by T cells from nude mice reconstituted with H-2-compatible or -incompatible thymus grafts

400 EDWIN W. ADES, ROBERT K. ZWERNER, RONALD T. ACTON, and CHARLES M. BALCH. Isolation and partial characterization of the human homologue of Thy-1

407 KATHERINE MOLNAR-KIMBER and J. SPRENT. Absence of H-2 restriction in primary and secondary mixed-lymphocyte reactions to strong M1s determinants

418 ROBERT L. JONES, CHARLES M. PETERSON, ROBERT W. GRADY, and ANTHONY CERAMI. Low molecular weight iron-binding factor from mammalian tissue that potentiates bacterial growth

429 J. M. TEALE and T. E. MANDEL. Ontogenetic development of B-lymphocyte function and tolerance susceptibility in vivo and in an in vitro fetal organ culture system

446 ARGYRIOS N. THEOFILOPOULOS, DANIEL L. SHAWLER, ROBERT A. EISENBERG, and FRANK J. DIXON. Splenic immunoglobulin-secreting cells and their regulation in autoimmune mice

467 STUART A. AARONSON and MARIANO BARBACID. Viral genes involved in leukemogenesis. I. Generation of recombinants between oncogenic and nononcogenic mouse type-C viruses in tissue culture

BRIEF DEFINITIVE REPORTS

481 COLLEEN E. HAYES and FRITZ H. BACH. *I-N.* A newly described *H-2 I* subregion between *K* and *I-A*

486 ELEANOR S. METCALF, IRWIN SCHER, and NORMAN R. KLINMAN. Susceptibility to in vitro tolerance induction of adult B cells from mice with an X-linked B-cell defect

492 JOHN P. ATKINSON, KAREN MCGINNIS, LAURA BROWN, JOHN PETEREIN, and DONALD SHREFFLER. A murine C4 molecule with reduced hemolytic efficiency

Volume 151 No. 3 March 1, 1980

501 KEITH WHALEY. Biosynthesis of the complement components and the regulatory proteins of the alternative complement pathway by human peripheral blood monocytes

517 MASARU TANIGUCHI and TAKESHI TOKUHISA. Cellular consequences in the suppression of antibody response by the antigen-specific T-cell factor

528 YAEL G. ALEVY and CLIFFORD J. BELLONE. Anti-phenyltrimethylamino immunity in mice. II. L-Tyrosine-*p*-azophenyltrimethylammonium-induced suppressor T cells selectively inhibit the expression of B-cell clones bearing a cross-reactive idiotype

542 MILES W. CLOYD, JANET W. HARTLEY, and WALLACE P. ROWE. Lymphomagenicity of recombinant mink cell focus-inducing murine leukemia viruses

553 D. Y. SIA and C. R. PARISH. Anti-self receptors. I. Direct detection of *H-2L* region-restricted receptors on murine thymocytes

566 F. W. SHEN, J. S. MCDOUGAL, J. BARD, and S. P. CORT. Developmental and communicative interrelations of Ly123 and Ly1 cell sets

573 JOEL B. BASEMAN and EDWARD C. HAYES. Molecular characterization of receptor binding proteins and immunogens of virulent *Treponema pallidum*

587 ANDREI A. AUGUSTIN and ANTÓNIO COUTINHO. Specific T helper cells that activate B cells polyclonally. In vitro enrichment and cooperative function

602 KARI ALITALO, TAPANI HOVI, and ANTTI VAHERI. Fibronectin is produced by human macrophages

614 BEVERLY BLAZAR, MANUEL PATARROYO, EVA KLEIN, and GEORGE KLEIN. Increased sensitivity of human lymphoid lines to natural killer cells after induction of the Epstein-Barr viral cycle by superinfection or sodium butyrate

628 GIDEON STRASSMANN, ZELIG ESHHAR, and EDNA MOZES. Genetic regulation of delayed-type hypersensitivity responses to poly(LTyr,LGlu)-poly(DLAla)--poly(LLys). II. Evidence for a T-T-cell collaboration in delayed-type hypersensitivity responses and for a T-cell defect at the efferent phase in nonresponder H-2^k mice

637 ANNA S. KADISH, FRANCINE A. TANSEY, GLORIA S. M. YU, ANGELA T. DOYLE, and BARRY R. BLOOM. Interferon as a mediator of human lymphocyte suppression

651 D. N. J. HART and JOHN W. FABRE. Kidney-specific alloantigen system in the rat. Characterization and role in transplantation

667 RUDOLF H. ZUBLER, HARVEY CANTOR, BARUJ BENACERRAF, and RONALD N. GERMAIN. Feedback suppression of the immune response in vitro. I. Activity of antigen-stimulated B cells

681 RUDOLF H. ZUBLER, BARUJ BENACERRAF, and RONALD N. GERMAIN. Feedback suppression of the immune response in vitro. II. IgV_H-restricted antibody-dependent suppression

695 B. N. MANJULA and V. A. FISCHETTI. Tropomyosin-like seven residue periodicity in three immunologically distinct streptococcal M proteins and its implications for the antiphagocytic property of the molecule

709 WILLIAM P. LAFUSE, JOHN F. MCCORMICK, and CHELLA S. DAVID. Serological and biochemical identification of hybrid Ia antigens

716 IRVING E. SALIT, MILAN BLAKE, and EMIL C. GOTSCHLICH. Intra-strain heterogeneity of gonococcal pili is related to opacity colony variance

726 FERNANDO PLATA, MAUREEN M. GOODENOW, and FRANK LILLY. Studies of cloned Friend erythroleukemia tumor cells. Modulation of the tumor-specific cytolytic T lymphocyte response by infectious Friend virus production in vitro

BRIEF DEFINITIVE REPORTS

743 YVES BOREL, LYNNE KILHAM, STEPHEN E. KURTZ, and CAROL L. REINISCH. Dichotomy between the induction of suppressor cells and immunologic tolerance by adult thymectomy

749 PETER C. ISAKSON, JONATHAN W. UHR, KIETH A. KROLICK, FRED FINKELMAN, and ELLEN S. VITETTA. Acquisition of cell surface IgD after in vitro culture of neoplastic B cells from the murine tumor BCL_1

755 ABRAHAM NOVOGRODSKY, MANIKKAM SUTHANTHIRAN, BRUCE SALTZ, DEBORAH NEWMAN, ALBERT L. RUBIN, and KURT H. STENZEL. Generation of a lymphocyte growth factor by treatment of human cells with neuraminidase and galactose oxidase

761 MICHAEL P. CANCRO and NORMAN R. KLINMAN. B cell repertoire diversity in athymic mice

767 JOHN F. HALSEY, BARBARA H. JOHNSON, and JOHN J. CEBRA. Transport of immunoglobulins from serum into colostrum

773 AIMÉ VAZQUEZ, CATHERINE NÉAUPORT-SAUTÈS, and ANNA SENIK. Separate cytotoxic T lymphocyte subsets recognize the different H-2 specificities

Volume 151 No. 4 April 1, 1980

781 JULIE Y. DJEU, KUN-YEN HUANG, and RONALD B. HERBERMAN. Augmentation of mouse natural killer activity and induction of interferon by tumor cells in vivo

790 LOUIS H. MILLER, JAMES G. JOHNSON, RUPERT SCHMIDT-ULLRICH, J. DAVID HAYNES, DONALD F. H. WALLACH, and RICHARD CARTER. Determinants on surface proteins of *Plasmodium knowlesi* merozoites common to *Plasmodium falciparum* schizonts

799 F. Y. LIEW and S. M. RUSSELL. Delayed-type hypersensitivity to influenza virus. Induction of antigen-specific suppressor T cells for delayed-type hypersensitivity to hemagglutinin during influenza virus infection in mice

815 K.-N. LEUNG, G. L. ADA, and I. F. C. MCKENZIE. Specificity, Ly phenotype, and H-2 compatibility requirements of effector cells in delayed-type hypersensitivity responses to murine influenza virus infection

827 U. HURTENBACH, F. MORGENSTERN, and D. BENNETT. Induction of tolerance in vitro by autologous murine testicular cells

839 JEFFREY I. KURLAND, PAUL A. MEYERS, and MALCOLM A. S. MOORE. Synthesis and release of erythroid colony- and burst-potentiating activities by purified populations of murine peritoneal macrophages

853 JOHN SLACK, GEORGES P. DER-BALIAN, MOON NAHM, and JOSEPH M. DAVIE. Subclass restriction of murine antibodies. II. The IgG plaque-forming cell response to thymus-independent type 1 and type 2 antigens in normal mice and mice expressing an X-linked immunodeficiency

863 PILA ESTESS, EDMUNDO LAMOYI, ALFRED NISONOFF, and J. DONALD CAPRA. Structural studies on induced antibodies with defined idiotypic specificities. IX. Framework differences in the heavy- and light-chain-variable regions of monoclonal anti-*p*-azophenylarsonate antibodies from A/J mice differing with respect to a cross-reactive idiotype

876 ANDREW L. GLASEBROOK and FRANK W. FITCH. Alloreactive cloned T cell lines. I. Interactions between cloned amplifier and cytolytic T cell lines

896 MAN-SUN SY, ALAN R. BROWN, BARUJ BENACERRAF, and MARK IRWIN GREENE. Antigen- and receptor-driven regulatory mechanisms. III. Induction of delayed-type hypersensitivity to azobenzenearsonate with anti-cross-reactive idiotypic antibodies

910 A. KALDANY, C. B. CARPENTER, C. A. SHADUR, K. GEORGE, A. P. LUNDIN, III, M. SUTHANTHIRAN, and T. B. STROM. Immunological properties of subcellular rat lymphocyte preparations. Primary allogeneic stimulation in vitro by fractions containing Ia (RT1-B), but not RT1-A antigens

925 HARTMUT WEKERLE, UWE-PETER KETELSEN, and MARTIN ERNST. Thymic nurse cells. Lymphoepithelial cell complexes in murine thymuses: morphological and serological characterization

945 ULRICH H. KOSZINOWSKI, HAYMISH ALLEN, MARY-JANE GETHING, MICHAEL D. WATERFIELD, and HANS-DIETER KLENK. Recognition of viral glycoproteins by influenza A-specific cross-reactive cytolytic T lymphocytes

BRIEF DEFINITIVE REPORTS

959 PAUL J. CONLON, JOHN W. MOORHEAD, STEPHEN D. MILLER, and HENRY N. CLAMAN. Induction of tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity with hapten-modified lymphoid cells. II. Selective tolerance in F_1 mice of T cell subsets recognizing 1-fluoro-2,4-dinitrobenzene associated with parental major histocompatibility complex antigens

965 HIROMICHI ISHIKAWA and KAZUHISA SAITO. Congenitally athymic nude (nu/nu) mice have Thy-1-bearing immunocompetent helper T cells in their peritoneal cavity

969 E. L. REINHERZ, L. MORETTA, M. ROPER, J. M. BREARD, M. C. MINGARI, M. D. COOPER, and S. F. SCHLOSSMAN. Human T lymphocyte subpopulations defined by Fc receptors and monoclonal antibodies. A comparison

975 JWU-SHENG TUNG and ERWIN FLEISSNER. Amplified *env* and *gag* products on AKR cells. Origin from different murine leukemia virus genomes

980 JWU-SHENG TUNG, EDWARD A. BOYSE, and FUNG-WIN SHEN. Influence of *Fv-1* alleles on cellular expression of gp70

984 VOLKER SCHIRRMACHER, RACHANEE CHEINGSONG-POPOV, and HEINZ ARNHEITER. Hepatocyte-tumor cell interaction in vitro. I. Conditions for rosette formation and inhibition by anti-H-2 antibody

Volume 151 No. 5 May 1, 1980

993 CORNELIS J. M. MELIEF, LEO P. DE WAAL, MARIAN Y. VAN DER MEULEN, ROGER W. MELVOLD, and HENRY I. KOHN. Fine specificity of alloimmune cytoxic T lymphocytes directed against H-2K. A study with K^b mutants

1014 C. J. HACKETT, B. A. ASKONAS, R. G. WEBSTER, and K. VAN WYKE. Quantitation of influenza virus antigens on infected target cells and their recognition by cross-reactive cytotoxic T cells

1026 JAMES B. DALE, ITZHAK OFEK, and EDWIN H. BEACHEY. Heterogeneity of type-specific and cross-reactive antigenic determinants within a single M protein of group A streptococci

1039 TINA HALIOTIS, JOHN RODER, MARGARETA KLEIN, JOHN ORTALDO, ANTHONY S. FAUCI, and RONALD B. HERBERMAN. Chédiak-Higashi gene in humans. I. Impairment of natural-killer function

1049 MARGARETA KLEIN, JOHN RODER, TINA HALIOTIS, STEFAN KOREC, JAMES R. JETT, RONALD B. HERBERMAN, PAUL KATZ, and ANTHONY S. FAUCI. Chédiak-Higashi gene in humans. II. The selectivity of the defect in natural-killer and antibody-dependent cell-mediated cytoxicity function

1059 BRIAN CLEVINGER, JAMES SCHILLING, LEROY HOOD, and JOSEPH M. DAVIE. Structural correlates of cross-reactive and individual idiotypic determinants on murine antibodies to α-(1 → 3) dextran

1071 LEONORE A. HERZENBERG, SAMUEL J. BLACK, TAKESHI TOKUHISA, and LEONARD A. HERZENBERG. Memory B cells at successive stages of differentiation. Affinity maturation and the role of IgD receptors

1088 KATHRYN E. STEIN, CONSTANTIN BONA, ROSE LIEBERMAN, C. C. CHIEN, and WILLIAM E. PAUL. Regulation of the anti-inulin antibody response by a nonallotype-linked gene

1103 JOHN E. NIEDERHUBER and PAUL ALLEN. Role of *I*-region gene products in macrophage induction of an antibody response. II. Restriction at the level of T cell in recognition of *I-J*-subregion macrophage determinants

1114 R. KORNGOLD and J. SPRENT. Negative selection of T cells causing lethal graft-versus-host disease across minor histocompatibility barriers. Role of the *H-2* complex

1125 RONALD B. CORLEY, KELLY A. SWITZER, DIANA E. HUDSON, and MARGARET A. COOLEY. Multiple pathways of T-T interaction in the generation of cytotoxic T lymphocytes to alloantigens

1139 DAWN E. SMILEK, HEATHER C. BOYD, DARCY B. WILSON, CHESTER M. ZMIJEWSKI, FRANK W. FITCH, and THOMAS J. MCKEARN. Monoclonal rat anti-major histocompatibility complex antibodies display specificity for rat, mouse, and human target cells

1151 FARKAS T. VÁNKY, SHMUEL A. ARGOV, STEFAN A. EINHORN, and EVA KLEIN. Role of alloantigens in natural killing. Allogeneic but not autologous tumor biopsy cells are sensitive for interferon-induced cytotoxicity of human blood lymphocytes

1166 PETER H. KRAMMER, RAINER REHBERGER, and KLAUS EICHMANN. Antigen receptors on major histocompatibility complex-restricted T lymphocytes. I. Preparation and characterization of syngeneic antisera against trinitrophenyl-activated T cell blasts and demonstration of their specificity for idiotypes on cytotoxic T lymphocytes

1183 MAN-SUN SY, MICHAEL H. DIETZ, RONALD N. GERMAIN, BARUJ BENACERRAF, and MARK I. GREENE. Antigen- and receptor-driven regulatory mechanisms. IV. Idiotype-bearing I-J$^+$ suppressor T cell factors induced second-order suppressor T cells which express anti-idiotypic receptors

1196 MICHEL C. NUSSENZWEIG and RALPH M. STEINMAN. Contribution of dendritic cells to stimulation of the murine syngeneic mixed leukocyte reaction

1213 YOSHIKATSU HIRAI and ALFRED NISONOFF. Selective suppression of the major idiotypic component of an antihapten response by soluble T cell-derived factors with idiotypic or anti-idiotypic receptors

1232 GARY A. LEVY and THOMAS S. EDGINGTON. Lymphocyte cooperation is required for amplification of macrophage procoagulant activity

1245 RONALD N. GERMAIN, CARL WALTENBAUGH, and BARUJ BENACERRAF. Antigen-specific T cell-mediated suppression. V. H-2-linked genetic control of distinct antigen-specific defects in the production and activity of L-glutamic acid^{50}-L-tyrosine^{50} suppressor factor

1260 VERNON T. OI, VIRGINIA M. BRYAN, LEONORE A. HERZENBERG, and LEONARD A. HERZENBERG. Lymphocyte membrane IgG and secreted IgG are structurally and allotypically distinct

1275 MORVEN S. EDWARDS, ANNE NICHOLSON-WELLER, CAROL J. BAKER, and DENNIS L. KASPER. The role of specific antibody in alternative complement pathway-mediated opsonophagocytosis of type III, group B *Streptococcus*

1288 THOMAS HÜNIG and MICHAEL J. BEVAN. Self H-2 antigens influence the specificity of alloreactive cells

BRIEF DEFINITIVE REPORTS

1299 JULIE CUNNINGHAM, ALAN DE VERE-TYNDALL, and PETER MCCULLAGH. Recognition of histocompatibility determinants controls reactivity of auto-sensitized lymphocytes against neural tissues

1305 COLLEEN E. HAYES, STUART MACPHAIL, and FRITZ H. BACH. Generation of primary cytotoxic lymphocytes against non-major histocompatibility complex antigens by anti-Ia serum plus complement-treated lymphocytes

1311 M. BISHR OMARY, IAN S. TROWBRIDGE, and MARGRIT P. SCHEID. T200 cell surface glycoprotein of the mouse. Polymorphism defined by the Ly-5 system of alloantigens

1317 CORRECTION

1319 CORRECTION

Volume 151 No. 6 June 1, 1980

1321 MARTIN HAAS AND VIRGINIA PATCH. Cell-surface antigens associated with dualtropic and thymotropic murine leukemia viruses inducing thymic and nonthymic lymphomas

1334 CONSTANTIN BONA, PATRICIA K. A. MONGINI, KATHRYN E. STEIN, AND WILLIAM E. PAUL. Anti-immunoglobulin antibodies. I. Expression of cross-reactive idiotypes and *Ir* gene control of the response to IgG_{2a} of the b allotype

1349 RUDOLF GMÜR, DAVOR SOLTER, AND BARBARA B. KNOWLES. Independent regulation of H-2K and H-2D gene expression in murine teratocarcinoma somatic cell hybrids

1360 DANIEL F. HANSON, PATRICK A. MURPHY, AND BRADFORD E. WINDLE. Failure of rabbit neutrophils to secrete endogenous pyrogen when stimulated with staphylococci

1372 CARL TASWELL, H. ROBSON MACDONALD, AND JEAN-CHARLES CEROTTINI. Clonal analysis of cytolytic T lymphocyte specificity. I. Phenotypically distinct sets of clones as the cellular basis of cross-reactivity to alloantigens

1386 LINDA A. SHERMAN. Dissection of the B10.D2 anti-H-2K^b cytolytic T lymphocyte receptor repertoire

1398 STEPHEN W. CHENSUE, DOV L. BOROS, AND CHELLA S. DAVID. Regulation of granulomatous inflammation in murine schistosomiasis. In vitro characterization of T lymphocyte subsets involved in the production and suppression of migration inhibition factor

1413 JUDAH Z. WEINBERGER, BARUJ BENACERRAF, AND MARTIN E. DORF. Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. III. Interaction of effector suppressor T cells is restricted by H-2 and Igh-V genes

1424 A. FERREIRA, C. S. DAVID, AND V. NUSSENZWEIG. The murine H-2.7 specificity is an antigenic determinant of C4d, a fragment of the fourth component of the complement system

1436 ANDREW W. BOYD AND JOHN W. SCHRADER. Mechanism of effector-cell blockade. I. Antigen-induced suppression of Ig synthesis in a hybridoma cell line, and correlation with cell-associated antigen

1452 DAN L. LONGO AND RONALD H. SCHWARTZ. Gene complementation. Neither *Ir*-GLϕ gene need be present in the proliferative T cell to generate an immune response to poly(Glu^{55}Lys^{36}Phe^{9})$_n$

1468 E. GOMARD, Y. HÉNIN, M. J. COLOMBANI, AND J. P. LÉVY. Immune response genes control T killer cell response against Moloney tumor antigen cytolysis regulating reactions against the best available H-2 + viral antigen association

1477 MARCY E. MACDONALD, FRED H. REYNOLDS, JR., WIM J. M. VAN DE VEN, JOHN R. STEPHENSON, TAK W. MAK, AND ALAN BERNSTEIN. Anemia- and polycythemia-inducing isolates of Friend spleen focus-forming virus. Biological and molecular evidence for two distinct viral genomes

1493 MARCY E. MACDONALD, TAK W. MAK, AND ALAN BERNSTEIN. Erythroleukemia induction by replication-competent type C viruses cloned from the anemia- and polycythemia-inducing isolates of Friend leukemia virus

1504 PEDRO POTOCNJAK, NOBUKO YOSHIDA, RUTH S. NUSSENZWEIG, AND VICTOR NUSSENZWEIG. Monovalent fragments (Fab) of monoclonal antibodies to a sporozoite surface antigen (Pb44) protect mice against malarial infection

1514 VINCENT AGNELLO, ANNE ARBETTER, GRACIELA IBANEZ DE KASEP, RICHARD POWELL, ENG M. TAN, AND FENNEKE JOSLIN. Evidence for a subset of rheumatoid factors that cross-react with DNA-histone and have a distinct cross-idiotype

BRIEF DEFINITIVE REPORTS

1528 A. S. WALIA, D. R. SHAW, E. W. FUSON, B. ANDERSSON, AND E. W. LAMON. Different divalent cation requirements for binding IgM complexes to lymphocytes and macrophages

1534 ARAXIE KILEJIAN. Homology between a histidine-rich protein from *Plasmodium lophurae* and a protein associated with the knob-like protrusions on membranes of erythrocytes infected with *Plasmodium falciparum*

1539 CHANG YI WANG, ROBERT A. GOOD, PATRIZIA AMMIRATI, GINY DYMBORT, AND ROBERT L. EVANS. Identification of a p69,71 complex expressed on human T cells sharing determinants with B-type chronic lymphatic leukemic cells

1545 PETER D'EUSTACHIO, DIMITRINA PRAVTCHEVA, KENNETH MARCU, AND FRANK H. RUDDLE. Chromosomal location of the structural gene cluster encoding murine immunoglobulin heavy chains

1551 KENDALL A. SMITH, LAWRENCE B. LACHMAN, JOOST J. OPPENHEIM, AND MARGARET F. FAVATA. The functional relationship of the interleukins

1557 G. RICHARD OLDS, JERROLD J. ELLNER, LEE A. KEARSE, JR., JAMES W. KAZURA, AND ADEL A. F. MAHMOUD. Role of arginase in killing of schistosomula of *Schistosoma mansoni*

1563 DENISE FAUSTMAN, VERA HAUPTFELD, J. M. DAVIE, P. E. LACY, AND D. C. SHREFFLER. Murine pancreatic β-cells express H-2K and H-2D but not Ia antigens

1569 Index to Volume 151

AUTHOR INDEX

A

Abbas, A. K., Burakoff, S. J., Gefter, M. L., Greene, M. I., T lymphocyte-mediated suppression of myeloma function in vitro. III. Regulation of antibody production in hybrid myeloma cells by T lymphocytes, **969**

—. **Ratnofsky, S. E., Burakoff, S. J.,** T lymphocyte-mediated suppression of myeloma function in vitro. II. Evidence for regulation of hapten-binding myelomas by syngeneic hapten-specific cytolytic T lymphocytes, **306**

Abramson, S. L. *see* Rich, Abramson, Seldin, Puck, Levy

Adorini, L., Harvey, M. A., Rozycka-Jackson, D., Miller, A., Sercarz, E. E., Differential major histocompatibility complex-related activation of idiotypic suppressor T cells. Suppressor T cells cross-reactive to two distantly related lysozymes are not induced by one of them, **521**

Aisenberg, A. C., Wilkes, B. M., Unusual human lymphoma phenotype defined by monoclonal antibody, **1126**

Alexander, K. *see* Geczy, Alexander, Bashir, Edmonds

Aley, S. B., Scott, W. A., Cohn, Z. A., Plasma membrane of *Entamoeba histolytica*, **391**

Alter, B. J. *see* Inouye, Hank, Chardonnens, Segall, Alter, Bach

Altman, A. *see* Katz, Bechtold, Altman

Andersen, R. L. *see* Kaufman, Andersen, Strominger

Andrade, A. F. B. *see* Pereira, Loures, Villalta, Andrade

Andrew, M. E. *see* Lake, Andrew, Pierce, Braciale

Araneo, B. A. *see* Kapp, Araneo, Clevinger

Askenase, P. W., Bursztajn, S., Gershon, M. D., Gershon, R. K., T cell-dependent mast cell degranulation and release of serotonin in murine delayed-type hypersensitivity, **1358**

Atkins, E. *see* Bernheim, Block, Francis, Atkins

Azizkhan, J. C. *see* Azizkhan, Azizkhan, Zetter, Folkman

Azizkhan, R. G., Azizkhan, J. C., Zetter, B. R., Folkman, J., Mast cell heparin stimulates migration of capillary endothelial cells in vitro, **931**

B

Babinet, C. *see* Morello, Condamine, Delarbre, Babinet, Gachelin

Bach, F. H. *see* Inouye, Hank, Chardonnens, Segall, Alter, Bach

—. *see* Segall, Reinsmoen, Noreen, Bach

Bainton, D. F. *see* Werb, Bainton, Jones

Baltz, M. L. *see* Dyck, Lockwood, Kershaw, McHugh, Duance, Baltz, Pepys

Banda, M. J., Clark, E. J., Werb, Z., Limited proteolysis by macrophage elastase inactivates human α_1-proteinase inhibitor, **1563**

—. *see* Werb, Banda, Jones

Bandu, M.-T. *see* Riviere, Gresser, Guillon, Bandu, Ronco, Morel-Maroger, Verroust

Barrera, O. *see* Schneerson, Barrera, Sutton, Robbins

Bashir, H. V. *see* Geczy, Alexander, Bashir, Edmonds

Battifora, H. A. *see* Omary, Trowbridge, Battifora

Battye, F. *see* Goldschneider, Metcalf, Battye, Mandel

Bausserman, L. L., Herbert, P. N., McAdam, K. P. W. J., Heterogeneity of human serum amyloid A proteins, **641**

Bazin, H. *see* Der Balian, Slack, Clevinger, Bazin, Davie

Bechtold, T. E. *see* Katz, Bechtold, Altman

Beller, D. I. *see* Scher, Beller, Unanue

Benacerraf, B. *see* Ju, Benacerraf, Dorf

—. *see* Sunday, Benacerraf, Dorf

—. *see* Sy, Dietz, Nisonoff, Germain, Benacerraf, Greene

—. *see* Weinberger, Germain, Benacerraf, Dorf

Benike, C. J. *see* Charron, Engleman, Benike, McDevitt

—. *see* Engleman, Benike, Charron

—. *see* Engleman, Charron, Benike, Stewart

Bensussan, A. *see* Sasportes, Wollman, Cohen, Carosella, Bensussan, Fradelizi, Dausset

Bergh, O. J. *see* Hirschberg, Bergh, Thorsby

Berman, P. W., Patrick, J., Linkage between the frequency of muscular weakness and loci that regulate immune responsiveness in murine experimental myasthenia gravis, **507**

Bernard, A. *see* Boumsell, Coppin, Pham, Raynal, Lemerle, Dausset, Bernard

Bernheim, H. A., Block, I. H., Francis, L., Atkins, E., Release of an endogenous pyrogen-activating factor from concanavalin A-stimulated human lymphocytes, **1811**

Berning, A. *see* Finkelman, Woods, Wilburn, Mond, Stein, Berning, Scher

Bevan, M. J. *see* Hunig, Bevan

Bhan, A. K., Reinherz, E. L., Poppema, S., McCluskey, R. T., Schlossman, S. F., Location of T cell and major histocompatibility complex antigens in the human thymus, **771**

Biddison, W. E., Payne, S. M., Shearer, G. M., Shaw, S., Human cytotoxic T cell responses to trinitrophenyl hapten and influenza virus. Diversity of restriction antigens and specificity of HLA-linked genetic regulation, **204s**

Bilofsky, H. *see* Kabat, Wu, Bilofsky

Blanden, R. V. *see* Parr, Blanden, Tulsi

Blank, K. J., Pincus, T., Evidence that endogenous ecotropic virus is not expressed in AKR thymic lymphoid cells of chimeric hosts, **456**

Blobel, G. *see* McCune, Lingappa, Fu, Blobel, Kunkel

Block, I. H. *see* Bernheim, Block, Francis, Atkins

Blokland, E. *see* Goulmy, Blokland, van Rood, Charmot, Malissen, Mawas

Blomberg, J. *see* Van de Ven, Reynolds, Blomberg, Stephenson

Bloom, B. R. *see* Damiani, Kiyotaki, Soeller, Sasada, Peisach, Bloom

—. *see* Minato, Reid, Cantor, Lengyel, Bloom

Bocchieri, M. *see* Lindahl, Bocchieri, Riblet

Bodmer, W. F., Models and mechanisms for HLA and disease associations, 353s
—. *see* Lee, Trowsdale, Bodmer
—. *see* Trowsdale, Travers, Bodmer, Patillo
Bollum, F. J. *see* Goldschneider, Metcalf, Mandel, Bollum
Boon, T., Van Snick, J., Van Pel, A., Uyttenhove, C., Marchand, M., Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815. II. T lymphocyte-mediated cytolysis, **1184**
—. *see* Uyttenhove, Van Snick, Boon
Boswell, H. S., Nerenberg, M. I., Scher, I., Singer, A., Role of accessory cells in B cell activation. III. Cellular analysis of primary immune response deficits in CBA/N mice: presence of an accessory cell-B cell interaction defect, **1194**
Bottomly, K., Maurer, P. H., Antigen-specific helper T cells required for dominant production of an idiotype (ThId) are not under immune response (Ir) gene control, **1571**
Botzenhardt, U. *see* Stockinger, Botzenhardt
Boumsell, L., Coppin, H., Pham, D., Raynal, B., Lemerle, J., Dausset, J., Bernard, A., An antigen shared by a human T cell subset and B cell chronic lymphocytic leukemic cells. Distribution on normal and malignant lymphoid cells, **229**
Braciale, T. J. *see* Lake, Andrew, Pierce, Braciale
Brandt, B. L. *see* Lowell, Smith, Griffiss, Brandt
Bretting, H. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,
Briles, D. E., Davie, J. M., Clonal nature of the immune response. II. The effect of immunization on clonal commitment, **151**
Britt, W. J., Chesebro, B., H-2D (Rfv-1) gene influence on recovery from Friend virus leukemia is mediated by nonleukemic cells of the spleen and bone marrow, **1795**
Brodsky, F. M. *see* McMichael, Parham, Brodsky, Pilch
Brukner, L. *see* Nathan, Brukner, Kaplan, Unkeless, Cohn
Brunner, K. T. *see* Weiss, Brunner, MacDonald, Cerottini
Burakoff, S. J. *see* Abbas, Burakoff, Gefter, Greene
—. *see* Abbas, Ratnofsky, Burakoff
—. *see* Engelhard, Kaufman, Strominger, Burakoff
Burger, R., Shevach, E. M., Monoclonal antibodies to guinea pig Ia antigens. II. Effect on alloantigen-, antigen-, and mitogen-induced T lymphocyte proliferation in vitro, **1011**
Bursztajn, S. *see* Askenase, Bursztajn, Gershon, Gershon

C

Calvelli, T. A. *see* Freedman, Calvelli, Silagi, Silverstein
Cantor, H. *see* Minato, Reid, Cantor, Lengyel, Bloom
Capra, J. D. *see* Lamoyi, Estess, Capra, Nisonoff
—. *see* Pacifico, Capra
Carosella, E. *see* Sasportes, Wollman, Cohen, Carosella, Bensussan, Fradelizi, Dausset
Casazza, B. A. *see* Weksler, Moody, Ostry, Casazza
Cerottini, J.-C. *see* Weiss, Brunner, MacDonald, Cerottini
Challacombe, S. J., Tomasi, T. B., Jr., Systemic tolerance and secretory immunity after oral immunization, **1459**
Chambers, D. A. *see* Krueger, Chambers, Shelby
Chaplan, S. *see* Nogueira, Chaplan, Cohn
Chardonnens, X. *see* Inouye, Hank, Chardonnens, Segall, Alter, Bach
Charmot, D. J. *see* Goulmy, Blokland, van Rood, Charmot, Malissen, Mawas
Charron, D. J., Engleman, E. G., Benike, C. J., McDevitt, H. O., Ia antigens on alloreactive T cells in man detected by monoclonal antibodies. Evidence for synthesis of HLA-D/DR molecules of the responder type, **127s**
—. **McDevitt, H. O.,** Characterization of HLA-D-region antigens by two-dimensional gel electrophoresis. Molecular genotyping, **18s**
—. *see* Engleman, Benike, Charron
—. *see* Engleman, Charron, Benike, Stewart
Chedid, L. *see* Riveau, Masek, Parant, Chedid
Chen, P., Nitecki, D. E., Lewis, G. K., Goodman, J. W., Antigen structural requirements for immunoglobulin isotype switching in mice, **1670**
Chesebro, B. *see* Britt, Chesebro
Chi, E. Y. *see* Henderson, Chi, Klebanoff
Clark, E. J. *see* Banda, Clark, Werb
Cleary, P. P. *see* Spanier, Cleary
Clevinger, B. L. *see* Der Balian, Slack, Clevinger, Bazin, Davie
—. *see* Kapp, Araneo, Clevinger
—. *see* Zitron, Clevinger
Cochrane, C. G., Revak, S. D., Dissemination of contact activation in plasma by plasma kallikrein, **608**
—. *see* Curd, Prograis, Cochrane
Coffin, J. M. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,
Cohen, D. *see* Sasportes, Wollman, Cohen, Carosella, Bensussan, Fradelizi, Dausset
Cohen, I. R. *see* Maron, Cohen
Cohen, P. L. *see* Goldings, Cohen, McFadden, Ziff, Vitetta
Cohn, Z. A. *see* Aley, Scott, Cohn
—. *see* Murray, Cohn
—. *see* Murray, Nathan, Cohn
—. *see* Nathan, Brukner, Kaplan, Unkeless, Cohn
—. *see* Nathan, Cohn
—. *see* Nogueira, Chaplan, Cohn
—. *see* Nussenzweig, Steinman, Gutchinov, Cohn
—. *see* Rouzer, Scott, Hamill, Cohn
—. *see* Scott, Zrike, Hamill, Kempe, Cohn
Condamine, H. *see* Morello, Condamine, Delarbre, Babinet, Gachelin
Cone, R. E. *see* Emerson, Murphy, Cone
Conley, M. E. *see* Kutteh, Koopman, Conley, Egan, Mestecky
Cooper, S. M. *see* Lane, Kan-Mitchell, Mitchell, Cooper
Coppin, H. *see* Boumsell, Coppin, Pham, Raynal, Lemerle, Dausset, Bernard
Courtoy, P. J. *see* Ottosen, Courtoy, Farquhar
Croft, B. Y. *see* Ravdin, Croft, Guerrant
Cummings, N. P., Pabst, M. J., Johnston, R. B., Jr., Activation of macrophages for enhanced release of superoxide anion and greater killing of *Candida albicans* by injection of muramyl dipeptide, **1659**
Curd, J. G., Prograis, L. J., Jr., Cochrane, C. G., Detection of active kallikrein in induced blister fluids of hereditary angioedema patients, **742**

D

Damiani, G., Kiyotaki, C., Soeller, W., Sasada, M., Peisach, J., Bloom, B. R., Macrophage variants in oxygen metabolism, **808**

Dausset, J. *see* Boumsell, Coppin, Pham, Raynal, Lemerle, Dausset, Bernard

—. *see* Sasportes, Wollman, Cohen, Carosella, Bensussan, Fradelizi, Dausset

Davie, J. M. *see* Briles, Davie

—. *see* Der Balian, Slack, Clevinger, Bazin, Davie

Davis, M. M. *see* Kronenberg, Davis, Early, Hood, Watson

de Moes, J. *see* Nusse, de Moes, Hilkens, van Nie

Delarbre, C. *see* Morello, Condamine, Delarbre, Babinet, Gachelin

Demeur, C. *see* Wikler, Demeur, Dewasme, Urbain

Der Balian, G. P., Slack, J., Clevinger, B. L., Bazin, H., Davie, J. M., Subclass restriction of murine antibodies. III. Antigens that stimulate IgG_3 in mice stimulate IgG_{2c} in rats, **209**

Dewasme, G. *see* Wikler, Demeur, Dewasme, Urbain

Dexter, T. M., Garland, J., Scott, D., Scolnick, E., Metcalf, D., Growth of factor-dependent hemopoietic precursor cell lines, **1036**

Dietz, M. H. *see* Sy, Dietz, Nisonoff, Germain, Benacerraf, Greene

Dixon, B. D. *see* Kunz, Gill, Dixon, Taylor, Greiner

Dixon, F. J. *see* Izui, Kelley, McConahey, Dixon

Dobson, N. J. *see* Lambris, Dobson, Ross

Dorf, M. E. *see* Ju, Benacerraf, Dorf

—. *see* Sunday, Benacerraf, Dorf

—. *see* Weinberger, Germain, Benacerraf, Dorf

Duance, V. C. *see* Dyck, Lockwood, Kershaw, McHugh, Duance, Baltz, Pepys

Dupont, B. *see* Kornbluth, Dupont

Dutton, R. W. *see* Shih, Matzinger, Swain, Dutton

Dyck, R. F., Lockwood, C. M., Kershaw, M., McHugh, N., Duance, V. C., Baltz, M. L., Pepys, M. B., Amyloid P-component is a constituent of normal human glomerular basement membrane, **1162**

Dzierzak, E. A., Janeway, C. A., Jr., Rosenstein, R. W., Gottlieb, P. D., Expression of an idiotype (Id-460) during in vivo anti-dinitrophenyl antibody responses. I. Mapping of genes for Id-460 expression to the variable region of immunoglobulin heavy-chain locus and to the variable region of immunoglobulin κ-light-chain locus, **720**

E

Early, P. W. *see* Kronenberg, Davis, Early, Hood, Watson

Edmonds, J. P. *see* Geczy, Alexander, Bashir, Edmonds

Egan, M. L. *see* Kutteh, Koopman, Conley, Egan, Mestecky

Eichmann, K., Falk, I., Melchers, I., Simon, M. M., Quantitative studies on T cell diversity. I. Determination of the precursor frequencies for two types of Streptococcus A-specific helper cells in nonimmune, polyclonally activated splenic T cells, **477**

Elder, J. H. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,

Emerson, S. G., Murphy, D. B., Cone, R. E., Selective turnover and shedding of H-2K and H-2D antigens is controlled by the major histocompatibility complex. Implications for H-2 restricted recognition, **783**

Engelhard, V. H., Kaufman, J. F., Strominger, J. L., Burakoff, S. J., Specificity of mouse cytotoxic T lymphocytes stimulated with either HLA-A and -B or HLA-DR antigens reconstituted into phospholipid vesicles, **54s**

Engleman, E. G., Benike, C. J., Charron, D. J., Ia antigen on peripheral blood mononuclear leukocytes in man. II. Functional studies of HLA-DR-positive T cells activated in mixed lymphocyte reactions, **114s**

—. **Charron, D. J., Benike, C. J., Stewart, G. J.,** Ia antigen on peripheral blood mononuclear leukocytes in man. I. Expression, biosynthesis, and function of HLA-DR antigen on non-T cells, **99s**

—. *see* Charron, Engleman, Benike, McDevitt

Estess, P. *see* Lamoyi, Estess, Capra, Nisonoff

F

Falk, I. *see* Eichmann, Falk, Melchers, Simon

Farquhar, M. G. *see* Ottosen, Courtoy, Farquhar

Fathman, C. G. *see* Griffing, Moore, Luthra, McKenna, Fathman

—. *see* Kimoto, Fathman

Fearon, D. T., Identification of the membrane glycoprotein that is the C3b receptor of the human erythrocyte, polymorphonuclear leukocyte, B lymphocyte, and monocyte, **20**

Feldman, H. A. *see* Mulks, Plaut, Feldman, Frangione

Feldman, J. D. *see* Fernandez-Cruz, Woda, Feldman

Feldmann, M. *see* Sunshine, Katz, Feldmann

Fernandez-Cruz, E., Woda, B. A., Feldman, J. D., Elimination of syngeneic sarcomas in rats by a subset of T lymphocytes, **823**

Festenstein, H. *see* van Leeuwen, Festenstein, van Rood

Fields, B. N. *see* Rubin, Fields

Finkelman, F. D., Woods, V. L., Wilburn, S. B., Mond, J. J., Stein, K. E., Berning, A., Scher, I., Augmentation of in vitro humoral immune responses in the mouse by an antibody to IgD, **493**

Fischer, D. G. *see* Pike, Fischer, Koren, Snyderman

Folkman, J. *see* Azizkhan, Azizkhan, Zetter, Folkman

Fradelizi, D. *see* Sasportes, Wollman, Cohen, Carosella, Bensussan, Fradelizi, Dausset

Francis, L. *see* Bernheim, Block, Francis, Atkins

Frangione, B. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,

—. *see* Mulks, Plaut, Feldman, Frangione

Franklin, E. C. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,

Freedman, V. H., Calvelli, T. A., Silagi, S., Silverstein, S. C., Macrophages elicited with heat-killed Bacillus Calmette-Guerin protect C57BL/6J mice against a syngeneic melanoma, **657**

Fu, S. M., Hurley, J. N., McCune, J. M., Kunkel, H. G., Good, R. A., Pre-B cells and other possible precursor lymphoid cell lines derived from patients with X-linked agammaglobulinemia, **1519**
—. *see* McCune, Lingappa, Fu, Blobel, Kunkel
—. *see* Yu, McCune, Fu, Winchester, Kunkel
Fung, J., Kohler, H., Late clonal selection and expansion of the TEPC-15 germ-line specificity, **1262**

G

Gachelin, G. *see* Morello, Condamine, Delarbre, Babinet, Gachelin
Galili, U., Polliack, A., Okon, E., Leizerovitz, R., Gamliel, H., Korkesh, A., Schenkar, J. G., Izak, G., Human prothymocytes. Membrane properties, differentiation patterns, glucocorticoid sensitivity, and ultrastructural features, **796**
Gamliel, H. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,
Garland, J. *see* Dexter, Garland, Scott, Scolnick, Metcalf
Geczy, A. F., Alexander, K., Bashir, H. V., Edmonds, J. P., Characterization of a factor(s) present in *Klebsiella* culture filtrates that specifically modifies an HLA-B27-associated cell-surface component, **331s**
Gefter, M. L. *see* Abbas, Burakoff, Gefter, Greene
Geltner, D. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,
Germain, R. N. *see* Sy, Dietz, Nisonoff, Germain, Benacerraf, Greene
—. *see* Weinberger, Germain, Benacerraf, Dorf
Gershon, M. D. *see* Askenase, Bursztajn, Gershon, Gershon
Gershon, R. K. *see* Askenase, Bursztajn, Gershon, Gershon
Gibson, D. M. *see* Lazure, Hum, Gibson
Gilheany, P. E. *see* Levy, Gilheany, Shearer
Gill, T. J., III *see* Kunz, Gill, Dixon, Taylor, Greiner
Gillis, S., Watson, J., Biochemical and biological characterization of lymphocyte regulatory molecules. V. Identification of an interleukin 2-producing human leukemia T cell line, **1709**
Goldings, E. A., Cohen, P. L., McFadden, S. F., Ziff, M., Vitetta, E. S., Defective B cell tolerance in adult (NZB × NZW)F_1 mice, **730**
Goldschneider, I., Metcalf, D., Battye, F., Mandel, T., Analysis of rat hemopoietic cells on the fluorescence-activated cell sorter. I. Isolation of pluripotent hemopoietic stem cells and granulocyte-macrophage progenitor cells, **419**
—. **Metcalf, D., Mandel, T., Bollum, F. J.,** Analysis of rat hemopoietic cells on the fluorescence-activated cell sorter. II. Isolation of terminal deoxynucleotidyl transferase-positive cells, **438**
Good, R. A. *see* Fu, Hurley, McCune, Kunkel, Good
Goodman, J. W. *see* Chen, Nitecki, Lewis, Goodman
Gottlieb, M., Strober, S., Kaplan, H. S., Cellular basis of graft versus host tolerance in chimeras prepared with total lymphoid irradiation, **736**
Gottlieb, P. D. *see* Dzierzak, Janeway, Rosenstein, Gottlieb
Goulmy, E., Blokland, E., van Rood, J. J., Charmot, D. J., Malissen, B., Mawas, C., Production, expansion, and clonal analysis of T cells with specific HLA-restricted male lysis, **182s**
Green, N., Hiai, H., Elder, J. H., Schwartz, R. S., Khiroya, R. H., Thomas, C. Y., Tsichlis, P. N., Coffin, J. M., Expression of leukemogenic recombinant viruses associated with a recessive gene in HRS/J mice, **249**
Greene, M. I. *see* Abbas, Burakoff, Gefter, Greene
—. *see* Sy, Dietz, Nisonoff, Germain, Benacerraf, Greene
Greiner, D. L. *see* Kunz, Gill, Dixon, Taylor, Greiner
Gresser, I. *see* Riviere, Gresser, Guillon, Bandu, Ronco, Morel-Maroger, Verroust
Griffin, F. M., Jr., Effects of soluble immune complexes on Fc receptor- and C3b receptor-mediated phagocytosis by macrophages, **905**
Griffing, W. L., Moore, S. B., Luthra, H. S., McKenna, C. H., Fathman, C. G., Associations of antibodies to native DNA with HLA-DRw3. A possible major histocompatibility complex-linked human immune response gene, **319s**
Griffiss, J. M. *see* Lowell, Smith, Griffiss, Brandt
Guerrant, R. L. *see* Ravdin, Croft, Guerrant
Guillon, J.-C. *see* Riviere, Gresser, Guillon, Bandu, Ronco, Morel-Maroger, Verroust
Gutchinov, B. *see* Nussenzweig, Steinman, Gutchinov, Cohn

H

Hale, C. *see* Howard, Hale, Liew
Hamblin, T. J. *see* Stevenson, Hamblin, Stevenson, Tutt
Hamill, A. L. *see* Rouzer, Scott, Hamill, Cohn
—. *see* Scott, Zrike, Hamill, Kempe, Cohn
Hank, J. A. *see* Inouye, Hank, Chardonnens, Segall, Alter, Bach
Hannestad, K. *see* Rekvig, Hannestad
Hardt, C., Pfizenmaier, K., Rollinghoff, M., Klein, J., Wagner, H., Alloreactive and H-2-restricted Lyt 23 cytotoxic T lymphocytes derive from a common pool of antecedent Lyt 123 precursors, **1413**
Harvey, M. A. *see* Adorini, Harvey, Rozycka-Jackson, Miller, Sercarz
Harwell, L., Skidmore, B., Marrack, P., Kappler, J., Concanavalin A-inducible, interleukin-2-producing T cell hybridoma, **893**
Hathcock, K. S. *see* Hodes, Hathcock, Singer
Hayama, M. *see* Sasazuki, Kaneoka, Nishimura, Kaneoka, Hayama, Ohkuni
Henderson, W. R., Chi, E. Y., Klebanoff, S. J., Eosinophil peroxidase-induced mast cell secretion, **265**
Herbert, P. N. *see* Bausserman, Herbert, McAdam
Herzenberg, L. A. *see* Ledbetter, Rouse, Micklem, Herzenberg
Hiai, H. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,
Hilkens, J. *see* Nusse, de Moes, Hilkens, van Nie
Hirschberg, H., Bergh, O. J., Thorsby, E., Antigen-presenting properties of human vascular endothelial cells, **249s**

Hodes, R. J., Hathcock, K. S., Singer, A., Major histocompatibility complex restricted self recognition. A monoclonal anti-I-A^k reagent blocks helper T cell recognition of self major histocompatibility complex determinants, **1779**

Hollander, N., Pillemer, E., Weissman, I. L., Blocking effect of Lyt-2 antibodies on T cell functions, **674**

Hood, L. E. *see* Kronenberg, Davis, Early, Hood, Watson

Howard, J. G., Hale, C., Liew, F. Y., Immunological regulation of experimental cutaneous leishmaniasis. III. Nature and significance of specific suppression of cell-mediated immunity in mice highly susceptible to *Leishmania tropica*, **594**

Hsieh, K.-H. *see* Thomas, Hsieh, Schauster, Mudd, Wilner

Hum, W.-T. *see* Lazure, Hum, Gibson

Hunig, T., Bevan, M. J., Specificity of cytotoxic T cells from athymic mice, **688**

Hurley, J. N. *see* Fu, Hurley, McCune, Kunkel, Good

Huston, D. P., Steinberg, A. D., NZB cytotoxic lymphocyte responses. Kinetic analyses, **748**

I

Imperiale, M. J. *see* Sproviero, Imperiale, Zauderer

Inouye, H., Hank, J. A., Chardonnens, X., Segall, M., Alter, B. J., Bach, F. H., Cloned primed-lymphocyte-test reagents in the dissection of HLA-D, **143s**

Izak, G. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,

Izui, S., Kelley, V. E., McConahey, P. J., Dixon, F. J., Selective suppression of retroviral gp70-anti-gp70 immune complex formation by prostaglandin E_1 in murine systemic lupus erythematosus, **1645**

J

Jackson, P. L. *see* Lipton, Reinherz, Kudisch, Jackson, Schlossman, Nathan

Janeway, C. A., Jr. *see* Dzierzak, Janeway, Rosenstein, Gottlieb

—. *see* Lerner, Matis, Janeway, Jones, Schwartz, Murphy

—. *see* Mattingly, Kaplan, Janeway

Johnson, A. H. *see* Shaw, Johnson, Shearer

Johnston, R. B., Jr. *see* Cummings, Pabst, Johnston

—. *see* Sasada, Johnston

Jones, P. A., Werb, Z., Degradation of connective tissue matrices by macrophages. II. Influence of matrix composition on proteolysis of glycoproteins, elastin, and collagen by macrophages in culture, **1527**

—. *see* Werb, Bainton, Jones

—. *see* Werb, Banda, Jones

Jones, P. P., Aberrant $A_\alpha(E\beta)$ Ia polypeptide chain in *H-2*^{ar} haplotype mice. Possible result of an intragenic recombination or mutation, **1453**

—. *see* Lerner, Matis, Janeway, Jones, Schwartz, Murphy

Ju, S.-T., Benacerraf, B., Dorf, M. E., Genetic control of a shared idiotype among antibodies directed to distinct specificities, **170**

Judd, W., Poodry, C. A., Strominger, J. L., Novel surface antigen expressed on dividing cells but absent from nondividing cells, **1430**

K

Kabat, E. A., Liao, J., Bretting, H., Franklin, E. C., Geltner, D., Frangione, B., Koshland, M. E., Shyong, J., Osserman, E. F., Human monoclonal macroglobulins with specificity for *Klebsiella* K polysaccharides that contain 3,4-pyruvylated-D-galactose and 4,6-pyruvylated-D-galactose, **979**

—. **Wu, T. T., Bilofsky, H.,** Evidence indicating independent assortment of framework and complementarity-determining segments of the variable regions of rabbit light chains. Delineation of a possible J minigene, **72**

Kaneoka, H. *see* Sasazuki, Kaneoka, Nishimura, Kaneoka, Hayama, Ohkuni

Kaneoka, R. *see* Sasazuki, Kaneoka, Nishimura, Kaneoka, Hayama, Ohkuni

—. *see* Sasazuki, Ohta, Kaneoka, Kojima

Kan-Mitchell, J. *see* Lane, Kan-Mitchell, Mitchell, Cooper

Kaplan, G. *see* Nathan, Brukner, Kaplan, Unkeless, Cohn

Kaplan, H. S. *see* Gottlieb, Strober, Kaplan

Kaplan, J. M. *see* Mattingly, Kaplan, Janeway

Kapp, J. A., Araneo, B. A., Clevinger, B. L., Suppression of antibody and T cell proliferative responses to L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} by a specific monoclonal T cell factor, **235**

Kappler, J. *see* Harwell, Skidmore, Marrack, Kappler

—. *see* Marrack, Kappler

Karnovsky, M. L. *see* Soberman, Karnovsky

Katz, D. H., Bechtold, T. E., Altman, A., Construction of T cell hybridomas secreting allogeneic effect factor, **956**

Katz, D. R. *see* Sunshine, Katz, Feldmann

Kaufman, J. F., Andersen, R. L., Strominger, J. L., HLA-DR antigens have polymorphic light chains and invariant heavy chains as assessed by lysine-containing tryptic peptide analysis, **37s**

—. *see* Engelhard, Kaufman, Strominger, Burakoff

—. *see* Korman, Ploegh, Kaufman, Owen, Strominger

Kay, T. W. *see* Pike, Kay, Nossal

Kedar, E. *see* Yefenof, Meidav, Kedar

Kelley, V. E. *see* Izui, Kelley, McConahey, Dixon

Kempe, J. *see* Scott, Zrike, Hamill, Kempe, Cohn

Kershaw, M. *see* Dyck, Lockwood, Kershaw, McHugh, Duance, Baltz, Pepys

Khiroya, R. H. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,

Kimoto, M., Fathman, C. G., Antigen-reactive T cell clones. I. Transcomplementing hybrid I-A-region gene products function effectively in antigen presentation, **759**

Kiyotaki, C. *see* Damiani, Kiyotaki, Soeller, Sasada, Peisach, Bloom

Klebanoff, S. J. *see* Henderson, Chi, Klebanoff

Klein, J. *see* Hardt, Pfizenmaier, Rollinghoff, Klein, Wagner

Klinman, N. R. *see* Pierce, Klinman, Maurer, Merryman

Kohler, H. *see* Fung, Kohler

Kojima, S. *see* Sasazuki, Ohta, Kaneoka, Kojima

Konaka, Y. *see* Shimizu, Konaka, Smith

Koopman, W. J. *see* Kutteh, Koopman, Conley, Egan, Mestecky

Koprowski, H. *see* Wiktor, Koprowski
Koren, H. S. *see* Pike, Fischer, Koren, Snyderman
Korkesh, A. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,
Korman, A. J., Ploegh, H. L., Kaufman, J. F., Owen, M. J., Strominger, J. L., Cell-free synthesis and processing of the heavy and light chains of HLA-DR antigens, **65s**
Kornbluth, J., Dupont, B., Cloning and functional characterization of primary alloreactive human T lymphocytes, **164s**
Kornfeld, S. *see* Varki, Kornfeld
Koshland, M. E. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,
Kozak, C. A., Rowe, W. P., Genetic mapping of the ecotropic virus-inducing locus *Akv*-2 of the AKR mouse, **1419**
—. **Rowe, W. P.,** Genetic mapping of xenotropic murine leukemia virus-inducing loci in five mouse strains, **219**
Kronenberg, M., Davis, M. M., Early, P. W., Hood, L. E., Watson, J. D., Helper and killer T cells do not express B cell immunoglobulin joining and constant region gene segments, **1745**
Krueger, G. G., Chambers, D. A., Shelby, J., Epidermal proliferation of nude mouse skin, pig skin, and pig skin grafts. Failure of nude mouse skin to respond to the tumor promotor 12-*O*-tetradecanoyl phorbol 13-acetate, **1329**
Kudisch, M. *see* Lipton, Reinherz, Kudisch, Jackson, Schlossman, Nathan
Kunkel, H. G. *see* Fu, Hurley, McCune, Kunkel, Good
—. *see* McCune, Lingappa, Fu, Blobel, Kunkel
—. *see* Yu, McCune, Fu, Winchester, Kunkel
Kunz, H. W., Gill, T. J., III, Dixon, B. D., Taylor, F. H., Greiner, D. L., Growth and reproduction complex in the rat. Genes linked to the major histocompatibility complex that affect development, **1506**
Kutteh, W. H., Koopman, W. J., Conley, M. E., Egan, M. L., Mestecky, J., Production of predominantly polymeric IgA by human peripheral blood lymphocytes stimulated in vitro with mitogens, **1424**

L

Lake, J. P. Andrew, M. E., Pierce, C. W., Braciale, T. J., Sendai virus-specific, H-2 restricted cytotoxic T lymphocyte responses of nude mice grafted with allogeneic or semi-allogeneic thymus glands, **1805**
Lambris, J. D., Dobson, N. J., Ross, G. D., Release of endogenous C3b inactivator from lymphocytes in response to triggering membrane receptors for β 1H globulin, **1625**
Lamoyi, E., Estess, P., Capra, J. D., Nisonoff, A., Presence of highly conserved idiotypic determinants in a family of antibodies that constitute an intrastrain cross-reactive idiotype, **703**
Lane, B. C., Kan-Mitchell, J., Mitchell, M. S., Cooper, S. M., Structural evidence for distinct IgG subclass-specific Fc receptors on mouse peritoneal macrophages, **1147**
Lazure, C., Hum, W.-T., Gibson, D. M., A major group of mouse kappa chains controlled by the chromosome 6 locus, *IgK-Ef2*, **555**
Ledbetter, J. A., Rouse, R. V., Micklem, H. S., Herzenberg, L. A., T cell subsets defined by expression of Lyt-1,2,3 and Thy-1 antigens. Two-parameter immunofluorescence and cytotoxicity analysis with monoclonal antibodies modifies current views, **280**
Lee, J. S., Trowsdale, J., Bodmer, W. F., Synthesis of HLA antigens from membrane-associated messenger RNA, **3s**
Leizerovitz, R. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,
Lemerle, J. *see* Boumsell, Coppin, Pham, Raynal, Lemerle, Dausset, Bernard
Lengyel, P. *see* Minato, Reid, Cantor, Lengyel, Bloom
Lerner, E. A., Matis, L. A., Janeway, C. A., Jr., Jones, P. P., Schwartz, R. H., Murphy, D. B., Monoclonal antibody against an Ir gene product, **1085**
Levy, R. *see* Rich, Abramson, Seldin, Puck, Levy
Levy, R. B., Gilheany, P. E., Shearer, G. M., Role of self and foreign antigenic determinants in allogeneic and self- restricted cytotoxic T cell recognition, **405**
Lewis, G. K. *see* Chen, Nitecki, Lewis, Goodman
Liao, J. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,
Liew, F. Y. *see* Howard, Hale, Liew
Lifshitz, R. *see* Strassmann, Lifshitz, Mozes
Lindahl, K. F., Bocchieri, M., Riblet, R., Maternally transmitted target antigen for unrestricted killing by NZB T lymphocytes, **1583**
Lingappa, V. R. *see* McCune, Lingappa, Fu, Blobel, Kunkel
Lipton, J. M., Reinherz, E. L., Kudisch, M., Jackson, P. L., Schlossman, S. F., Nathan, D. G., Mature bone marrow erythroid burst-forming units do not require T cells for induction of erythropoietin-dependent differentiation, **350**
Lockwood, C. M. *see* Dyck, Lockwood, Kershaw, McHugh, Duance, Baltz, Pepys
Loures, M. A. *see* Pereira, Loures, Villalta, Andrade
Lowell, G. H., Smith, L. F., Griffiss, J. M., Brandt, B. L., IgA-dependent, monocyte-mediated, antibacterial activity, **452**
Luehrman, L. K. *see* Schwartz, Luehrman, Rodey
Luthra, H. S. *see* Griffing, Moore, Luthra, McKenna, Fathman

M

MacDonald, H. R. *see* Weiss, Brunner, MacDonald, Cerottini
Malissen, B. *see* Goulmy, Blokland, van Rood, Charmot, Malissen, Mawas
Mandel, T. *see* Goldschneider, Metcalf, Battye, Mandel
—. *see* Goldschneider, Metcalf, Mandel, Bollum
Marchand, M. *see* Boon, Van Snick, Van Pel, Uyttenhove, Marchand

Maron, R., Cohen, I. R., H-2K mutation controls immune response phenotype of autoimmune thyroiditis. Critical expression of mutant gene product in both thymus and thyroid glands, **1115**

Marrack, P., Kappler, J. W., The role of H-2-linked genes in helper T cell function. VII. Expression of *I* region and immune response genes by B cells in bystander help assays, **1274**

—. *see* Harwell, Skidmore, Marrack, Kappler

Masek, K. *see* Riveau, Masek, Parant, Chedid

Matis, L. A. *see* Lerner, Matis, Janeway, Jones, Schwartz, Murphy

Mattingly, J. A., Kaplan, J. M., Janeway, C. A., Jr., Two distinct antigen-specific suppressor factors induced by the oral administration of antigen, **545**

Matzinger, P. C. *see* Shih, Matzinger, Swain, Dutton

Maurer, P. H. *see* Bottomly, Maurer

—. *see* Pierce, Klinman, Maurer, Merryman

Mawas, C. *see* Goulmy, Blokland, van Rood, Charmot, Malissen, Mawas

McAdam, K. P. W. J. *see* Bausserman, Herbert, McAdam

McCarty, G. A. *see* Pisetsky, McCarty, Peters

McClintock, P. R. *see* Yoon, McClintock, Onodera, Notkins

McCluskey, R. T. *see* Bhan, Reinherz, Poppema, McCluskey, Schlossman

McConahey, P. J. *see* Izui, Kelley, McConahey, Dixon

McCune, J. M., Lingappa, V. R., Fu, S. M., Blobel, G., Kunkel, H. G., Biogenesis of membrane-bound and secreted immunoglobulins. I. Two distinct translation products of human μ-chain, with identical N-termini and different C-termini, **463**

—. *see* Fu, Hurley, McCune, Kunkel, Good

—. *see* Yu, McCune, Fu, Winchester, Kunkel

McDevitt, H. O. *see* Charron, Engleman, Benike, McDevitt

—. *see* Charron, McDevitt

McFadden, S. F. *see* Goldings, Cohen, McFadden, Ziff, Vitetta

McHugh, N. *see* Dyck, Lockwood, Kershaw, McHugh, Duance, Baltz, Pepys

McKenna, C. H. *see* Griffing, Moore, Luthra, McKenna, Fathman

McMichael, A. J., Parham, P., Brodsky, F. M., Pilch, J. R., Influenza virus-specific cytotoxic T lymphocytes recognize HLA molecules. Blocking by monoclonal anti-HLA antibodies, **195s**

Meidav, A. *see* Yefenof, Meidav, Kedar

Melchers, I. *see* Eichmann, Falk, Melchers, Simon

Mellman, I. S., Unkeless, J. C., Purification of a functional mouse Fc receptor through the use of a monoclonal antibody, **1048**

—. *see* Steinman, Nogueira, Witmer, Tydings, Mellman

Merryman, C. F. *see* Pierce, Klinman, Maurer, Merryman

Mestecky, J. *see* Kutteh, Koopman, Conley, Egan, Mestecky

Metcalf, D. *see* Dexter, Garland, Scott, Scolnick, Metcalf

—. *see* Goldschneider, Metcalf, Battye, Mandel

—. *see* Goldschneider, Metcalf, Mandel, Bollum

Micklem, H. S. *see* Ledbetter, Rouse, Micklem, Herzenberg

Miller, A. *see* Adorini, Harvey, Rozycka-Jackson, Miller, Sercarz

Miller, R. G. *see* Muraoka, Miller

Minato, N., Reid, L., Cantor, H., Lengyel, P., Bloom, B. R., Mode of regulation of natural killer cell activity by interferon, **124**

Mitchell, M. S. *see* Lane, Kan-Mitchell, Mitchell, Cooper

Mond, J. J. *see* Finkelman, Woods, Wilburn, Mond, Stein, Berning, Scher

Moody, C. E. *see* Weksler, Moody, Ostry, Casazza

Moore, R. N. *see* Steeg, Moore, Oppenheim

Moore, S. B. *see* Griffing, Moore, Luthra, McKenna, Fathman

Morello, D., Condamine, H., Delarbre, C., Babinet, C., Gachelin, G., Serological identification and cellular distribution of three F9 antigen components, **1497**

Morel-Maroger, L. *see* Riviere, Gresser, Guillon, Bandu, Ronco, Morel-Maroger, Verroust

Morgan, E. L., Walker, S. M., Thoman, M. L., Weigle, W. O., Regulation of the immune response. I. The potentiation of in vivo and in vitro immune responses by Fc fragments, **113**

Moser, G., Wassom, D. L., Sher, A., Studies of the antibody-dependent killing of schistosomula of *Schistosoma mansoni* employing haptenic target antigens. I. Evidence that the loss in susceptibility to immune damage undergone by developing schistosomula involves a change unrelated to the masking of parasite antigens by host molecules, **41**

Mozes, E. *see* Strassmann, Lifshitz, Mozes

Mudd, M. S. *see* Thomas, Hsieh, Schauster, Mudd, Wilner

Mulks, M. H., Plaut, A. G., Feldman, H. A., Frangione, B., IgA proteases of two distinct specificities are released by *Neisseria meningitidis*, **1442**

Muller-Eberhard, H. J. *see* Pangburn, Muller-Eberhard

Muraoka, S., Miller, R. G., Cells in bone marrow and in T cell colonies grown from bone marrow can suppress generation of cytotoxic T lymphocytes directed against their self antigens, **54**

Murphy, D. B. *see* Emerson, Murphy, Cone

—. *see* Lerner, Matis, Janeway, Jones, Schwartz, Murphy

Murray, H. W., Cohn, Z. A., Macrophage oxygen-dependent antimicrobial activity. III. Enhanced oxidative metabolism as an expression of macrophage activation, **1596**

—. **Nathan, C. F., Cohn, Z. A.,** Macrophage oxygen-dependent antimicrobial activity. IV. Role of endogenous scavengers of oxygen intermediates, **1610**

N

Nathan, C., Brukner, L., Kaplan, G., Unkeless, J., Cohn, Z., Role of activated macrophages in antibody-dependent lysis of tumor cells, **183**

—. **Cohn, Z.,** Role of oxygen-dependent mechanisms in antibody-induced lysis of tumor cells by activated macrophages, **198**

—. *see* Murray, Nathan, Cohn

Nathan, D. G. *see* Lipton, Reinherz, Kudisch, Jackson, Schlossman, Nathan

Nerenberg, M. I. *see* Boswell, Nerenberg, Scher, Singer

Niederkorn, J. Y. *see* Streilein, Niederkorn, Shadduck
Nishimura, Y. *see* Sasazuki, Kaneoka, Nishimura, Kaneoka, Hayama, Ohkuni
Nisonoff, A. *see* Lamoyi, Estess, Capra, Nisonoff
—. *see* Sy, Dietz, Nisonoff, Germain, Benacerraf, Greene
Nitecki, D. E. *see* Chen, Nitecki, Lewis, Goodman
Nogueira, N., Chaplan, S., Cohn, Z., *Trypanosoma cruzi*. Factors modifying ingestion and fate of blood form trypomastigotes, **447**
—. *see* Steinman, Nogueira, Witmer, Tydings, Mellman
Noreen, H. J. *see* Segall, Reinsmoen, Noreen, Bach
Nossal, G. J. V. *see* Pike, Kay, Nossal
Notkins, A. L. *see* Yoon, McClintock, Onodera, Notkins
Nusse, R., de Moes, J., Hilkens, J., van Nie, R., Localization of a gene for expression of mouse mammary tumor virus antigens in the GR/Mtv-2$^-$ mouse strain, **712**
Nussenzweig, M. C., Steinman, R. M., Gutchinov, B., Cohn, Z. A., Dendritic cells are accessory cells for the development of anti-trinitrophenyl cytotoxic T lymphocytes, **1070**

O

Ohkuni, H. *see* Sasazuki, Kaneoka, Nishimura, Kaneoka, Hayama, Ohkuni
Ohta, N. *see* Sasazuki, Ohta, Kaneoka, Kojima
Okon, E. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,
Omary, M. B., Trowbridge, I. S., Battifora, H. A., Human homologue of murine T200 glycoprotein, **842**
Onodera, T. *see* Yoon, McClintock, Onodera, Notkins
Oppenheim, J. J. *see* Steeg, Moore, Oppenheim
Osserman, E. F. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,
Ostry, R. F. *see* Weksler, Moody, Ostry, Casazza
Ottosen, P. D., Courtoy, P. J., Farquhar, M. G., Pathways followed by membrane recovered from the surface of plasma cells and myeloma cells, **1**
Owen, M. J. *see* Korman, Ploegh, Kaufman, Owen, Strominger

P

Pabst, M. J. *see* Cummings, Pabst, Johnston
Pacifico, A., Capra, J. D., T cell hybrids with arsonate specificity. I. Initial characterization of antigen-specific T cell products that bear a cross-reactive idiotype and determinants encoded by the murine major histocompatibility complex, **1289**
Pangburn, M. K., Muller-Eberhard, H. J., Relation of a putative thioester bond in C3 to activation of the alternative pathway and the binding of C3b to biological targets of complement, **1102**
Parant, M. *see* Riveau, Masek, Parant, Chedid
Parham, P. *see* McMichael, Parham, Brodsky, Pilch
Parker, D. C., Wadsworth, D. C., Schneider, G. B., Activation of murine B lymphocytes by anti-immunoglobulin is an inductive signal leading to immunoglobulin secretion, **138**
Parr, E. L., Blanden, R. V., Tulsi, R. S., Epithelium of mouse yolk sac placenta lacks H-2 complex alloantigens, **945**
Patillo, R. A. *see* Trowsdale, Travers, Bodmer, Patillo
Patrick, J. *see* Berman, Patrick
Payne, S. M. *see* Biddison, Payne, Shearer, Shaw
Peisach, J. *see* Damiani, Kiyotaki, Soeller, Sasada, Peisach, Bloom
Pepys, M. B. *see* Dyck, Lockwood, Kershaw, McHugh, Duance, Baltz, Pepys
Pereira, M. E. A., Loures, M. A., Villalta, F., Andrade, A. F. B., Lectin receptors as markers for *Trypanosoma cruzi*. Developmental stages and a study of the interaction of wheat germ agglutinin with sialic acid residues on epimastigote cells, **1375**
Peters, D. V. *see* Pisetsky, McCarty, Peters
Pfeffer, L. M., Wang, E., Tamm, I., Interferon inhibits the redistribution of cell surface components, **469**
Pfizenmaier, K. *see* Hardt, Pfizenmaier, Rollinghoff, Klein, Wagner
Pham, D. *see* Boumsell, Coppin, Pham, Raynal, Lemerle, Dausset, Bernard
Picker, L. J. *see* Raff, Picker, Stobo
Pierce, C. W. *see* Lake, Andrew, Pierce, Braciale
Pierce, S. K., Klinman, N. R., Maurer, P. H., Merryman, C. F., Role of the major histocompatibility gene products in regulating the antibody response to dinitrophenylated poly(L-Glu^{55},L-Ala^{35}, L-Phe^{9})$_n$, **336**
Pike, B. L., Kay, T. W., Nossal, G. J. V., Relative sensitivity of fetal and newborn mice to induction of hapten-specific B cell tolerance, **1407**
Pike, M. C., Fischer, D. G., Koren, H. S., Snyderman, R., Development of specific receptors for *N*-formylated chemotactic peptides in a human monocyte cell line stimulated with lymphokines, **31**
Pilch, J. R. *see* McMichael, Parham, Brodsky, Pilch
Pillemer, E. *see* Hollander, Pillemer, Weissman
Pincus, T. *see* Blank, Pincus
Pisetsky, D. S., McCarty, G. A., Peters, D. V., Mechanisms of autoantibody production in autoimmune MRL mice, **1302**
Plaut, A. G. *see* Mulks, Plaut, Feldman, Frangione
Ploegh, H. L. *see* Korman, Ploegh, Kaufman, Owen, Strominger
Polliack, A. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,
Poodry, C. A. *see* Judd, Poodry, Strominger
Poppema, S. *see* Bhan, Reinherz, Poppema, McCluskey, Schlossman
Prograis, L. J., Jr. *see* Curd, Prograis, Cochrane
Puck, J. M. *see* Rich, Abramson, Seldin, Puck, Levy

R

Raff, H. V., Picker, L. J., Stobo, J. D., Macrophage heterogeneity in man. A subpopulation of HLA-DR-bearing macrophages required for antigen-induced T cell activation also contains stimulators for autologous-reactive T cells, **581**
Ratnofsky, S. E. *see* Abbas, Ratnofsky, Burakoff

Ravdin, J. I., Croft, B. Y., Guerrant, R. L., Cytopathogenic mechanisms of *Entamoeba histolytica*, **377**
Raynal, B. *see* Boumsell, Coppin, Pham, Raynal, Lemerle, Dausset, Bernard
Reid, L. *see* Minato, Reid, Cantor, Lengyel, Bloom
Reinherz, E. L. *see* Bhan, Reinherz, Poppema, McCluskey, Schlossman
—. *see* Lipton, Reinherz, Kudisch, Jackson, Schlossman, Nathan
Reinsmoen, N. L. *see* Segall, Reinsmoen, Noreen, Bach
Rekvig, O. P., Hannestad, K., Human autoantibodies that react with both cell nuclei and plasma membranes display specificity for the octamer of histones H2A, H2B, H3, and H4 in high salt, **1720**
Remold-O'Donnell, E., Macrophage component gp160, a major trypsin-sensitive surface glycoprotein, **1699**
Revak, S. D. *see* Cochrane, Revak
Reynolds, F. H., Jr. *see* Van de Ven, Reynolds, Blomberg, Stephenson
Riblet, R. *see* Lindahl, Bocchieri, Riblet
Rich, R. R., Abramson, S. L., Seldin, M. F., Puck, J. M., Levy, R., Role of Ia-positive cells in induction of secondary human immune responses to haptens in vitro, **218s**
Riveau, G., Masek, K., Parant, M., Chedid, L., Central pyrogenic activity of muramyl dipeptide, **869**
Riviere, Y., Gresser, I., Guillon, J.-C., Bandu, M.-T., Ronco, P., Morel-Maroger, L., Verroust, P., Severity of lymphocytic choriomeningitis virus disease in different strains of suckling mice correlates with increasing amounts of endogenous interferon, **633**
Robbins, J. B. *see* Schneerson, Barrera, Sutton, Robbins
Rodey, G. E. *see* Schwartz, Luehrman, Rodey
Rollinghoff, M. *see* Hardt, Pfizenmaier, Rollinghoff, Klein, Wagner
Ronco, P. *see* Riviere, Gresser, Guillon, Bandu, Ronco, Morel-Maroger, Verroust
Rosenstein, R. W. *see* Dzierzak, Janeway, Rosenstein, Gottlieb
Ross, G. D. *see* Lambris, Dobson, Ross
Rouse, R. V. *see* Ledbetter, Rouse, Micklem, Herzenberg
Rouzer, C. A., Scott, W. A., Hamill, A. L., Cohn, Z. A., Dynamics of leukotriene C production by macrophages, **1236**
Rowe, W. P. *see* Kozak, Rowe
—. *see* Kozak, Rowe
Rozycka-Jackson, D. *see* Adorini, Harvey, Rozycka-Jackson, Miller, Sercarz
Rubin, D. H., Fields, B. N., Molecular basis of reovirus virulence. Role of the M2 gene, **853**

S

Sasada, M., Johnston, R. B., Jr., Macrophage microbicidal activity. Correlation between phagocytosis- associated oxidative metabolism and the killing of candida by macrophages, **85**
—. *see* Damiani, Kiyotaki, Soeller, Sasada, Peisach, Bloom
Sasazuki, T., Kaneoka, H., Nishimura, Y., Kaneoka, R., Hayama, M., Ohkuni, H., An HLA-linked immune suppression gene in man, **297s**
Sasazuki, T. (cont'd)
—. **Ohta, N., Kaneoka, R., Kojima, S.,** Association between an HLA haplotype and low responsiveness to schistosomal worm antigen in man, **314s**
Sasportes, M., Wollman, E., Cohen, D., Carosella, E., Bensussan, A., Fradelizi, D., Dausset, J., Suppression of the human allogeneic response in vitro with primed lymphocytes and suppressive supernates, **270s**
Schauster, J. L. *see* Thomas, Hsieh, Schauster, Mudd, Wilner
Schenkar, J. G. *see* Galili, Polliack, Okon, Leizerovitz, Gamliel, Korkesh, Schenkar, Izak,
Scher, I. *see* Boswell, Nerenberg, Scher, Singer
—. *see* Finkelman, Woods, Wilburn, Mond, Stein, Berning, Scher
Scher, M. G., Beller, D. I., Unanue, E. R., Demonstration of a soluble mediator that induces exudates rich in Ia-positive macrophages, **1684**
Schlossman, S. F. *see* Bhan, Reinherz, Poppema, McCluskey, Schlossman
—. *see* Lipton, Reinherz, Kudisch, Jackson, Schlossman, Nathan
Schneerson, R., Barrera, O., Sutton, A., Robbins, J. B., Preparation, characterization, and immunogenicity of *Haemophilus influenzae* type *b* polysaccharide-protein conjugates, **361**
Schneider, G. B. *see* Parker, Wadsworth, Schneider
Schwartz, B. D., Luehrman, L. K., Rodey, G. E., HLA public determinants are target antigens of cell-mediated cytotoxicity, **341s**
Schwartz, R. H. *see* Lerner, Matis, Janeway, Jones, Schwartz, Murphy
Schwartz, R. S. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,
Scolnick, E. *see* Dexter, Garland, Scott, Scolnick, Metcalf
Scott, D. *see* Dexter, Garland, Scott, Scolnick, Metcalf
Scott, W. A., Zrike, J. M., Hamill, A. L., Kempe, J., Cohn, Z. A., Regulation of arachidonic acid metabolites in macrophages, **324**
—. *see* Aley, Scott, Cohn
—. *see* Rouzer, Scott, Hamill, Cohn
Segall, M., Reinsmoen, N. L., Noreen, H. J., Bach, F. H., Complexity of the HLA-D region studied by primed-lymphocyte test, **156s**
—. *see* Inouye, Hank, Chardonnens, Segall, Alter, Bach
Seldin, M. F. *see* Rich, Abramson, Seldin, Puck, Levy
Sercarz, E. E. *see* Adorini, Harvey, Rozycka-Jackson, Miller, Sercarz
Shadduck, J. A. *see* Streilein, Niederkorn, Shadduck
Shaw, S., Johnson, A. H., Shearer, G. M., Evidence for a new segregant series of B cell antigens that are encoded in the HLA-D region and that stimulate secondary allogeneic proliferative and cytotoxic responses, **565**
—. *see* Biddison, Payne, Shearer, Shaw
Shearer, G. M. *see* Biddison, Payne, Shearer, Shaw
—. *see* Levy, Gilheany, Shearer
—. *see* Shaw, Johnson, Shearer
Shelby, J. *see* Krueger, Chambers, Shelby
Sher, A. *see* Moser, Wassom, Sher
Shevach, E. M. *see* Burger, Shevach

Shih, W. W. H., Matzinger, P. C., Swain, S. L., Dutton, R. W., Analysis of histocompatibility requirements for proliferative and helper T cell activity. T cell populations depleted of alloreactive cells by negative selection, **1311**

Shimizu, S., Konaka, Y., Smith, R. T., Mitogen-initiated synthesis and secretion of T cell growth factor(s) by a T-lymphoma cell line, **1436**

Shyong, J. *see* Kabat, Liao, Bretting, Franklin, Geltner, Frangione, Koshland, Shyong, Osserman,

Silagi, S. *see* Freedman, Calvelli, Silagi, Silverstein

Silverstein, S. C. *see* Freedman, Calvelli, Silagi, Silverstein

Simon, M. M. *see* Eichmann, Falk, Melchers, Simon

Singer, A. *see* Boswell, Nerenberg, Scher, Singer

—. *see* Hodes, Hathcock, Singer

Skidmore, B. *see* Harwell, Skidmore, Marrack, Kappler

Slack, J. *see* Der Balian, Slack, Clevinger, Bazin, Davie

Smith, L. F. *see* Lowell, Smith, Griffiss, Brandt

Smith, R. T. *see* Shimizu, Konaka, Smith

Snyderman, R. *see* Pike, Fischer, Koren, Snyderman

Soberman, R. J., Karnovsky, M. L., Metabolism of purines in macrophages. Effect of functional state of the cells, **241**

Soeberg, B., Svejgaard, A., HLA-D restriction of the proliferative response to hapten dinitrophenyl- conjugated cells. I. No indication of cross-reaction between dinitrophenyl- conjugated autologous and nonconjugated allogeneic cells, **256s**

Soeller, W. *see* Damiani, Kiyotaki, Soeller, Sasada, Peisach, Bloom

Spanier, J. G., Cleary, P. P., Bacteriophage control of antiphagocytic determinants in group A streptococci, **1393**

Sprent, J., Effects of olocking helper T cell induction in vivo with anti-Ia antibodies. Possible role of I-A/E hybrid molecules as restriction elements, **996**

Sproviero, J. F., Imperiale, M. J., Zauderer, M., Clonal analysis of F_1 hybrid helper T cells restricted to parental or F_1 hybrid major histocompatibility determinants, **920**

Steeg, P. S., Moore, R. N., Oppenheim, J. J., Regulation of murine macrophage Ia-antigen expression by products of activated spleen cells, **1734**

Stein, K. E. *see* Finkelman, Woods, Wilburn, Mond, Stein, Berning, Scher

Steinberg, A. D. *see* Huston, Steinberg

Steinman, R. M., Nogueira, N., Witmer, M. D., Tydings, J. D., Mellman, I. S., Lymphokine enhances the expression and synthesis of Ia antigens on cultured mouse peritoneal macrophages, **1248**

—. *see* Nussenzweig, Steinman, Gutchinov, Cohn

Stephenson, J. R. *see* Van de Ven, Reynolds, Blomberg, Stephenson

Stevenson, F. K., Hamblin, T. J., Stevenson, G. T., Tutt, A. L., Extracellular idiotypic immunoglobulin arising from human leukemic B lymphocytes, **1484**

Stevenson, G. T. *see* Stevenson, Hamblin, Stevenson, Tutt

Stewart, G. J. *see* Engleman, Charron, Benike, Stewart

Stobo, J. D. *see* Raff, Picker, Stobo

Stockinger, B., Botzenhardt, U., On the T cell hyperreactivity of NZB mice against H-2-identical cells. Evidence for primary response characteristics and an increased helper potential, **296**

Strassmann, G., Lifshitz, R., Mozes, E., Elicitation of delayed-type hypersensitivity responses to poly(LTyr,LGlu)-poly(DLAla)-poly(LLys) by anti-idiotypic antibodies, **1448**

Strellein, J. W., Niederkorn, J. Y., Shadduck, J. A., Systemic immune unresponsiveness induced in adult mice by anterior chamber presentation of minor histocompatibility antigens, **1121**

Strober, S. *see* Gottlieb, Strober, Kaplan

Strominger, J. L. *see* Engelhard, Kaufman, Strominger, Burakoff

—. *see* Judd, Poodry, Strominger

—. *see* Kaufman, Andersen, Strominger

—. *see* Korman, Ploegh, Kaufman, Owen, Strominger

Sunday, M. E., Benacerraf, B., Dorf, M. E., Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. VII. Evidence for different T cell receptors in cells that mediate H-2I-restricted and H-2D-restricted cutaneous sensitivity responses, **1554**

Sunshine, G. H., Katz, D. R., Feldmann, M., Dendritic cells induce T cell proliferation to synthetic antigens under Ir gene control, **1817**

Sutton, A. *see* Schneerson, Barrera, Sutton, Robbins

Svejgaard, A. *see* Soeberg, Svejgaard

Swain, S. L. *see* Shih, Matzinger, Swain, Dutton

Sy, M.-S., Dietz, M. H., Nisonoff, A., Germain, R. N., Benacerraf, B., Greene, M. I., Antigen- and receptor-driven regulatory mechanisms. V. The failure of idiotype-coupled spleen cells to induce unresponsiveness in animals lacking the appropriate V_H genes is caused by the lack of idiotype-matched targets, **1226**

T

Tamm, I. *see* Pfeffer, Wang, Tamm

Taylor, F. H. *see* Kunz, Gill, Dixon, Taylor, Greiner

Thoman, M. L. *see* Morgan, Walker, Thoman, Weigle

Thomas, C. Y. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,

Thomas, D. W., Hsieh, K.-H., Schauster, J. L., Mudd, M. S., Wilner, G. D., Nature of T lymphocyte recognition of macrophage-associated antigens. V. Contribution of individual peptide residues of human fibrinopeptide B to T lymphocyte responses, **620**

Thorsby, E. *see* Hirschberg, Bergh, Thorsby

Tomasi, T. B., Jr. *see* Challacombe, Tomasi

Travers, P. *see* Trowsdale, Travers, Bodmer, Patillo

Trowbridge, I. S. *see* Omary, Trowbridge, Battifora

Trowsdale, J., Travers, P., Bodmer, W. F., Patillo, R. A., Expression of HLA-A, -B, and -C and β_2-microglobulin antigens in human choriocarcinoma cell lines, 11s

—. *see* Lee, Trowsdale, Bodmer

Tsichlis, P. N. *see* Green, Hiai, Elder, Schwartz, Khiroya, Thomas, Tsichlis, Coffin,

Tulsi, R. S. *see* Parr, Blanden, Tulsi

Tutt, A. L. *see* Stevenson, Hamblin, Stevenson, Tutt

Tydings, J. D. *see* Steinman, Nogueira, Witmer, Tydings, Mellman

U

Unanue, E. R. *see* Scher, Beller, Unanue
Unkeless, J. *see* Mellman, Unkeless
—. *see* Nathan, Brukner, Kaplan, Unkeless, Cohn
Urbain, J. *see* Wikler, Demeur, Dewasme, Urbain
Uyttenhove, C., Van Snick, J., Boon, T., Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815. I. Rejection by syngeneic mice, **1175**
—. *see* Boon, Van Snick, Van Pel, Uyttenhove, Marchand

V

Van de Ven, W. J. M., Reynolds, F. H., Jr., Blomberg, J., Stephenson, J. R., Identification of tryptic peptides unique to a 110,000 molecular weight polyprotein encoded by the T-8 isolate of murine leukemia virus, **1762**
van Leeuwen, A., Festenstein, H., van Rood, J. J., Human alloimmune sera against T cell subsets. Detection and influence on pokeweed mitogen-stimulated Ig production in vitro, **235s**
van Nie, R. *see* Nusse, de Moes, Hilkens, van Nie
Van Pel, A. *see* Boon, Van Snick, Van Pel, Uyttenhove, Marchand
van Rood, J. J. *see* Goulmy, Blokland, van Rood, Charmot, Malissen, Mawas
—. *see* van Leeuwen, Festenstein, van Rood
Van Snick, J. *see* Boon, Van Snick, Van Pel, Uyttenhove, Marchand
—. *see* Uyttenhove, Van Snick, Boon
Varki, A., Kornfeld, S., An autosomal dominant gene regulates the extent of 9-*O*-acetylation of murine erythrocyte sialic acids. A probable explanation for the variation in capacity to activate the human alternate complement pathway, **532**
Verroust, P. *see* Riviere, Gresser, Guillon, Bandu, Ronco, Morel-Maroger, Verroust
Villalta, F. *see* Pereira, Loures, Villalta, Andrade
Vitetta, E. S. *see* Goldings, Cohen, McFadden, Ziff, Vitetta

W

Wadsworth, D. C. *see* Parker, Wadsworth, Schneider
Wagner, H. *see* Hardt, Pfizenmaier, Rollinghoff, Klein, Wagner
Walker, S. M. *see* Morgan, Walker, Thoman, Weigle
Wang, E. *see* Pfeffer, Wang, Tamm
Wassom, D. L. *see* Moser, Wassom, Sher
Watson, J. *see* Gillis, Watson
—. *see* Kronenberg, Davis, Early, Hood, Watson
Weigle, W. O. *see* Morgan, Walker, Thoman, Weigle
Weinberger, J. Z., Germain, R. N., Benacerraf, B., Dorf, M. E., Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. V. Role of idiotypes in the suppressor pathway, **161**
Weiss, A., Brunner, K. T., MacDonald, H. R., Cerottini, J.-C., Antigenic specificity of the cytolytic T lymphocyte response to murine sarcoma virus-induced tumors. III. Characterization of cytolytic T lymphocyte clones specific for Moloney leukemia virus-associated cell surface antigens, **1210**
Weissman, I. L. *see* Hollander, Pillemer, Weissman
Weksler, M. E., Moody, C. E., Ostry, R. F., Casazza, B. A., Lymphocyte transformation induced by autologous cells. X. Soluble factors that generate cytotoxic T lymphocytes, **284s**
Werb, Z., Bainton, D. F., Jones, P. A., Degradation of connective tissue matrices by macrophages. III. Morphological and biochemical studies on extracellular, pericellular, and intracellular events in matrix proteolysis by macrophages in culture, **1537**
—. **Banda, M. J., Jones, P. A.,** Degradation of connective tissue matrices by macrophages. I. Proteolysis of elastin, glycoproteins, and collagen by proteinases isolated from macrophages, **1340**
—. *see* Banda, Clark, Werb
—. *see* Jones, Werb
Wikler, M., Demeur, C., Dewasme, G., Urbain, J., Immunoregulatory role of maternal idiotypes. Ontogeny of immune networks, **1024**
Wiktor, T. J., Koprowski, H., Antigenic variants of rabies virus, **99**
Wilburn, S. B. *see* Finkelman, Woods, Wilburn, Mond, Stein, Berning, Scher
Wilkes, B. M. *see* Aisenberg, Wilkes
Wilner, G. D. *see* Thomas, Hsieh, Schauster, Mudd, Wilner
Winchester, R. J. *see* Yu, McCune, Fu, Winchester, Kunkel
Witmer, M. D. *see* Steinman, Nogueira, Witmer, Tydings, Mellman
Woda, B. A. *see* Fernandez-Cruz, Woda, Feldman
Wollman, E. *see* Sasportes, Wollman, Cohen, Carosella, Bensussan, Fradelizi, Dausset
Woods, V. L. *see* Finkelman, Woods, Wilburn, Mond, Stein, Berning, Scher
Wu, T. T. *see* Kabat, Wu, Bilofsky

Y

Yefenof, E., Meidav, A., Kedar, E., In vitro generation of cytotoxic lymphocytes against radiation- and radiation leukemia virus-induced tumors. III. Suppression of anti-tumor immunity in vitro by lymphocytes of mice undergoing radiation leukemia virus-induced leukemogenesis, **1473**
Yoon, J.-W., McClintock, P. R., Onodera, T., Notkins, A. L., Virus-induced diabetes mellitus. XVIII. Inhibition by a nondiabetogenic variant of encephalomyocarditis virus, **878**
Yu, D. T. Y., McCune, J. M., Fu, S. M., Winchester, R. J., Kunkel, H. G., Two types of Ia-positive T cells. Synthesis and exchange of Ia antigens, **89s**

Z

Zauderer, M. *see* Sproviero, Imperiale, Zauderer
Zetter, B. R. *see* Azizkhan, Azizkhan, Zetter, Folkman
Ziff, M. *see* Goldings, Cohen, McFadden, Ziff, Vitetta
Zitron, I. M., Clevinger, B. L., Regulation of murine B cells through surface immunoglobulin. I. Monoclonal anti-δ antibody that induces allotype-specific proliferation, **1135**
Zrike, J. M. *see* Scott, Zrike, Hamill, Kempe, Cohn

SUBJECT INDEX

A

Acetylcholine
Myasthenia gravis
Torpedo californica, 507

Acetylmuramyl-alanyl-isoglutamine
see Muramyl dipeptide

Adenine phosphoribosyltransferase
Macrophages
Nucleotidases, 241

Adenosine deaminase
Macrophages
Nucleotidases, 241

Adjuvants, immunologic
Immunoglobulins, Fc
Immune response, mouse, 113

Agammaglobulinemia
B Lymphocytes
Bone marrow, human, 1519
Lymphoid cell lines
Bone marrow, human, 1519

Alloantigens
see Isoantigens

Allogeneic effect factor
T Lymphocytes
Hybridoma, 956

Amino acid sequence
Immunoglobulins, heavy chain
IgM, 463

Amyloid A protein
see Amyloid protein AA

Amyloid P-component
Glomerular basement membrane
Ultrastructural/immunochemical characterization, 1162

Amyloid protein AA
Lipoproteins, HDL
Isolation and characterization 641

Anemia, aplastic
T Lymphocytes
Cell line, 182s

Angioedema
see Angioneurotic edema

Angiogenesis
Mast cells
Heparin, 931

Angioneurotic edema
Kallikrein
Blister fluids, 742
Hageman factor, 742

Anti-antibodies
B Lymphocytes
Lymphocyte transformation, 138
Streptococci group A
Clonal commitment, 151

Antibodies
p-Azophenylarsonate
Cross-reactive idiotype, mouse 703

Antibodies, anti-DNA
see Antinuclear factors

Antibodies, anti-Ia
T Lymphocytes
Lymphocyte cooperation, 996

Antibodies, antiidiotypic
Hypersensitivity, delayed
Poly(LTyr,LGlu)-poly(DLAla)-poly(LLys), 1448

Antibodies, bacterial
Meningitis, meningococcal
IgA, 452
IgG, 452

Antibodies, neoplasm
Plasmacytoma
Immune response, mouse, 306

Antibody diversity
Immunoglobulin variable region
Minigene mechanism, 72
Micrococcus luteus
Peptidoglycan, 1024

Antibody formation
Autoantibodies
Animal model, autoimmune MRL mouse 1302
Haemophilis influenza
Bacteriolysis, 361
Immunologic techniques, 361
Immunoglobulins, Fc
Hemolytic plaque technique, 113
T Lymphocytes
Antigen feeding, mouse, 545
Immunosuppressive factors, 235 545
Muramidase, 521
Spleen, mouse, 545
Multiple myeloma
Suppressor cells, 969

Antibody specificity
Histocompatibility antigens
Antigenic determinants, 83s
L-Glutamic acid-L-lysine-L-phenylalanine
Idiotypic determinants, mouse 170
T Lymphocytes
Genes, immune response, 1011
Helper cells, 235s
Histocompatibility antigens, 164s
Lymphocyte cooperation, 235s
Suppressor cells, 235s
Macrophages
Histocompatibility antigens, 581

Antibody specificity (cont'd)
Sarcoma, reticulum cell
IgG, 1126
Virus, rabies
Glycoproteins, 99

Antigen-antibody complex
Lupus erythematosus, systemic
Glycoproteins, 1645
Renal lesions, mouse, 1645

Antigenic determinants
Antigens, D region
Lymphocyte priming, 156s
Mixed lymphocyte culture reactions 156s
Tunicamycin, 65s
Histocompatibility antigens
Antibody specificity, 83s
Isolation and characterization 83s
Leukemia, lymphocytic
B Lymphocytes, 229
T Lymphocytes, 229
T Lymphocytes
Lymphocyte cooperation, 477

Antigens, D region
Antigenic determinants
Lymphocyte priming, 156s
Mixed lymphocyte culture reactions 156s
D region typing
Case report, 156s
Endothelium
Umbilical veins, human, 249s
Haptens
Lymphocyte transformation, 256s
Mixed lymphocyte culture reaction 256s
Trinitrophenyl/dinitrophenyl 256s
Lymphocytes
Histocompatibility antigens, 99s
B Lymphocytes
Electrophoresis, 18s
Glycoprotein chains, 37s , 65s
Immunoprecipitation, 18s
Lymphocyte cooperation, 218s
Molecular polymorphism, 18s
Tryptic peptide mapping, 37s
T Lymphocytes
Clone cells, 143s
Cytotoxicity, immunologic, 54s
Haptens, 218s
Histocompatibility antigens, 114s
Liposomes, 54s
Lymphocyte priming, 143s
Lymphocyte transformation, 127s
Mixed lymphocyte culture reactions 127s
Schistosoma japonicum
Genes, immune response, 314s
Tunicamycin
Antigenic determinants, 65s

Antigens, Ia region
Helper cells
Dendritic cells, 1817
T Lymphocytes
Dendritic cells, 1817
Immunization, 89s
Lymphocyte transformation, 89s
Mixed lymphocyte culture reactions 89s
Macrophages
Concanavalin A, 1734
Infected spleen cells, mouse 1248
Listeria monocytogenes 1684
Mixed lymphocyte culture reaction 1734
Major histocompatibility gene complex
Helper cells, 1779
Immune response, mouse, 1779
Intragenic recombination/mutation, mouse, 1453
B Lymphocytes, 1453
Trypanosoma cruzi
Infected spleen cells, mouse 1248

Antigens, neoplasm
Mastocytoma P815
Immunogenic variants, 1184
Virus, Moloney sarcoma
Immune response, mouse, 1210

Antigens, parasite
Schistosoma mansoni
Lung/skin, mouse, 41

Antigens, streptococcal
T Lymphocytes
Genes, immune response, 297s

Antigens, surface
Hematopoietic stem cells
Cell differentiation, 419
Dividing cells, 1430
IgG
Cell distribution, mouse, 1497
Serological identification, 1497
IgM
Cell distribution, mouse, 1497
Serological identification, 1497
T Lymphocytes
Cell differentiation, 280
Tissue distribution, 280
Sarcoma, reticulum cell
B Lymphocytes, 1126

Antigens, synthetic polypeptide
Helper cells
Immune response genes, 1571

Antigens, transplantation
Mastocytoma P815
T Lymphocyte-mediated cytotoxicity 1175
Neoplasm transplantation
Mastocytoma P815, 1175

Antigens, viral
T Lymphocytes
Histocompatibility antigens, 243s
Virus, murine mammary tumor
Gene mapping, mouse, 712
Antinuclear factors
Histocompatibility antigens
Genes, immune response, 326s
Arachidonic acids
Macrophages
Zymosan, 324
Arthritis, rheumatoid
T Lymphocytes
Histocompatibility antigens, 89s
Autoantibodies
see also X-ANA
Antibody formation
Animal model, autoimmune MRL mouse, 1302
Histocompatibility antigens
Genes, immune response, 319s
Lupus erythematosus, systemic
Histones, 1720
Histocompatibility antigens, 319s
Nucleosomes, 1720
B Lymphocytes
Histocompatibility antigens, 319s

Autoimmune diseases
Autoantibodies
Animal model, autoimmune MRL mouse, 1302
Haptens
Antibody formation, 730
Histocompatibility antigens
Review, 353s
Lymphocyte cooperation
Mouse, NBZ, 296
B Lymphocytes
Histocompatibility antigens, 319s
T Lymphocytes
Cytotoxicity, immunologic, 296
Cytotoxicity, NZB *vs* non-NZB target cells, 1583
Histocompatibility antigens, 296
***p*-Azobenzenearsonate**
Idiotypic determinants
Immune response, mouse, 1226
***p*-Azophenylarsonate**
Antibodies
Cross-reactive idiotype, mouse 703
Idiotypic determinants
Hybrid cells, 1289

B

Bacillus Calmette-Guerin
Melanoma
Immunization, 657
Macrophages, 657

Bacteriophage
Streptococci, group A
Genetic determination, 1393
M protein, 1393
Phagocytosis resistance, 1393

Behcet's syndrome
Histocompatibility antigens
Antigenic determinants, 341s

Binding sites, antibody
Myeloma proteins
2,4-Dinitrophenyl, 720
Hybrid cell products, mouse, 703

Bone marrow
Cell differentiation
Hematopoietic stem cells, 1036
T Lymphocytes
Cell differentiation, 350
Erythropoietin, 350
Suppressor cells, 54

C

Candida albicans
Macrophages
Lymphocyte transformation, 581
Phagocytosis, 85
Muramyl dipeptide, 1659
Candida parapsilosis
Macrophages
Phagocytosis, 85
Carbohydrates
Streptococci group A
Immunization, 151
Catalase
Oxygen
Antimicrobial activity, 1610
Toxoplasma gondii, 1610
Cell differentiation
Bone marrow
Hematopoietic stem cells, 1036
T Lymphocytes, 350
Hematopoietic stem cells
Antigens, surface, 419
Cortisone, 419
B Lymphocytes
Immunoglobulins, delta chain 493
T Lymphocytes
Antigens, surface, 280
Cytotoxicity, immunologic, 688
Glucocorticoids, 796
Hydrocortisone, 796
Surface properties, 796
Cell division
T Lymphocytes
Histocompatibility antigens, 99s
Immunosuppressive factors, 235
Lymphocyte cooperation, 477

Cell membrane
Entamoeba histolytica
Cholesterol, 391
Glycoproteins, 391
Phospholipids, 391
Interferon
Immunologic capping, 469
Receptors, concanavalin A, 469
Multiple myeloma
Golgi apparatus, 1
Plasma cells
Golgi apparatus, 1

Cell transformation, neoplastic
Hematopoietic stem cells
Antigens, surface, 1430
Dividing cells, 1430

Cell transformation, viral
Virus, murine leukemia
Fetal mink lung cells, 1762

Chemotactic factors
Monocytes
Binding sites, 31
Peptides, 31

Cholesterol
Entamoeba histolytica
Cell membrane, 391

Choriocarcinoma
Histocompatibility antigens
Immunoprecipitation, 11s
β_2-Microglobulin
Immunoprecipitation, 11s

Chromosomes
Virus, murine leukemia
Genetic mapping, mouse, 219
Virus activation, 219

Complement 3
Methylamines
Complement pathway, alternative 1102
Thioester bond, 1102

Complement 3b
Receptors, immunologic
Glycoproteins, 20
B Lymphocytes, 20
Monocytes, 20
Neutrophils, 20

Complement pathway, alternative
Complement 3
Methylamines, 1102
Erythrocytes
Sialic acids, 532
B Lymphocytes
β1H Globulin, 1625

Connective tissue
Lysosomal enzymes
Macrophages, 1340
Macrophages
Matrix degradation, 1537
Proteolysis, 1527, 1537
Vascular smooth muscle, rat, 1527
Proteinases
Macrophages, 1340

Corrections, 475, 755

Cortisone
Hematopoietic stem cells
Cell differentiation, 419

Cytochalasins
Entamoeba histolytica
Motility, 377

Cytotoxicity, immunologic
B Lymphocytes
Histocompatibility antigens, 565
T Lymphocytes
Cell differentiation, 688
Dendritic cells, 1070
Histocompatibility antigens, 405
Kinetic analysis, mouse, 748
Soluble factors, 284s
Trinitrophenyl compounds, 1070
H-2 restriction, 1413
Lyt 23 subpopulation, 1413

D

Delayed hypersensitivity
p-Azobenzenearsonate
Immune response, mouse, 1226
Idiotypic determinants
Genetic analysis, mouse, 1226
Mast cells
5-Hydroxytryptamine, 1358
T Lymphocyte-mediated release, mouse, 1358

Dendritic cells
Helper cells
Antigens, Ia, 1817
T Lymphocytes
Antigens, Ia, 1817
Cytotoxicity, immunologic, 1070

Diabetes mellitus
Histocompatibility antigens
Haplotype, 351s
Virus, encephalomyocarditis
Immune response, mouse, 878
Interferon, 878

2,4-Dinitrophenyl
Myeloma proteins
Binding sites, antibody, 720

Dinitrophenyl compounds
B Lymphocytes
Major histocompatibility complex 336

DNA
Histocompatibility antigens
Genes, immune response, 319s

DNA nucleotidyltransferase
Hematopoietic stem cells
Bone marrow, rat, 438
Isolation and characterization 438

E

Elastase
Proteinase inhibitor
Macrophages, 1563

Emphysema
Elastase
Proteinase inhibitor, 1563

Endocytosis
Multiple myeloma
Immunoglobulins, 1
Plasma cells
Immunoglobulins, 1

Endothelium
Antigens, D region
Umbilical veins, human, 249s
T Lymphocytes
Lymphocyte transformation, 249s

Entamoeba histolytica
Cell membrane
Cholesterol, 391
Glycoproteins, 391
Phospholipids, 391
Cytochalasins
Motility, 377
Phagocytosis
Cytopathogenicity, 377
Ovary cells, hamster, 377

Eosinophil peroxidase
Mast cells
Degranulation/secretion, 265
Histamine, 265

Epidermal growth factor
Virus, murine leukemia
Fetal mink lung cells, 1762

Erythrocytes
Bone marrow
Colony formation, 350
Sialic acids
Complement pathway, alternative 532
Genetics, mouse, 532

Erythroleukemia
Virus, Friend leukemia
Immunity, cellular, 1795
Major histocompatibility gene complex, 1795

Erythropoietin
Bone marrow
T Lymphocytes, 350

Eye neoplasms
Histocompatibility antigens
Transplantation immunology, 1121
Sarcoma, mast cell
Eye, mouse, 1121

F

Factor XII
Angioneurotic edema
Kallikrein, 742

Factor XII (cont'd)
Kallikrein
Contact activation, 608
Plasma, human, 608

Fc receptors
IgG
Identification and characterization, peritoneal cells, mouse, 1147

Fever
Hypersensitivity, delayed
Endogenous pyrogen-activating factor, 1811
Macrophages, 1811
Muramyl dipeptide
Administration, intracerebral, rabbit, 869
Indomethacin, 869

Fibrinopeptides B
Amino acids
Receptors, antigen, Tcell, 620
T Lymphocytes
Immunogenetics, guinea pig, 620

G

Gamma globulins
B Lymphocytes
Immune tolerance, mouse, 730

Genes, immune response
Antigens, streptococcal
T Lymphocytes, 297s
Helper cells
Antigens, Ia, 1817
Antigens, synthetic polypeptide, 1571
Histocompatibility antigens
DNA, 319s
Antinuclear factors, 326s
Lymphocyte transformation, 326s
Lupus erythematosus, systemic
Histocompatibility antigens, 319s
B Lymphocytes
Glycoproteins, 1085
Histocompatibility antigens, 319s
T Lymphocytes
Antibody specificity, 1011
Blocking, *in vivo*, 996
Histocompatibility antigens, 521
Schistosoma japonicum
Antigens, D region, 314s
T Lymphocytes, 314s
Streptococcal infections
Histocompatibility antigens, 297s

Genes, recessive
Virus, murine leukemia
Virus, recombinant, 249

Genes, viral
Virus, murine leukemia
Lipopolysaccharides, 219
Uridine, 2'-deoxy-5-iodo-, 219

Glomerular basement membrane
Amyloid P-component
Ultrastructural/immunochemical characterization, 1162

Glucocorticoids
T Lymphocytes
Cell differentiation, 796
Glutathione peroxidase
Oxygen
Antimicrobial activity, 1610
Toxoplasma gondii, 1610
Glycolipids
Trypanosoma cruzi
Epimastigote stage cells, 1375
Glycoproteins
Amyloid P-component
Ultrastructural/immunochemical characterization, 1162
Complement 3b
Receptors, immunologic, 20
Entamoeba histolytica
Cell membrane, 391
Genes, immune response
B Lymphocytes, 1085
Lupus erythematosus, systemic
Antigen-antibody complex, 1645
Lymphocytes
Cell membrane, human, 842
Peptide mapping, 842
Macrophages
Peritoneum, guinea pig, 1699
Trypanosoma cruzi
Epimastigote stage cells, 1375
Virus, rabies
Antibody specificity, 99
Golgi apparatus
Multiple myeloma
Cell membrane, 1
Plasma cells
Cell membrane, 1
Graft vs host disease
Radiation chimera
Immune tolerance, mouse, 736
Granulocytes
Hematopoietic stem cells
Bone marrow, rat, 419
Growth and reproduction gene complex
Major histocompatibility gene complex
Phenotypes, rat, 1506

H

β1H Globulin
Complement pathway, alternative
B Lymphocytes, 1625
Haemophilis influenza
Antibody formation
Bacteriolysis, 361
Immunologic techniques, 361
Polysaccharides, bacterial
Protein conjugates, 361
Hageman factor
see Factor XII,
Halides
Mast cells
Degranulation/secretion, 265
Haptens
Antigens, D region
Lymphocyte transformation, 256s
Mixed lymphocyte culture reaction 256s
Helper cells
Immune response, mouse, 1670
Lymphocyte cooperation
Immune response, mouse, 1670
B Lymphocytes
Immune tolerance, mouse, 730
T Lymphocytes
Antigens, D region, 218s
Histocompatibility antigens, 204s
4-Hydroxy-3-nitrophenyl acetyl 161
Immune response, mouse, 405
Lymphocyte transformation, 284s
Proliferative, cytotoxic responses 218s
Plasmacytoma
T Lymphocytes, 306
Schistosoma mansoni
Antibody-dependent cell cytotoxicity, 41
Trinitrophenyl/dinitrophenyl
Lymphocyte transformation, 256s
HeLa cells
Interferon
Receptors, concanavalin A, 469
Virus, RNA
Natural killer cells, 124
Helper cells
see Lymphocyte cooperation,
Antigens, Ia
Dendritic cells, 1817
Haptens
Immune response, mouse, 1670
Immune response genes
Antigens, synthetic polypeptide 1571
Immunoglobulin
Antigen receptor synthesis, 1745
Lymphocyte cooperation
Hybridoma, 920
Major histocompatibility gene complex, 920
B Lymphocytes
Genetic defect, 1194
Immune response, 1194
T Lymphocytes
Antibody specificity, 235s
Macrophages
Listeria monocytogenes 1684
Major histocompatibility gene complex
Analysis of histocompatibility requirements, mouse, 1311
Antigens, Ia, 1779
I-region/immune response gene expression, mouse, 1274

Hematopoietic stem cells
Antigens, surface
Dividing cells, 1430
Cell differentiation
Antigens, surface, 419
Bone marrow, 1036
Cortisone, 419
DNA nucleotidyltransferase
Bone marrow, rat, 438
Isolation and characterization 438
Granulocytes
Bone marrow, rat, 419
Growth substances
Culture media, 1036
Macrophages
Bone marrow, rat, 419

Heparin
Mast cells
Angiogenesis, 931
Capillary endothelial cells, 931

Histamine
Eosinophil peroxidase
Albumins, 265
Mast cells
Degranulation/secretion, 265
Eosinophil peroxidase, 265

Histocompatibility antigens
Antigenic determinants
Antibody specificity, 83s
Isolation and characterization 83s
Lymphocyte priming, 156s
Mixed lymphocyte culture reactions 156s
Antigens, D region
Electrophoresis, 18s
Molecular polymorphism, 18s
Tryptic peptide mapping, 37s
Autoimmune diseases
T Lymphocytes, 296
Review, 353s
Choriocarcinoma
Immunoprecipitation, 11s
D region typing
Case report, 156s
Diabetes mellitus
Haplotype, 351s
DNA
Genes, immune response, 319s
Eye neoplasms
Transplantation immunology, 1121
Genes, immune response
Antinuclear factors, 326s
Lymphocyte transformation, 326s
Haptens
T Lymphocytes, 204s
4-Hydroxy-3-nitrophenyl acetyl
Immune response, mouse, 1554
Immunization
Eye, mouse, 1121
Tetanus toxoid, 89s
Tuberculin, 89s

Histocompatibility antigens (cont'd)
Klebsiella pneumoniae
Lymphocytes, 331s
Lupus erythematosus, systemic
Autoantibodies, 319s
Genes, immune response, 319s
Lymphocytes
Antigens, D region, 99s
Cytotoxicity, immunologic, 341s
Lymphocyte cooperation, 99s
B Lymphocytes
Antigens, D region, 65s
Autoantibodies, 319s
Cytotoxicity, immunologic, 565
Genes, immune response, 319s
Glycoprotein chains, 37s
Immunoprecipitation, 18s
Mixed lymphocyte culture reactions 565
Segregation, genetic, 565
T Lymphocytes
Antibody specificity, 164s
Antigens, D region, 114s
Antigens, viral, 243s
Cell clones, 191s
Cell division, 99s
Cell line, 182s
Cross reactions, 405
Cytotoxicity, immunologic, 405 182s, 191s, 243s
Cytotoxicity, NZB *vs* non-NZB target cells, 1583
Genes, immune response, 521
Immune response, 292s
Immunologic memory, 164s
Lymphocyte cooperation, 996 137s
Lymphocyte transformation, 114s 164s
Lymphokines, 956
Mixed lymphocyte culture reactions 99s, 114s, 292s, 137s
Mouse, nude, 688
Review, 353s
Suppressor cells, 270s
Macrophages
Antibody specificity, 581
β_2-Microglobulin
Antigen-antibody reactions, 243s
Myasthenia gravis
Immune response, mouse, 507
Placenta
Membranes, mouse, 945
Plasmacytoma
T Lymphocytes, 306
RNA, messenger
Biosynthesis, 3s
Glycoprotein chains, 65s
Sex chromosomes
Cytotoxicity, immunologic, 182s
Spleen cells, mouse
Gene mapping, 783
Spondylitis, ankylosing
Klebsiella pneumoniae, 331s
Lymphocyte transformation, 351s

Histocompatibility antigens (cont'd)
Streptococcal infections
Genes, immune response, 297s
Tunicamycin
Antigenic determinants, 65s
Virus, influenza
T Lymphocytes, 195s , 204s
Histones
Autoantibodies
Lupus erythematosus, systemic 1720
X-ANA
Lupus erythematosus, systemic 1720
Hybridoma
Helper cells
Lymphocyte cooperation, 920
T Lymphocytes
Allogeneic effect factor, 956
Concanavalin A inducible, 893
Myeloma proteins
Suppressor cells, 969
Hydrocortisone
T Lymphocytes
Cell differentiation, 796
Hydrogen peroxide
Lymphoma
Macrophages, 183, 198
4-Hydroxy-3-nitrophenyl acetyl
Histocompatibility antigens
Immune response, mouse, 1554
T Lymphocytes
Haptens, 161
Immune response, mouse, 1554
T cell subpopulations, 1554
5-Hydroxytryptamine
Delayed hypersensitivity
Mast cells, 1358
Hypersensitivity, delayed
Antibodies, antiidiotypic
Poly(LTyr,LGlu)-poly(DLAla)-poly(LLys), 1448
Fever
Endogenous pyrogen-activating factor, 1811
Macrophages, 1811
Leishmaniasis
Strain difference, mouse, 594

I

Idiotypic determinants
p-Azophenylarsonate
Hybrid cells, 1289
Delayed hypersensitivity
Genetic analysis, mouse, 1226
T Lymphocytes
Hybrid cells, 1289
Phosphorylcholine
B Lymphocytes, 1262
Maturation PC-specific clones, mouse, 1262
IgA
Lymphocytes
Mitogens, 1424
Peripheral blood, human, 1424
Meningitis, meningococcal
Antibodies, bacterial, 452
Proteases
Neisseria meningitidis 1442
IgD
B Lymphocytes
Leukemia, lymphocytic, 1484
Antigen-antibody reactions, mouse 493
Lymphocyte cooperation, 493
IgG
Antigens, surface
Anti-F9 serum, 1497
Cell distribution, mouse, 1497
Serological identification, 1497
Fc receptors
Identification and characterization, peritoneal cells, mouse, 1147
Macrophages
Phagocytosis, 905
Receptors, complement, 905
Meningitis, meningococcal
Antibodies, bacterial, 452
Phosphocholine-keyhole limpet hemocyanin
Antibody response, mouse, 209
Polysaccharides
Antibody response, mouse, 209
Receptors, Fc
Binding sites, antibody, 1048
Sarcoma, reticulum cell
Antibody specificity, 1126
Subclass distribution, mouse/rat
Evolutionary relationships, 209
IgM
Antigens, surface
Anti-F9 serum, 1497
Cell distribution, mouse, 1497
Serological identification, 1497
B Lymphocytes
Immunoglobulin idiotypes, 463
Immunoglobulins, heavy chain
Amino acid sequence, 463
Leukemia, lymphocytic
B Lymphocytes, 1484
Myeloma proteins
Klebsiella, 979
Immune serums
Micrococcus luteus
Immunoglobulin idiotypes, 1024
Trypanosoma cruzi
Phagocytosis, 447
Immunity, cellular
Candida albicans
Muramyl dipeptide, 1659
Erythroleukemia
Virus, Friend leukemia, 1795
Leishmaniasis
Leishmania tropica, 594

Immunity, humoral
Immunization, oral
Suppressor cells, 1459
Immunization
T Lymphocytes
Antigens, Ia, 89s
Melanoma
Bacillus Calmette-Guerin, 657
Streptococci group A
Carbohydrates, 151
Immunization, oral
Streptococcus mutans
Oral administration, mouse, 1459
Suppressor cells
Immunity, humoral, 1459
Immunogenetics
L-Glutamic acid-L-lysine-L-phenylalanine
Idiotypic determinants, mouse 170

Immunoglobulin idiotypes
B Lymphocytes
IgM, 463
Immunoglobulin variable region
Gene mapping, mouse, 720
Micrococcus luteus
Immune serums, 1024
Multiple myeloma
Suppressor cells, 969
Myeloma proteins
Gene mapping, mouse, 720
Immunoglobulin variable region
Antibody diversity
Minigene mechanism, 72
Immunoglobulin idiotypes
Gene mapping, mouse, 720
Myeloma proteins
Immunoglobulins, kappa chain 555

Immunoglobulins
Helper cells
Antigen receptor synthesis, 1745
Killer cells
Antigen receptor synthesis, 1745
T Lymphocytes
Antigen receptor synthesis, 1745
Subsets, human, 235s
Multiple myeloma
Endocytosis, 1
Plasma cells
Endocytosis, 1

Immunoglobulins, delta chain
B Lymphocytes
Cell differentiation, 493

Immunoglobulins, Fc
Adjuvants, immunologic
Immune response, mouse, 113
Antibody formation
Hemolytic plaque technique, 113

Immunoglobulins, heavy chain
IgM
Amino acid sequence, 463
Immunoglobulins, idiotypic
B Lymphocytes
Leukemia, lymphocytic, 1484
Immunoglobulins, kappa chain
Myeloma proteins
Genetic polymorphism, mouse, 555
Immunoglobulin variable region 555
Immunoglobulins, light chain
Amino acid sequence
Framework, complementary-determining segments, 72
Immunoglobulins, surface
B Lymphocytes
δ Heavy chain, 1135
Immune response, mouse, 1135
Lymphocyte cooperation, 138
Immunologic capping
Cell membrane
Interferon, 469
Immunosuppression
T Lymphocytes
Antigen feeding, mouse, 545
Indomethacin
Fever
Muramyl dipeptide, 869
Inflammation
Mast cells
Eosinophil peroxidase, 265
Interferon
Cell membrane
Immunologic capping, 469
Receptors, concanavalin A, 469
Diabetes mellitus
Virus, encephalomyocarditis, 878
HeLa cells
Receptors, concanavalin A, 469
Natural killer cells
Immunogenetics, mouse, 124
Virus, lymphocytic choriomeningitis
Hepatotoxicity, 633
Immunogenetics, mouse, 633
Interleukin 2
B Lymphocytes
Leukemic cell lines, 1709
T Lymphocytes
Leukemic cell lines, 1709
12-*O*-Tetradecanoylphorbol 13-acetate
Leukemic cell lines, 1709

5-Iododeoxyuridine
see Uridine, 2′-deoxy-5-iodo-

Isoantibodies
T Lymphocytes
Leukocyte culture test, mixed, guinea pig, 1011
Lymphoma
T Lymphocytes, 674
Sarcoma
T Lymphocytes, 674

Isoantigens
T Lymphocytes
Immune tolerance, mouse, 54
Macrophages, 620

K

Kallikrein
Angioneurotic edema
Blister fluids, 742
Hageman factor, 742
Factor XII
Contact activation, 608
Plasma, human, 608

Killer cells
Immunoglobulin
Antigen receptor synthesis, 1745
Interferon
Immunogenetics, mouse, 124
Virus, influenza
T Lymphocytes, 195s

Klebsiella
Myeloma proteins
Polysaccharides, bacterial, 979
Lymphocytes
Histocompatibility antigens, 331s
Receptors, antigen, 331s
Spondylitis, ankylosing
Histocompatibility antigens, 331s

L

L-Glutamic acid-L-alanine-L-tyrosine
T Lymphocytes
Suppressor cells, 235

L-Glutamic acid-L-lysine-L-phenylalanine
Antibody specificity
Idiotypic determinants, mouse 170
Immunogenetics
Idiotypic determinants, mouse 170

Leishmaniasis
Hypersensitivity, delayed
Strain difference, mouse, 594
Leishmania tropica
Immunity, cellular, 594
T Lymphocytes
Suppressor cells, 594

Leukemia
Genes, recessive
Mouse, HRS/J, 249

Leukemia, lymphoblastic
Glycoproteins
Cell membrane, human, 842

Leukemia, lymphocytic
B Lymphocytes
Antigenic determinants, 229
IgD, 1484
IgM, 1484

Leukemia, lymphocytic (cont'd)
T Lymphocytes
Antigenic determinants, 229

Leukemia, radiation
T Lymphocytes
T lymphocyte-mediated cytotoxicity, *in vitro*, 1473

Leukotriene C
Macrophages
Peritoneal cells, mouse, 1236

Lipopolysaccharides
Virus, murine leukemia
Genes, viral, 219

Lipoproteins, HDL
Amyloid protein AA
Isolation and characterization 641

Liposomes
T Lymphocytes
Antigens, D region, 54s

Listeria monocytogenes
Macrophages
Antigens, Ia, 1684
Helper cells, 1684

Lupus erythematosus, systemic
Autoantibodies
Animal model, autoimmune MRL mouse 1302
Antigen-antibody complex
Glycoproteins, 1645
Renal lesions, mouse, 1645
Autoantibodies
Histones, 1720
Nucleosomes, 1720
Histocompatibility antigens
Autoantibodies, 319s
Genes, immune response, 319s
X-ANA
Histones, 1720
Nucleosomes, 1720

Lymphocyte activation
see Lymphocyte transformation,

Lymphocyte cooperation
see also Helper cells
Autoimmune diseases
Mouse, NBZ, 296
Haptens
Immune response, mouse, 1670
Helper cells
Hybridoma, 920
Major histocompatibility gene complex, 920
Lymphocytes
Histocompatibility antigens, 99s
B Lymphocytes
Antigens, D region, 218s
IgD, 493
Immunoglobulins, surface, 138
Major histocompatibility gene complex, 336

Lymphocyte cooperation (cont'd)
T Lymphocytes
Antibody specificity, 235s
Antigenic determinants, 477
Cell division, 477
Genetic analysis, mouse, 1226
Histocompatibility antigens, 996
137s
Lymphokines, 893
Macrophages, 218s
Major histocompatibility gene complex, 336

Lymphocyte transformation
Antigens, D region
Haptens, 256s
Endothelium
T Lymphocytes, 249s
Histocompatibility antigens
Genes, immune response, 326s
B Lymphocytes
Anti-antibodies, 138
T Lymphocytes
Antigens, D region, 127s
Antigens, Ia, 89s
Haptens, 284s
Histocompatibility antigens, 114s
164s
Mixed lymphocyte culture reactions
284s
Suppressor cells, 270s
Macrophages
Candida albicans, 581
Spondylitis, ankylosing
Histocompatibility antigens, 351s
Trinitrophenyl/dinitrophenyl
Haptens, 256s

Lymphocytes
Glycoproteins
Cell membrane, human, 842
Peptide mapping, 842
Histocompatibility antigens
Antigens, D region, 99s
Cytotoxicity, immunologic, 341s
Lymphocyte cooperation, 99s
IgA
Peripheral blood, human, 1424
Klebsiella pneumoniae
Histocompatibility antigens, 331s
Receptors, antigen, 331s
Receptors, Fc
Isolation and characterization, mouse, 1048

B Lymphocytes
Agammaglobulinemia
Bone marrow, human, 1519
Anti-antibodies
Lymphocyte transformation, 138
Antigens, D region
Electrophoresis, 18s
Glycoprotein chains, 37s, 65s
Immunoprecipitation, 18s
Killer cells, 54s
Molecular polymorphism, 18s
Tryptic peptide mapping, 37s

B Lymphocytes (cont'd)
Antigens, Ia
Major histocompatibility gene complex, 1453
Complement 3b
Receptors, immunologic, 20
Complement pathway, alternative
β1H Globulin, 1625
Genes, immune response
Glycoproteins, 1085
Helper cells
Genetic defect, 1194
Immune response, 1194
Histocompatibility antigens
Autoantibodies, 319s
Cytotoxicity, immunologic, 565
Genes, immune response, 319s
Mixed lymphocyte culture reactions
565
Segregation, genetic, 565
IgD
Antigen-antibody reactions, mouse
493
Lymphocyte cooperation, 493
Immune tolerance
Fetal/newborn mouse, 1407
Gamma globulins, 730
Haptens, 730
Immunoglobulins, delta chain
Cell differentiation, 493
Immunoglobulins, surface
δ Heavy chain, 1135
Immune response, mouse, 1135
Lymphocyte cooperation, 138
Interleukin 2
Leukemic cell lines, 1709
Leukemia, lymphocytic
Antigenic determinants, 229
IgD, 1484
IgM, 1484
Lymphocyte cooperation
Antigens, D region, 218s
T Lymphocytes
Hybrid cells, 1289
Major histocompatibility gene complex
Dinitrophenyl compounds, 336
Lymphocyte cooperation, 336
Phosphorylcholine
Idiotypic determinants, 1262
Sarcoma, reticulum cell
Antigens, surface, 1126

T Lymphocytes
Allogeneic sensitization
Immune response, human, 270s
Antibody formation
Antigen feeding, mouse, 545
Immunosuppressive factors, 235
545
Spleen, mouse, 545
Antibody specificity
Helper cells, 235s
Lymphocyte cooperation, 235s
Suppressor cells, 235s
Antigen-specific clones
Propagation, *in vitro*, 759

T Lymphocytes (cont'd)
Antigens, D region
Clone cells, 143s
Cytotoxicity, immunologic, 54s
Liposomes, 54s
Lymphocyte priming, 143s
Lymphocyte transformation, 127s
Mixed lymphocyte culture reactions 127s
Antigens, Ia
Dendritic cells, 1817
Immunization, 89s
Lymphocyte transformation, 89s
Mixed lymphocyte culture reactions 89s
Antigens, streptococcal
Genes, immune response, 297s
Antigens, surface
Cell differentiation, 280
Tissue distribution, 280
Autoimmune diseases
Cytotoxicity, immunologic, 296
Histocompatibility antigens, 296
Bone marrow
Cell differentiation, 350
Erythropoietin, 350
Suppressor cells, 54
Cell differentiation
Cytotoxicity, immunologic, 688
Glucocorticoids, 796
Hydrocortisone, 796
Surface properties, 796
Cell division
Immunosuppressive factors, 235
Cytotoxicity, immunologic
Dendritic cells, 1070
Kinetic analysis, mouse, New Zealand, 748
Soluble factors, 284s
Trinitrophenyl compounds, 1070
Cytotoxicity, lymphocyte-mediated
H-2 restriction, 1413
Lyt 23 subpopulation, 1413
Endothelium
Lymphocyte transformation, 249s
Fibrinopeptides B
Immunogenetics, guinea pig, 620
Genes, immune response
Antibody specificity, 1011
Blocking, *in vivo*, 996
Haptens
Antigens, D region, 218s
Histocompatibility antigens, 204s
Immune response, mouse, 405
Proliferative, cytotoxic responses 218s
Helper cells
Analysis of histocompatibility requirements, mouse, 1311
Histocompatibility antigens
Antibody specificity, 164s
Antigens, D region, 114s
Antigens, viral, 243s
Cell clones, 191s
Cell division, 99s

T Lymphocytes (cont'd)
Cell line, 182s
Cross reactions, 405
Cytotoxicity, immunologic, 405
182s, 191s, 204s, 243s
Cytotoxicity, NZB *vs* non-NZB target cells, 1583
Distribution, thymus, human, 771
Genes, immune response, 521
Haptens, 204s
Immune response, 292s
Immunologic memory, 164s
Lymphocyte cooperation, 996
137s
Lymphocyte transformation, 114s
164s
Mixed lymphocyte culture reactions
99s, 114s, 292s, 137s
Mouse, nude, 688
Review, 353s
Hybridoma
Allogeneic effect factor, 956
Concanavalin A inducible, 893
4-Hydroxy-3-nitrophenyl acetyl
Haptens, 161
Immune response, mouse, 1554
Immunoglobulin
Antigen receptor synthesis, 1745
Interleukin 2
Leukemic cell lines, 1709
Isoantibodies
Cytotoxicity, immunologic, 674
Leukocyte culture test, mixed, guinea pig, 1011
Receptors, immunologic, 674
Isoantigens
Immune tolerance, mouse, 54
L-Glutamic acid-L-alanine-L-tyrosine
Suppressor cells, 235
Leishmaniasis
Suppressor cells, 594
Leukemia, lymphocytic
Antigenic determinants, 229
Leukemia, radiation
T lymphocyte-mediated cytotoxicity, *in vitro*, 1473
Lymphocyte cooperation
Antigenic determinants, 477
Cell division, 477
Genetic analysis, mouse, 1226
Lymphokines, 893
Macrophages, 218s
Mouse, NBZ, 296
Lymphocyte transformation
Antigens, D region, 249s
Endothelium, 249s
Haptens, 284s
Immune response, human, 249s
Mixed lymphocyte culture reactions 284s
B Lymphocytes
Hybrid cells, 1289
Lymphokines
Histocompatibility antigens, 956

T Lymphocytes (cont'd)
Lymphoma
Growth factor, 1436
Isoantibodies, 674
Macrophages
Isoantigens, 620
Mixed lymphocyte culture reactions 581
Major histocompatibility gene complex
Lymphocyte cooperation, 336
Gene mapping, 759
Mastocytoma P815
T Lymphocyte-mediated cytotoxicity 1184
Mitogens
Growth factor, 1436
Muramidase
Antibody formation, 521
Suppressor cells, 521
Plasmacytoma
Haptens, 306
Histocompatibility antigens, 306
Immune response, mouse, 306
Sarcoma
Isoantibodies, 674
Schistosoma japonicum
Genes, immune response, 314s
Streptococcus A
Antigen-antibody reactions, mouse, 477
Suppressor cells
Histocompatibility antigens, 270s
Idiotypic determinants, 161
Lymphocyte transformation, 270s
Virus, influenza
Histocompatibility antigens, 195s 204s
Killer cells, 195s
β_2-Microglobulin, 195s
Virus, Moloney sarcoma
Antigens, neoplasm, 1210
Immune response, mouse, 1210
T Lymphocyte-mediated cytotoxicity, 1210
Virus, radiation leukemia
T lymphocyte-mediated cytotoxicity, *in vitro*, 1473
Virus, Sendai
Major histocompatibility gene complex, 1805

Lymphoid cell lines
Agammaglobulinemia
Bone marrow, human, 1519

Lymphokines
Antigens, I-region-associated
Macrophages, 1248
Hypersensitivity, delayed
Macrophages, 1811
T Lymphocytes
Histocompatibility antigens, 956
Lymphocyte cooperation, 893

Lymphoma
T Lymphocytes
Growth factor, 1436
Isoantibodies, 674

Lymphoma (cont'd)
Macrophages
Antibody-dependent cell cytotoxicity, 183, 198
Hydrogen peroxide, 183, 198

Lymphoma, histiocytic
see Sarcoma, reticulum cell

Lysosomal enzymes
Macrophages
Proteolysis connective tissue matrices, rat, 1340

M

M protein
Streptococci, group A
Bacteriophage, 1393

Macrophages
Antigens, Ia
Infected spleen cells, mouse 1248
Concanavalin A, 1734
Mixed lymphocyte culture reaction 1734
Bacillus Calmette-Guerin
Hydrogen peroxide, 183, 198
Candida albicans
Lymphocyte transformation, 581
Phagocytosis, 85
Candida parapsilosis
Phagocytosis, 85
Connective tissue
Matrix degradation, 1537
Proteolysis, 1527, 1537
Vascular smooth muscle, rat, 1527
Corynebacterium parvum
Hydrogen peroxide, 183
Fever
Hypersensitivity, delayed, 1811
Glycoproteins
Peritoneum, guinea pig, 1699
Hematopoietic stem cells
Bone marrow, rat, 419
Histocompatibility antigens
Antibody specificity, 581
IgG
Fc receptors, 1147
Identification and characterization, peritoneal cells, mouse, 1147
Leukotriene C
Peritoneal cells, mouse, 1236
Listeria monocytogenes
Antigens, Ia, 1684
Helper cells, 1684
T Lymphocytes
Isoantigens, 620
Lymphocyte cooperation, 218s
Lymphoma
Antibody-dependent cell cytotoxicity, 183, 198
Hydrogen peroxide, 183, 198

Macrophages (cont'd)
Lysosomal enzymes
Proteolysis connective tissue matrices, rat, 1340
Melanoma
Bacillus Calmette-Guerin, 657
Muramyl dipeptide
Candida albicans, 1659
Nucleotidases
Adenine phosphoribosyltransferase 241
Adenosine deaminase, 241
Purine nucleoside phosphorylases 241
Oxidative metabolism
Microbicidal activity, 85
Oxygen
Antimicrobial activity, 1596 1610
Toxoplasma gondii, 1596 1610
Phagocyte bactericidal dysfunction
Oxidative metabolism variants, mouse, 808
Phagocytosis
IgG, 905
Immune complex, soluble, 905
Phorbol myristate acetate
Hydrogen peroxide, 198
Proteinase inhibitor
Elastase, 1563
Proteinases
Proteolysis connective tissue matrices, rat, 1340
Receptors, complement
IgG, 905
Receptors, Fc
Immune complex, soluble, 905
Isolation and characterization, mouse, 1048
Trypanosoma cruzi
Opsonins, 447
Zymosan
Arachidonic acids, 324
Prostaglandins E, 324

Major histocompatibility gene complex
Antigens, Ia
Helper cells, 1779
Immune response, mouse, 1779
Intragenic recombination/mutation, mouse, 1453
B Lymphocytes, 1453
Erythroleukemia
Virus, Friend leukemia, 1795
Growth and reproduction gene complex
Phenotypes, rat, 1506
Helper cells
Analysis of histocompatibility requirements, mouse, 1311
I-region/immune response gene expression, mouse, 1274
Lymphocyte cooperation, 920

Major histocompatibility gene complex (cont'd)
B Lymphocytes
Dinitrophenyl compounds, 336
Lymphocyte cooperation, 336
T Lymphocytes
Gene mapping, 759
Hybrid cells, 1289
Spleen cells, mouse
Gene mapping, 783
Thymus gland
Allogenic/semi-allogenic transplantations, nude mouse, 1805
Thyroiditis
Animal model, mouse, 1115
Virus, Sendai
T Lymphocytes, 1805

Mast cells
Delayed hypersensitivity
5-Hydroxytryptamine, 1358
T Lymphocyte-mediated release, mouse, 1358
Eosinophil peroxidase
Degranulation/secretion, 265
Histamine, 265
Heparin
Angiogenesis, 931
Capillary endothelial cells, 931

Mastocytoma
see Sarcoma, mast cell

Mastocytoma P815
Antigens, transplantation
T Lymphocyte-mediated cytotoxicity 1175
Immunogenic variants
T Lymphocyte-mediated cytotoxicity 1175, 1184
Neoplasm transplantation
Antigens, transplantation, 1175

Melanoma
Bacillus Calmette-Guerin
Immunization, 657
Macrophages, 657

Meningitis, meningococcal
Antibodies, bacterial
IgA, 452
IgG, 452
Polysaccharides, bacterial
Monocytes, 452

Methylamines
Complement 3
Complement pathway, alternative 1102
Thioester bond, 1102

Micrococcus luteus
Immune serums
Immunoglobulin idiotypes, 1024
Peptidoglycan
Antibody diversity, 1024

β_2-Microglobulin
Antigens
Distribution, thymus, human, 771
Choriocarcinoma
Immunoprecipitation, 11s

β_2-Microglobulin (cont'd)
RNA, messenger
Biosynthesis, 3s
Virus, influenza
T Lymphocytes, 195s
Microtubules
Entamoeba histolytica
Cytopathogenicity, 377
Monocytes
Chemotactic factors
Binding sites, 31
Peptides, 31
Complement 3b
Receptors, immunologic, 20
Meningitis, meningococcal
Polysaccharides, bacterial, 452
Multiple myeloma
see also Plasmacytoma
Cell membrane
Golgi apparatus, 1
Immunoglobulins
Endocytosis, 1
Suppressor cells
Antibody formation, 969
Immunoglobulin idiotypes, 969
Muramidase
T Lymphocytes
Antibody formation, 521
Suppressor cells, 521
Muramyl dipeptide
Candida albicans
Macrophages, 1659
Fever
Administration, intracerebral, rabbit, 869
Indomethacin, 869
Myasthenia gravis
Acetylcholine
Torpedo californica, 507
Histocompatibility antigens
Immune response, mouse, 507
Myeloma proteins
Binding sites, antibody
Hybrid cell products, mouse, 703
2,4-Dinitrophenyl
Binding sites, antibody, 720
Hybridoma
Suppressor cells, 969
Immunoglobulin idiotypes
Gene mapping, mouse, 720
Immunoglobulins, kappa chain
Genetic polymorphism, mouse, 555
Immunoglobulin variable region 555
Polysaccharides, bacterial
Klebsiella, 979
Precipitin tests, 979

N

Neisseria meningitidis
IgA
Proteases, 1442
Neutrophils
Complement 3b
Receptors, immunologic, 20
Nucleosomes
Autoantibodies
Lupus erythematosus, systemic 1720
X-ANA
Lupus erythematosus, systemic 1720
Nucleotidases
Macrophages
Adenine phosphoribosyltransferase 241
Adenosine deaminase, 241
Purine nucleoside phosphorylases 241

O

Opsonins
Trypanosoma cruzi
Macrophages, 447
Oxygen
Macrophages
Antimicrobial activity, 1596 1610
Toxoplasma gondii, 1596 1610

P

Peptides
Monocytes
Chemotactic factors, 31
Peptidoglycan
Micrococcus luteus
Antibody diversity, 1024
Phagocytosis
Entamoeba histolytica
Cytopathogenicity, 377
Ovary cells, hamster, 377
Leukotriene C
Peritoneal cells, mouse, 1236
Macrophages
Candida albicans, 85
Candida parapsilosis 85
IgG, 905
Immune complex, soluble, 905
Oxidative metabolism variants, mouse, 808
Oxygen
Peritoneal cells, mouse, 1610
Trypanosoma cruzi
Immune serums, 447
Trypsin, 447
Zymosan
Prostaglandins E, 324

Phosphocholine-keyhole limpet hemocyanin
IgG
Antibody response, mouse, 209
Phospholipids
Entamoeba histolytica
Cell membrane, 391
Phosphorylcholine
Idiotypic determinants
B Lymphocytes, 1262
Maturation PC-specific clones, mouse, 1262
Placenta
Histocompatibility antigens
Membranes, mouse, 945
Plasma cells
Cell membrane
Golgi apparatus, 1
Immunoglobulins
Endocytosis, 1
Plasma membrane
see Cell membrane
Plasmacytoma
see also Multiple myeloma
T Lymphocytes
Haptens, 306
Histocompatibility antigens, 306
Immune response, mouse, 306
Poly(LTyr,LGlu)-poly(DLAla)-poly(LLys)
Antibodies, antiidiotypic
Hypersensitivity, delayed, 1448
Polymorphonuclear leukocytes
see Neutrophils
Polysaccharides
IgG
Antibody response, mouse, 209
Polysaccharides, bacterial
Haemophilis influenza
Protein conjugates, 361
Meningitis, meningococcal
Monocytes, 452
Myeloma proteins
Klebsiella, 979
Precipitin tests, 979
Prostaglandins E
Lupus erythematosus, systemic
Antigen-antibody complex, 1645
Renal lesions, mouse, 1645
Macrophages
Zymosan, 324
Proteases
IgA
Neisseria meningitidis 1442
Macrophages
Proteolysis connective tissue matrices, rat, 1340
Protein kinase
Virus, murine leukemia
Fetal mink lung cells, 1762
Proteinase inhibitor
Macrophages
Elastase, 1563
Purine nucleoside phosphorylases
Macrophages
Nucleotidases, 241
Pyrogens
Hypersensitivity, delayed
Macrophages, 1811

R

Radiation chimera
Graft vs host disease
Immune tolerance, mouse, 736
Receptors, antigen
Klebsiella pneumoniae
Lymphocytes, 331s
Receptors, complement
Macrophages
IgG, 905
Receptors, concanavalin A
Cell membrane
Interferon, 469
HeLa cells
Interferon, 469
Receptors, Fc
IgG
Isolation and characterization, mouse, 1048
Macrophages
Immune complex, soluble, 905
Receptors, immunologic
Complement 3b
Glycoproteins, 20
B Lymphocytes, 20
Monocytes, 20
Neutrophils, 20
Receptors, sialic acid
Trypanosoma cruzi
Epimastigote stage cells, 1375
RNA, messenger
Histocompatibility antigens
Biosynthesis, 3s
β_2-Microglobulin
Biosynthesis, 3s
RNA, viral
Virus, reo-
Gastrointestinal system, mouse 853

S

Sarcoma
T Lymphocytes
Isoantibodies, 674
Transplantation immunology
Suppressor cells, 823

Sarcoma, mast cell
Eye neoplasms
Eye, mouse, 1121
Sarcoma, reticulum cell
IgG
Antibody specificity, 1126
B Lymphocytes
Antigens, surface, 1126
Schistosoma japonicum
Antigens, D region
Genes, immune response, 314s
T Lymphocytes
Genes, immune response, 314s
Schistosoma mansoni
Antigens, parasite
Lung/skin, mouse, 41
Haptens
Antibody-dependent cell cytotoxicity, 41
Sialic acids
Erythrocytes
Complement pathway, alternative 532
Genetics, mouse, 532
Skin
12-*O*-Tetradecanoylphorbol 13-acetate
Epidermal proliferation, pig/mouse, nude, 1329
Slow reacting substance
see Leukotriene C
Spondylitis, ankylosing
Histocompatibility antigens
Antigenic determinants, 341s
Lymphocyte transformation, 351s
Klebsiella pneumoniae
Histocompatibility antigens, 331s
Streptococcal infections
Histocompatibility antigens
Genes, immune response, 297s
Streptococci group A
Anti-antibodies
Clonal commitment, 151
Bacteriophage
Genetic determination, 1393
M protein, 1393
Phagocytosis resistance, 1393
Carbohydrates
Immunization, 151
T Lymphocytes
Antigen-antibody reactions, mouse 477
Superoxide dismutase
Oxygen
Antimicrobial activity, 1610
Toxoplasma gondii, 1610
Suppressor cells
Immunization, oral
Immunity, humoral, 1459
T Lymphocytes
Antibody specificity, 235s
Bone marrow, 54
Histocompatibility antigens, 270s
Idiotypic determinants, 161
Suppressor cells (cont'd)
L-Glutamic acid-L-alanine-L-tyrosine, 235
Leishmaniasis, 594
Lymphocyte transformation, 270s
Muramidase, 521
Multiple myeloma
Antibody formation, 969
Immunoglobulin idiotypes, 969
Myeloma proteins
Hybridoma, 969
Sarcoma
Transplantation immunology, 823
Tumor growth, rat, 823

T

T cell growth factor
see Interleukin 2
Terminal deoxynucleotidyltransferase
see DNA nucleotidyltransferase
12-*O*-Tetradecanoylphorbol-13-acetate
Skin
Epidermal proliferation, pig/mouse, nude, 1329
Interleukin 2
Leukemic cell lines, 1709
Thymus gland
Lymphocytes
Isolation and characterization, fetus, 796
T Lymphocytes
Antigens, 771
Virus, AKR murine leukemia
Virus replication, 456
Thymus neoplasms
Virus, murine leukemia
Mouse, HRS/J, 249
Thyroglobulin
Thyroiditis
Animal model, mouse, 1115
Thyroiditis
Thyroglobulin
Animal model, mouse, 1115
Torpedo californica
Myasthenia gravis
Acetylcholine, 507
Toxoplasma gondii
Oxygen
Macrophages, 1596, 1610
Peritoneal cells, mouse, 1596 1610
Transplantation immunology
Antigens, transplantation
Mastocytoma P815, 1175
Eye neoplasms
Histocompatibility antigens, 1121
Sarcoma
Suppressor cells, 823
Tumor growth, rat, 823

Trinitrophenyl compounds
T Lymphocytes
Cytotoxicity, immunologic, 1070
Haptens
Histocompatibility antigens, 204s
Lymphocyte transformation, 256s
T Lymphocytes, 204s
Trypanosoma cruzi
Glycolipids
Epimastigote stage cells, 1375
Glycoproteins
Epimastigote stage cells, 1375
Macrophages
Opsonins, 447
Phagocytosis
Immune serums, 447
Trypsin, 447
Receptors, sialic acid
Epimastigote stage cells, 1375
Trypsin
Glycoproteins
Macrophages, 1699
Peritoneum, guinea pig, 1699
Trypanosoma cruzi
Phagocytosis, 447
Tunicamycin
Antigens, D region
Antigenic determinants, 65s

U

Uridine, 2'deoxy-5-iodo-
Virus, murine leukemia
Genes, viral, 219

V

Viral proteins
Virus, murine mammary tumor
Gene mapping, mouse, 712
Viral vaccines
Virus, rabies
Antigenic variants, mouse, 99
Virus activation
Virus, murine leukemia
Chromosomes, 219
Virus, murine leukemia
Virus replication
Radiation chimera, mouse, 456
Thymus gland, 456
Virus, encephalomyocarditis
Diabetes mellitus
Immune response, mouse, 878
Interferon, 878
Virus, Friend leukemia
Erythroleukemia
Immunity, cellular, 1795
Major histocompatibility gene complex, 1795
Virus, influenza
T Lymphocytes
Histocompatibility antigens, 195s 204s
Killer cells, 195s
β_2-Microglobulin, 195s
Virus, lymphocytic choriomeningitis
Interferon
Hepatotoxicity, 633
Immunogenetics, mouse, 633
Virus, Moloney sarcoma
Antigens, neoplasm
Immune response, mouse, 1210
Virus, murine leukemia
Cell transformation, viral
Fetal mink lung cells, 1762
Chromosomes
Genetic mapping, mouse, 219
Virus activation, 219
Genes, viral
Lipopolysaccharides, 219
Uridine, 2'-deoxy-5-iodo- 219
Virus, recombinant
Genes, recessive, 249
Oligonucleotides, 249
Virus, murine mammary tumor
Antigens, viral
Gene mapping, mouse, 712
Viral proteins
Gene mapping, mouse, 712
Virus, rabies
Glycoproteins
Antibody specificity, 99
Viral vaccines
Antigenic variants, mouse, 99
Virus, radiation leukemia
T Lymphocytes
T lymphocyte-mediated cytotoxicity, *in vitro*, 1473
Mixed lymphocyte culture reaction
T lymphocyte-mediated cytotoxicity, *in vitro*, 1473
Virus, recombinant
Virus, murine leukemia
Genes, recessive, 249
Oligonucleotides, 249
Virus, reo-
Gene, virulence, 853
RNA, viral
Gastrointestinal system, mouse 853
Virus replication
Gastrointestinal system, mouse 853
Virus replication
Virus, AKR murine leukemia
Radiation chimera, mouse, 456
Thymus gland, 456
Virus, reo-
Gastrointestinal system, mouse 853

Virus, Sendai
T Lymphocytes
Major histocompatibility gene complex, 1805

X

X-ANA
see also Autoantibodies
Histones
Lupus erythematosus, systemic
1720

X-ANA (cont'd)
Nucleosomes
Lupus erythematosus, systemic
1720

Z

Zymosan
Macrophages
Arachidonic acids, 324
Prostaglandins E, 324

THE JOURNAL

OF

EXPERIMENTAL MEDICINE

EDITED BY

ZANVIL A. COHN HENRY G. KUNKEL

JAMES G. HIRSCH MACLYN McCARTY

ASSISTANT EDITORS

SHU MAN FU ALLAN R. GOLDBERG

RALPH STEINMAN

ADVISORY EDITORS

K. FRANK AUSTEN
ALEXANDER G. BEARN
BARUJ BENACERRAF
DOROTHEA BENNETT
RUPERT E. BILLINGHAM
BARRY R. BLOOM
FRANK J. DIXON
MARILYN G. FARQUHAR
HIDESABURO HANAFUSA
ATTALLAH KAPPAS
THOMAS J. KINDT
RICHARD M. KRAUSE
FRANK LILLY
GEORGE B. MACKANESS
HUGH O. McDEVITT
HANS J. MÜLLER-EBERHARD
RALPH L. NACHMAN
ROBERT J. NORTH
WILLIAM E. PAUL
BENVENUTO PERNIS
EDWARD REICH
MATTHEW D. SCHARFF
JONATHAN SPRENT
IGOR TAMM
JONATHAN W. UHR
KENNETH S. WARREN
WILLIAM O. WEIGLE
DARCY B. WILSON
HENRY J. WINN

VOLUME 152

1980

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

COPYRIGHT © 1980 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS

Volume 152 No. 1 July 1, 1980

1 PETER D. OTTOSEN, PIERRE J. COURTOY, and MARILYN GIST FARQUHAR. Pathways followed by membrane recovered from the surface of plasma cells and myeloma cells

20 DOUGLAS T. FEARON. Identification of the membrane glycoprotein that is the C3b receptor of the human erythrocyte, polymorphonuclear leukocyte, B lymphocyte, and monocyte

31 MARILYN C. PIKE, DINA G. FISCHER, HILLEL S. KOREN, and RALPH SNYDERMAN. Development of specific receptors for *N*-formylated chemotactic peptides in a human monocyte cell line stimulated with lymphokines

41 GINA MOSER, DONALD L. WASSOM, and ALAN SHER. Studies of the antibody-dependent killing of schistosomula of *Schistosoma mansoni* employing haptenic target antigens. I. Evidence that the loss in susceptibility to immune damage undergone by developing schistosomula involves a change unrelated to the masking of parasite antigens by host molecules

54 SHIZUKO MURAOKA and RICHARD G. MILLER. Cells in bone marrow and in T cell colonies grown from bone marrow can suppress generation of cytotoxic T lymphocytes directed against their self antigens

72 ELVIN A. KABAT, TAI TE WU, and HOWARD BILOFSKY. Evidence indicating independent assortment of framework and complementarity-determining segments of the variable regions of rabbit light chains. Delineation of a possible J minigene

85 MASATAKA SASADA and RICHARD B. JOHNSTON, JR. Macrophage microbicidal activity. Correlation between phagocytosis-associated oxidative metabolism and the killing of candida by macrophages

99 T. J. WIKTOR and H. KOPROWSKI. Antigenic variants of rabies virus

113 EDWARD L. MORGAN, SHARYN M. WALKER, MARILYN L. THOMAN, and WILLIAM O. WEIGLE. Regulation of the immune response. I. The potentiation of in vivo and in vitro immune responses by Fc fragments

124 NAGAHIRO MINATO, LOLA REID, HARVEY CANTOR, PETER LENGYEL, and BARRY R. BLOOM. Mode of regulation of natural killer cell activity by interferon

138 DAVID C. PARKER, DANIEL C. WADSWORTH, and GARY B. SCHNEIDER. Activation of murine B lymphocytes by anti-immunoglobulin is an inductive signal leading to immunoglobulin secretion

151 DAVID E. BRILES and JOSEPH M. DAVIE. Clonal nature of the immune response. II. The effect of immunization on clonal commitment

161 JUDAH Z. WEINBERGER, RONALD N. GERMAIN, BARUJ BENACERRAF, and MARTIN E. DORF. Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. V. Role of idiotypes in the suppressor pathway

170 SHYR-TE JU, BARUJ BENACERRAF, and MARTIN E. DORF. Genetic control of a shared idiotype among antibodies directed to distinct specificities

183 CARL NATHAN, LINDA BRUKNER, GILLA KAPLAN, JAY UNKELESS, and ZANVIL COHN. Role of activated macrophages in antibody-dependent lysis of tumor cells

198 CARL NATHAN and ZANVIL COHN. Role of oxygen-dependent mechanisms in antibody-induced lysis of tumor cells by activated macrophages

209 GEORGES P. DER BALIAN, JOHN SLACK, BRIAN L. CLEVINGER, HERVÉ BAZIN, and JOSEPH M. DAVIE. Subclass restriction of murine antibodies. III. Antigens that stimulate IgG_3 in mice stimulate IgG_{2c} in rats

219 CHRISTINE A. KOZAK and WALLACE P. ROWE. Genetic mapping of xenotropic murine leukemia virus-inducing loci in five mouse strains

BRIEF DEFINITIVE REPORTS

229 LAURENCE BOUMSELL, HELENE COPPIN, DANIELE PHAM, BRIGITTE RAYNAL, JEAN LEMERLE, JEAN DAUSSET, and ALAIN BERNARD. An antigen shared by a human T cell subset and B cell chronic lymphocytic leukemic cells. Distribution on normal and malignant lymphoid cells

235 JUDITH A. KAPP, BARBARA A. ARANEO, and BRIAN L. CLEVINGER. Suppression of antibody and T cell proliferative responses to L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} by a specific monoclonal T cell factor

241 ROY J. SOBERMAN and MANFRED L. KARNOVSKY. Metabolism of purines in macrophages. Effect of functional state of the cells

Volume 152 No. 2 August 1, 1980

249 NICOLA GREEN, HIROSHI HIAI, JOHN H. ELDER, ROBERT S. SCHWARTZ, RAMAN H. KHIROYA, CHRISTOPHER Y. THOMAS, PHILIP N. TSICHLIS, and JOHN M. COFFIN. Expression of leukemogenic recombinant viruses associated with a recessive gene in HRS/J mice

265 WILLIAM R. HENDERSON, EMIL Y. CHI, and SEYMOUR J. KLEBANOFF. Eosinophil peroxidase-induced mast cell secretion

280 JEFFREY A. LEDBETTER, ROBERT V. ROUSE, H. SPEDDING MICKLEM, and LEONARD A. HERZENBERG. T cell subsets defined by expression of Lyt-1,2,3 and Thy-1 antigens. Two-parameter immunofluorescence and cytotoxicity analysis with monoclonal antibodies modifies current views

296 BRIGITTE STOCKINGER and ULRICH BOTZENHARDT. On the T cell hyperreactivity of NZB mice against H-2-identical cells. Evidence for primary response characteristics and an increased helper potential

306 ABUL K. ABBAS, SHELDON E. RATNOFSKY, and STEVEN J. BURAKOFF. T lymphocyte-mediated suppression of myeloma function in vitro. II. Evidence for regulation of hapten-binding myelomas by syngeneic hapten-specific cytolytic T lymphocytes

324 WILLIAM A. SCOTT, JOANNE M. ZRIKE, ANNE L. HAMILL, JENNIFER KEMPE, and ZANVIL A. COHN. Regulation of arachidonic acid metabolites in macrophages

336 SUSAN K. PIERCE, NORMAN R. KLINMAN, PAUL H. MAURER, and CARMEN F. MERRYMAN. Role of the major histocompatibility gene products in regulating the antibody response to dinitrophenylated poly(L-Glu^{55},L-Ala^{35},L-Phe^{9})$_n$

350 JEFFREY M. LIPTON, ELLIS L. REINHERZ, MICHELE KUDISCH, PAMELA L. JACKSON, STUART F. SCHLOSSMAN, and DAVID G. NATHAN. Mature bone marrow erythroid burst-forming units do not require T cells for induction of erythropoietin-dependent differentiation

361 RACHEL SCHNEERSON, OSMAR BARRERA, ANN SUTTON, and JOHN B. ROBBINS. Preparation, characterization, and immunogenicity of *Haemophilus influenzae* type b polysaccharide-protein conjugates

377 JONATHAN I. RAVDIN, BARBARA Y. CROFT, and RICHARD L. GUERRANT. Cytopathogenic mechanisms of *Entamoeba histolytica*

391 STEPHEN B. ALEY, WILLIAM A. SCOTT, and ZANVIL A. COHN. Plasma membrane of *Entamoeba histolytica*

405 ROBERT B. LEVY, PAMELA E. GILHEANY, and GENE M. SHEARER. Role of self and foreign antigenic determinants in allogeneic and self-restricted cytotoxic T cell recognition

419 IRVING GOLDSCHNEIDER, DONALD METCALF, FRANK BATTYE, and TOM MANDEL. Analysis of rat hemopoietic cells on the fluorescence-activated cell sorter. I. Isolation of pluripotent hemopoietic stem cells and granulocyte-macrophage progenitor cells

438 IRVING GOLDSCHNEIDER, DONALD METCALF, TOM MANDEL, and F. J. BOLLUM. Analysis of rat hemopoietic cells on the fluorescence-activated cell sorter. II. Isolation of terminal deoxynucleotidyl transferase-positive cells

BRIEF DEFINITIVE REPORTS

447 N. NOGUEIRA, S. CHAPLAN, and Z. COHN. *Trypanosoma cruzi*. Factors modifying ingestion and fate of blood form trypomastigotes

452 GEORGE H. LOWELL, LYNETTE F. SMITH, J. MCLEOD GRIFFISS, and BRENDA L. BRANDT. IgA-dependent, monocyte-mediated, antibacterial activity

458 KENNETH J. BLANK and THEODORE PINCUS. Evidence that endogenous ecotropic virus is not expressed in AKR thymic lymphoid cells of chimeric hosts

463 J. M. MCCUNE, V. R. LINGAPPA, S. M. FU, G. BLOBEL, and H. G. KUNKEL. Biogenesis of membrane-bound and secreted immunoglobulins. I. Two distinct translation products of human μ-chain, with identical N-termini and different C-termini

469 LAWRENCE M. PFEFFER, EUGENIA WANG, and IGOR TAMM. Interferon inhibits the redistribution of cell surface components

475 CORRECTION

Volume 152 No. 2 Pt. 2 August 1, 1980

PROCEEDINGS OF A CONFERENCE ON
GENETIC CONTROL OF THE HUMAN IMMUNE RESPONSE

FOREWORD *Edgar G. Engleman and Hugh O. McDevitt*

LIST OF PARTICIPANTS

CHEMISTRY, GENETICS, AND BIOSYNTHESIS OF HLA ANTIGENS

3s Synthesis of HLA antigens from membrane-associated messenger RNA. *Janet S. Lee, John Trowsdale, and Walter F. Bodmer*

11s Expression of HLA-A, -B, and -C and β_2-microglobulin antigens in human choriocarcinoma cell lines. *John Trowsdale, Paul Travers, Walter F. Bodmer, and Roland A. Patillo*

18s Characterization of HLA-D-region antigens by two-dimensional gel electrophoresis. Molecular genotyping. *Dominique J. Charron and Hugh O. McDevitt*

37s HLA-DR antigens have polymorphic light chains and invariant heavy chains as assessed by lysine-containing tryptic peptide analysis. *James F. Kaufman, Rolf L. Andersen, and Jack L. Strominger*

54s Specificity of mouse cytotoxic T lymphocytes stimulated with either HLA-A and -B or HLA-DR antigens reconstituted into phospholipid vesicles. *Victor H. Engelhard, James F. Kaufman, Jack L. Strominger, and Steven J. Burakoff*

65s Cell-free synthesis and processing of the heavy and light chains of HLA-DR antigens. *Alan J. Korman, Hidde L. Ploegh, James F. Kaufman, Michael J. Owen, and Jack L. Strominger*

83s Discussion

HLA-DR ON T AND NON-T MONONUCLEAR LEUKOCYTES

89s Two types of Ia-positive T cells. Synthesis and exchange of Ia antigens. *D. T. Y. Yu, J. M. McCune, S. M. Fu, R. J. Winchester, and H. G. Kunkel*

99s Ia antigen on peripheral blood mononuclear leukocytes in man. I. Expression, biosynthesis, and function of HLA-DR antigen on non-T cells. *Edgar G. Engleman, Dominique J. Charron, Claudia J. Benike, and Graeme J. Stewart*

114s Ia antigen on peripheral blood mononuclear leukocytes in man. II. Functional studies of HLA-DR-positive T cells activated in mixed lymphocyte reactions. *Edgar G. Engleman, Claudia J. Benike, and Dominique J. Charron*

127s Ia antigens on alloreactive T cells in man detected by monoclonal antibodies. Evidence for synthesis of HLA-D/DR molecules of the responder type. *Dominique J. Charron, Edgar G. Engleman, Claudia J. Benike, and Hugh O. McDevitt*

137s Discussion

T CELL CLONES THAT RECOGNIZE ALLOANTIGENS

143s Cloned primed-lymphocyte-test reagents in the dissection of HLA-D. *Hiroo Inouye, Jacquelyn A. Hank, Xavier Chardonnens, Miriam Segall, Barbara J. Alter, and Fritz H. Bach*

156s Complexity of the HLA-D region studied by primed-lymphocyte test. *Miriam Segall, Nancy L. Reinsmoen, Harriet J. Noreen, and Fritz H. Bach*

164s Cloning and functional characterization of primary alloreactive human T lymphocytes. *Jacki Kornbluth and Bo Dupont*

182s Production, expansion, and clonal analysis of T cells with specific HLA-restricted male lysis. *Els Goulmy, Els Blokland, Jon van Rood, Dominique Charmot, Bernard Malissen, and Claude Mawas*

191s Discussion

RECOGNITION OF ALTERED SELF

195s Influenza virus-specific cytotoxic T lymphocytes recognize HLA molecules. Blocking by monoclonal anti-HLA antibodies. *Andrew J. McMichael, Peter Parham, Frances M. Brodsky, and Jennifer R. Pilch*

204s Human cytotoxic T cell responses to trinitrophenyl hapten and influenza virus. Diversity of restriction antigens and specificity of HLA-linked genetic regulation. *William E. Biddison, Susan M. Payne, Gene M. Shearer, and Stephen Shaw*

218s Role of Ia-positive cells in induction of secondary human immune responses to haptens in vitro. *Robert R. Rich, Stuart L. Abramson, Michael F. Seldin, Jennifer M. Puck, and Ronald Levy*

235s Human alloimmune sera against T cell subsets. Detection and influence on pokeweed mitogen-stimulated Ig production in vitro. *A. van Leeuwen, H. Festenstein, and J. J. van Rood*
243s Discussion

REGULATION OF IMMUNE RESPONSE

249s Antigen-presenting properties of human vascular endothelial cells. *Henry Hirschberg, O. J. Bergh, and Erik Thorsby*
256s HLA-D restriction of the proliferative response to hapten dinitrophenyl-conjugated cells. I. No indication of cross-reaction between dinitrophenyl-conjugated autologous and nonconjugated allogeneic cells. *Bjørn Søeberg and Arne Svejgaard*
270s Suppression of the human allogeneic response in vitro with primed lymphocytes and suppressive supernates. *Marilyne Sasportes, Emmanuelle Wollman, Daniel Cohen, Edgardo Carosella, Armand Bensussan, Didier Fradelizi, and Jean Dausset*
284s Lymphocyte transformation induced by autologous cells. X. Soluble factors that generate cytotoxic T lymphocytes. *Marc E. Weksler, Charles E. Moody, Rachel F. Ostry, and Barbara A. Casazza*
292s Discussion

IMMUNE RESPONSE GENES

297s An HLA-linked immune suppression gene in man. *Takehiko Sasazuki, Hidetoshi Kaneoka, Yasuharu Nishimura, Reiko Kaneoka, Masaaki Hayama, and Hisashi Ohkuni*
314s Association between an HLA haplotype and low responsiveness to schistosomal worm antigen in man. *Takehiko Sasazuki, Nobuo Ohta, Reiko Kaneoka, and Somei Kojima*
319s Associations of antibodies to native DNA with HLA-DRw3. A possible major histocompatibility complex-linked human immune response gene. *W. Leroy Griffing, S. Breanndan Moore, Harvinder S. Luthra, Charles H. McKenna, and C. Garrison Fathman*
326s Discussion

HLA AND DISEASE

331s Characterization of a factor(s) present in *Klebsiella* culture filtrates that specifically modifies an HLA-B27-associated cell-surface component. *Andrew F. Geczy, Kerri Alexander, Helen V. Bashir, and John P. Edmonds*
341s HLA public determinants are target antigens of cell-mediated cytotoxicity. *Benjamin D. Schwartz, Lisa K. Luehrman, and Glenn E. Rodey*
351s Discussion

353s Models and mechanisms for HLA and disease associations. *Walter F. Bodmer*

Volume 152 No. 3 September 1, 1980

477 K. EICHMANN, I. FALK, I. MELCHERS, and M. M. SIMON. Quantitative studies on T cell diversity. I. Determination of the precursor frequencies for two types of Streptococcus A-specific helper cells in nonimmune, polyclonally activated splenic T cells

493 FRED D. FINKELMAN, VIRGIL L. WOODS, SHANNON B. WILBURN, JAMES J. MOND, KATHRYN E. STEIN, ALICE BERNING, and IRWIN SCHER. Augmentation of in vitro humoral immune responses in the mouse by an antibody to IgD

507 PHILLIP W. BERMAN and JIM PATRICK. Linkage between the frequency of muscular weakness and loci that regulate immune responsiveness in murine experimental myasthenia gravis

521 LUCIANO ADORINI, MICHAEL A. HARVEY, DANUTA ROZYCKA-JACKSON, ALEXANDER MILLER, and ELI E. SERCARZ. Differential major histocompatibility complex-related activation of idiotypic suppressor T cells. Suppressor T cells cross-reactive to two distantly related lysozymes are not induced by one of them

532 AJIT VARKI and STUART KORNFELD. An autosomal dominant gene regulates the extent of 9-*O*-acetylation of murine erythrocyte sialic acids. A probable explanation for the variation in capacity to activate the human alternate complement pathway

545 JEROME A. MATTINGLY, JOSHUA M. KAPLAN, and CHARLES A. JANEWAY, JR. Two distinct antigen-specific suppressor factors induced by the oral administration of antigen

555 CLAUDE LAZURE, WAH-TUNG HUM, and DAVID M. GIBSON. A major group of mouse kappa chains controlled by the chromosome 6 locus, *IgK-Ef2*

565 STEPHEN SHAW, ARMEAD H. JOHNSON, and GENE M. SHEARER. Evidence for a new segregant series of B cell antigens that are encoded in the HLA-D region and that stimulate secondary allogeneic proliferative and cytotoxic responses

581 HOWARD V. RAFF, LOUIS J. PICKER, and JOHN D. STOBO. Macrophage heterogeneity in man. A subpopulation of HLA-DR-bearing macrophages required for antigen-induced T cell activation also contains stimulators for autologous-reactive T cells

594 JAMES G. HOWARD, CHRISTINE HALE, and F.Y. LIEW. Immunological regulation of experimental cutaneous leishmaniasis. III. Nature and significance of specific suppression of cell-mediated immunity in mice highly susceptible to *Leishmania tropica*

608 CHARLES G. COCHRANE and SUSAN D. REVAK. Dissemination of contact activation in plasma by plasma kallikrein

620 DAVID W. THOMAS, KUN-HWA HSIEH, JOHN L. SCHAUSTER, M. SUSAN MUDD, and GEORGE D. WILNER. Nature of T lymphocyte recognition of macrophage-associated antigens. V. Contribution of individual peptide residues of human fibrinopeptide B to T lymphocyte responses

633 YVES RIVIÈRE, ION GRESSER, JEAN-CLAUDE GUILLON, MARIE-THÉRÈSE BANDU, PIERRE RONCO, LILIANE MOREL-MAROGER, and PIERRE VERROUST. Severity of lymphocytic choriomeningitis virus disease in different strains of suckling mice correlates with increasing amounts of endogenous interferon

641 LINDA L. BAUSSERMAN, PETER N. HERBERT, and KEITH P. W. J. MCADAM. Heterogeneity of human serum amyloid A proteins

657 VICTORIA H. FREEDMAN, THERESA A. CALVELLI, SELMA SILAGI, and SAMUEL C. SILVERSTEIN. Macrophages elicited with heat-killed Bacillus Calmette-Guérin protect C57BL/6J mice against a syngeneic melanoma

674 NURIT HOLLANDER, ERIC PILLEMER, and IRVING L. WEISSMAN. Blocking effect of Lyt-2 antibodies on T cell functions

688 THOMAS HÜNIG and MICHAEL J. BEVAN. Specificity of cytotoxic T cells from athymic mice

703 EDMUNDO LAMOYI, PILA ESTESS, J. DONALD CAPRA, and ALFRED NISONOFF. Presence of highly conserved idiotypic determinants in a family of antibodies that constitute an intrastrain cross-reactive idiotype

712 R. NUSSE, J. DE MOES, J. HILKENS, and R. VAN NIE. Localization of a gene for expression of mouse mammary tumor virus antigens in the GR/Mtv-2$^-$ mouse strain

720 ELAINE A. DZIERZAK, CHARLES A. JANEWAY, JR., ROBERT W. ROSENSTEIN, and PAUL D. GOTTLIEB. Expression of an idiotype (Id-460) during in vivo anti-dinitrophenyl antibody responses. I. Mapping of genes for Id-460 expression to the variable region of immunoglobulin heavy-chain locus and to the variable region of immunoglobulin κ-light-chain locus

BRIEF DEFINITIVE REPORTS

730 ELIOT A. GOLDINGS, PHILIP L. COHEN, SCOTT F. MCFADDEN, MORRIS ZIFF, and ELLEN S. VITETTA. Defective B cell tolerance in adult (NZB × NZW)F_1 mice

736 MICHAEL GOTTLIEB, SAMUEL STROBER, and HENRY S. KAPLAN. Cellular basis of graft versus host tolerance in chimeras prepared with total lymphoid irradiation

742 JOHN G. CURD, LAWRENCE J. PROGRAIS, JR., and CHARLES G. COCHRANE. Detection of active kallikrein in induced blister fluids of hereditary angioedema patients

748 DAVID P. HUSTON and ALFRED D. STEINBERG. NZB cytotoxic lymphocyte responses. Kinetic analyses

755 Correction

Volume 152 No. 4 October 1, 1980

759 MASAO KIMOTO and C. GARRISON FATHMAN. Antigen-reactive T cell clones. I. Transcomplementing hybrid I-A-region gene products function effectively in antigen presentation

771 ATUL K. BHAN, ELLIS L. REINHERZ, SIBRAND POPPEMA, ROBERT T. MCCLUSKEY, and STUART F. SCHLOSSMAN. Location of T cell and major histocompatibility complex antigens in the human thymus

783 STEPHEN G. EMERSON, DONAL B. MURPHY, and ROBERT E. CONE. Selective turnover and shedding of H-2K and H-2D antigens is controlled by the major histocompatibility complex. Implications for H-2-restricted recognition

796 U. GALILI, A. POLLIACK, E. OKON, R. LEIZEROVITZ, H. GAMLIEL, A. KORKESH, J. G. SCHENKAR, and G. IZAK. Human prothymocytes. Membrane properties, differentiation patterns, glucocorticoid sensitivity, and ultrastructural features

808 GUIDO DAMIANI, CHIHARU KIYOTAKI, WALTER SOELLER, MASATAKA SASADA, JACK PEISACH, and BARRY R. BLOOM. Macrophage variants in oxygen metabolism

823 EDUARDO FERNANDEZ-CRUZ, BRUCE A. WODA, and JOSEPH D. FELDMAN. Elimination of syngeneic sarcomas in rats by a subset of T lymphocytes

842 M. BISHR OMARY, IAN S. TROWBRIDGE, and HECTOR A. BATTIFORA. Human homologue of murine T200 glycoprotein

853 DONALD H. RUBIN and BERNARD N. FIELDS. Molecular basis of reovirus virulence. Role of the M2 gene

869 GILLES RIVEAU, KARLE MAŠEK, MONIQUE PARANT, and LOUIS CHEDID. Central pyrogenic activity of muramyl dipeptide

878 JI-WON YOON, PATRICK R. MCCLINTOCK, TAKASHI ONODERA, and ABNER LOUIS NOTKINS. Virus-induced diabetes mellitus. XVIII. Inhibition by a nondiabetogenic variant of encephalomyocarditis virus

893 LEE HARWELL, BARRY SKIDMORE, PHILIPPA MARRACK, and JOHN KAPPLER. Concanavalin A-inducible, interleukin-2-producing T cell hybridoma

905 FRANK M. GRIFFIN, JR. Effects of soluble immune complexes on Fc receptor- and C3b receptor-mediated phagocytosis by macrophages

920 JOSEPH F. SPROVIERO, MICHAEL J. IMPERIALE, and MAURICE ZAUDERER. Clonal analysis of F_1 hybrid helper T cells restricted to parental or F_1 hybrid major histocompatibility determinants

931 RICHARD G. AZIZKHAN, JANE CLIFFORD AZIZKHAN, BRUCE R. ZETTER, and JUDAH FOLKMAN. Mast cell heparin stimulates migration of capillary endothelial cells in vitro

945 EARL L. PARR, ROBERT V. BLANDEN, and RAM S. TULSI. Epithelium of mouse yolk sac placenta lacks H-2 complex alloantigens

956 DAVID H. KATZ, THOMAS E. BECHTOLD, and AMNON ALTMAN. Construction of T cell hybridomas secreting allogeneic effect factor

968 ABUL K. ABBAS, STEVEN J. BURAKOFF, MALCOLM L. GEFTER, and MARK I. GREENE. T lymphocyte-mediated suppression of myeloma function in vitro. III. Regulation of antibody production in hybrid myeloma cells by T lymphocytes

979 ELVIN A. KABAT, JERRY LIAO, HAGEN BRETTING, EDWARD C. FRANKLIN, DAVID GELTNER, BLAS FRANGIONE, MARIAN E. KOSHLAND, JOANNA SHYONG, and ELLIOTT F. OSSERMAN. Human monoclonal macroglobulins with specificity for *Klebsiella* K polysaccharides that contain 3,4-pyruvylated-D-galactose and 4,6-pyruvylated-D-galactose

996 J. SPRENT. Effects of blocking helper T cell induction in vivo with anti-Ia antibodies. Possible role of I-A/E hybrid molecules as restriction elements

1011 REINHARD BURGER and ETHAN M. SHEVACH. Monoclonal antibodies to guinea pig Ia antigens. II. Effect on alloantigen-, antigen-, and mitogen-induced T lymphocyte proliferation in vitro

1024 M. WIKLER, C. DEMEUR, G. DEWASME, and J. URBAIN. Immunoregulatory role of maternal idiotypes. Ontogeny of immune networks

1036 T. M. DEXTER, J. GARLAND, D. SCOTT, E. SCOLNICK, and D. METCALF. Growth of factor-dependent hemopoietic precursor cell lines

1048 IRA S. MELLMAN and JAY C. UNKELESS. Purification of a functional mouse Fc receptor through the use of a monoclonal antibody

1070 MICHEL C. NUSSENZWEIG, RALPH M. STEINMAN, BODMA GUTCHINOV, and ZANVIL A. COHN. Dendritic cells are accessory cells for the development of anti-trinitrophenyl cytotoxic T lymphocytes

1085 ETHAN A. LERNER, LOUIS A. MATIS, CHARLES A. JANEWAY, JR., PATRICIA P. JONES, RONALD H. SCHWARTZ, and DONAL B. MURPHY. Monoclonal antibody against an Ir gene product?

1102 MICHAEL K. PANGBURN and HANS J. MÜLLER-EBERHARD. Relation of a putative thioester bond in C3 to activation of the alternative pathway and the binding of C3b to biological targets of complement

BRIEF DEFINITIVE REPORTS

1115 RUTH MARON and IRUN R. COHEN. H-2K mutation controls immune response phenotype of autoimmune thyroiditis. Critical expression of mutant gene product in both thymus and thyroid glands

1121 J. WAYNE STREILEIN, JERRY Y. NIEDERKORN, and JOHN A. SHADDUCK. Systemic immune unresponsiveness induced in adult mice by anterior chamber presentation of minor histocompatibility antigens

1126 ALAN C. AISENBERG and BARBARA M. WILKES. Unusual human lymphoma phenotype defined by monoclonal antibody

Volume 152 No. 5 November 1, 1980

1135 IAN M. ZITRON and BRIAN L. CLEVINGER. Regulation of murine B cells through surface immunoglobulin. I. Monoclonal anti-δ antibody that induces allotype-specific proliferation

1147 BENJAMIN C. LANE, JUNE KAN-MITCHELL, MALCOLM S. MITCHELL, and SHELDON M. COOPER. Structural evidence for distinct IgG subclass-specific Fc receptors on mouse peritoneal macrophages

1162 R. F. DYCK, C. M. LOCKWOOD, M. KERSHAW, N. MCHUGH, V. C. DUANCE, MARILYN L. BALTZ, and M. B. PEPYS. Amyloid P-component is a constituent of normal human glomerular basement membrane

1175 CATHERINE UYTTENHOVE, JACQUES VAN SNICK, and THIERRY BOON. Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815. I. Rejection by syngeneic mice

1184 THIERRY BOON, JACQUES VAN SNICK, ALINE VAN PEL, CATHERINE UYTTENHOVE, and MARIE MARCHAND. Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815. II. T lymphocyte-mediated cytolysis

1194 H. SCOTT BOSWELL, MICHAEL I. NERENBERG, IRWIN SCHER, and ALFRED SINGER. Role of accessory cells in B cell activation. III. Cellular analysis of primary immune response deficits in CBA/N mice: presence of an accessory cell-B cell interaction defect

1210 ARTHUR WEISS, K. THEODOR BRUNNER, H. ROBSON MACDONALD, and JEAN-CHARLES CEROTTINI. Antigenic specificity of the cytolytic T lymphocyte response to murine sarcoma virus-induced tumors. III. Characterization of cytolytic T lymphocyte clones specific for Moloney leukemia virus-associated cell surface antigens

1226 MAN-SUN SY, MICHAEL H. DIETZ, ALFRED NISONOFF, RONALD N. GERMAIN, BARUJ BENACERRAF, and MARK I. GREENE. Antigen- and receptor-driven regulatory mechanisms. V. The failure of idiotype-coupled spleen cells to induce unresponsiveness in animals lacking the appropriate V_H genes is caused by the lack of idiotype-matched targets

1236 CAROL A. ROUZER, WILLIAM A. SCOTT, ANNE L. HAMILL, and ZANVIL A. COHN. Dynamics of leukotriene C production by macrophages

1248 RALPH M. STEINMAN, NADIA NOGUEIRA, MARGARET D. WITMER, JOHN D. TYDINGS, and IRA S. MELLMAN. Lymphokine enhances the expression and synthesis of Ia antigens on cultured mouse peritoneal macrophages

1262 JOHN FUNG and HEINZ KÖHLER. Late clonal selection and expansion of the TEPC-15 germline specificity

1274 PHILIPPA MARRACK and JOHN W. KAPPLER. The role of H-2-linked genes in helper T cell function. VII. Expression of *I* region and immune response genes by B cells in bystander help assays

1289 ANTONIO PACIFICO and J. DONALD CAPRA. T cell hybrids with arsonate specificity. I. Initial characterization of antigen-specific T cell products that bear a cross-reactive idiotype and determinants encoded by the murine major histocompatibility complex

1302 DAVID S. PISETSKY, GALE A. MCCARTY, and DEBORAH V. PETERS. Mechanisms of autoantibody production in autoimmune MRL mice

1311 WENDY W. H. SHIH, POLLY C. MATZINGER, SUSAN L. SWAIN, and RICHARD W. DUTTON. Analysis of histocompatibility requirements for proliferative and helper T cell activity. T cell populations depleted of alloreactive cells by negative selection

1329 GERALD G. KRUEGER, DONALD A. CHAMBERS, and JANE SHELBY. Epidermal proliferation of nude mouse skin, pig skin, and pig skin grafts. Failure of nude mouse skin to respond to the tumor promotor 12-*O*-tetradecanoyl phorbol 13-acetate

1340 ZENA WERB, MICHAEL J. BANDA, and PETER A. JONES. Degradation of connective tissue matrices by macrophages. I. Proteolysis of elastin, glycoproteins, and collagen by proteinases isolated from macrophages

1358 P. W. ASKENASE, S. BURSZTAJN, M. D. GERSHON, and R. K. GERSHON. T cell-dependent mast cell degranulation and release of serotonin in murine delayed-type hypersensitivity

1375 MIERCIO E. A. PEREIRA, MARIA A. LOURES, FERNANDO VILLALTA, and ARNALDO F. B. ANDRADE. Lectin receptors as markers for *Trypanosoma cruzi*. Developmental stages and a study of the interaction of wheat germ agglutinin with sialic acid residues on epimastigote cells

1393 JONATHAN G. SPANIER and P. PATRICK CLEARY. Bacteriophage control of antiphagocytic determinants in group A streptococci

BRIEF DEFINITIVE REPORTS

1407 BEVERLEY L. PIKE, T. W. KAY, and G. J. V. NOSSAL. Relative sensitivity of fetal and newborn mice to induction of hapten-specific B cell tolerance

1413 CONNY HARDT, KLAUS PFIZENMAIER, MARTIN RÖLLINGHOFF, JAN KLEIN, and HERMANN WAGNER. Alloreactive and H-2-restricted Lyt 23 cytotoxic T lymphocytes derive from a common pool of antecedent Lyt 123 precursors

1419 CHRISTINE A. KOZAK and WALLACE P. ROWE. Genetic mapping of the ecotropic virus-inducing locus *Akv-2* of the AKR mouse

1424 WILLIAM H. KUTTEH, WILLIAM J. KOOPMAN, MARY ELLEN CONLEY, MARIANNE L. EGAN, and JIRI MESTECKY. Production of predominantly polymeric IgA by human peripheral blood lymphocytes stimulated in vitro with mitogens

1430 W. JUDD, C. A. POODRY, and J. L. STROMINGER. Novel surface antigen expressed on dividing cells but absent from nondividing cells

1436 SHIRO SHIMIZU, YOSHITERU KONAKA, and RICHARD T. SMITH. Mitogen-initiated synthesis and secretion of T cell growth factor(s) by a T-lymphoma cell line

1442 MARTHA H. MULKS, ANDREW G. PLAUT, HARRY A. FELDMAN, and BLAS FRANGIONE. IgA proteases of two distinct specificities are released by *Neisseria meningitidis*

1448 GIDEON STRASSMANN, RUTH LIFSHITZ, and EDNA MOZES. Elicitation of delayed-type hypersensitivity responses to poly(LTyr,LGlu)-poly(DLAla)--poly(LLys) by anti-idiotypic antibodies

1453 PATRICIA P. JONES. Aberrant A_e (E_β) Ia polypeptide chain in $H\text{-}2^{e2}$ haplotype mice. Possible result of an intragenic recombination or mutation

Volume 152 No. 6 December 1, 1980

1459 S. J. CHALLACOMBE and T. B. TOMASI, JR. Systemic tolerance and secretory immunity after oral immunization

1473 EITAN YEFENOF, AMALIA MEIDAV, and ELI KEDAR. In vitro generation of cytotoxic lymphocytes against radiation- and radiation leukemia virus-induced tumors. III. Suppression of anti-tumor immunity in vitro by lymphocytes of mice undergoing radiation leukemia virus-induced leukemogenesis

1484 F. K. STEVENSON, T. J. HAMBLIN, G. T. STEVENSON, and A. L. TUTT. Extracellular idiotypic immunoglobulin arising from human leukemic B lymphocytes

1497 D. MORELLO, H. CONDAMINE, C. DELARBRE, C. BABINET, and G. GACHELIN. Serological identification and cellular distribution of three F9 antigen components

1506 HEINZ W. KUNZ, THOMAS J. GILL III, BARBARA D. DIXON, FLOYD H. TAYLOR, and DALE L. GREINER. Growth and reproduction complex in the rat. Genes linked to the major histocompatibility complex that affect development

1519 S. M. FU, J. N. HURLEY, J. M. MCCUNE, H. G. KUNKEL, and R. A. GOOD. Pre-B cells and other possible precursor lymphoid cell lines derived from patients with X-linked agammaglobulinemia

1527 PETER A. JONES and ZENA WERB. Degradation of connective tissue matrices by macrophages. II. Influence of matrix composition on proteolysis of glycoproteins, elastin, and collagen by macrophages in culture

1537 ZENA WERB, DOROTHY F. BAINTON, and PETER A. JONES. Degradation of connective tissue matrices by macrophages. III. Morphological and biochemical studies on extracellular, pericellular, and intracellular events in matrix proteolysis by macrophages in culture

1554 MARY E. SUNDAY, BARUJ BENACERRAF, and MARTIN E. DORF. Hapten-specific T cell responses to 4-hydroxy-3-nitrophenyl acetyl. VI. Evidence for different T cell receptors in cells that mediate H-2I-restricted and H-2D-restricted cutaneous sensitivity responses

1563 MICHAEL J. BANDA, ELIZABETH J. CLARK, and ZENA WERB. Limited proteolysis by macrophage elastase inactivates human α_1-proteinase inhibitor

1571 KIM BOTTOMLY and PAUL H. MAURER. Antigen-specific helper T cells required for dominant production of an idiotype (ThId) are not under immune response (Ir) gene control

1583 K. FISCHER LINDAHL, M. BOCCHIERI, and R. RIBLET. Maternally transmitted target antigen for unrestricted killing by NZB T lymphocytes

1596 HENRY W. MURRAY and ZANVIL A. COHN. Macrophage oxygen-dependent antimicrobial activity. III. Enhanced oxidative metabolism as an expression of macrophage activation

1610 HENRY W. MURRAY, CARL F. NATHAN, and ZANVIL A. COHN. Macrophage oxygen-dependent antimicrobial activity. IV. Role of endogenous scavengers of oxygen intermediates

1625 JOHN D. LAMBRIS, NORMAM J. DOBSON, and GORDON D. ROSS. Release of endogenous C3b inactivator from lymphocytes in response to triggering membrane receptors for β1H globulin

1645 SHOZO IZUI, VICKI E. KELLEY, PATRICIA J. MCCONAHEY, and FRANK J. DIXON. Selective suppression of retroviral gp70-anti-gp70 immune complex formation by prostaglandin E_1 in murine systemic lupus erythematosus

1659 NANCY P. CUMMINGS, MICHAEL J. PABST, and RICHARD B. JOHNSTON, JR. Activation of macrophages for enhanced release of superoxide anion and greater killing of *Candida albicans* by injection of muramyl dipeptide

1670 POJEN CHEN, DANUTE E. NITECKI, GEORGE K. LEWIS, and JOEL W. GOODMAN. Antigen structural requirements for immunoglobulin isotype switching in mice

1684 MARK G. SCHER, DAVID I. BELLER, and EMIL R. UNANUE. Demonstration of a soluble mediator that induces exudates rich in Ia-positive macrophages

1699 EILEEN REMOLD-O'DONNELL. Macrophage component gp160, a major trypsin-sensitive surface glycoprotein

1709 STEVEN GILLIS and JAMES WATSON. Biochemical and biological characterization of lymphocyte regulatory molecules. V. Identification of an interleukin 2-producing human leukemia T cell line

1720 OLE P. REKVIG and KRISTIAN HANNESTAD. Human autoantibodies that react with both cell nuclei and plasma membranes display specificity for the octamer of histones H2A, H2B, H3, and H4 in high salt.

1734 PATRICIA S. STEEG, ROBERT N. MOORE, and JOOST J. OPPENHEIM. Regulation of murine macrophage Ia-antigen expression by products of activated spleen cells

1745 MITCHELL KRONENBERG, MARK M. DAVIS, PHILIP W. EARLY, LEROY E. HOOD, and JAMES D. WATSON. Helper and killer T cells do not express B cell immunoglobulin joining and constant region gene segments

1762 WIM J. VAN DE VEN, FRED H. REYNOLDS, JR., JONAS BLOMBERG, and JOHN R. STEPHENSON. Identification of tryptic peptides unique to a 110,000-molecular weight polyprotein encoded by the T-8 isolate of murine leukemia virus

1779 RICHARD J. HODES, KAREN S. HATHCOCK, and ALFRED SINGER. Major histocompatibility complex-restricted self recognition. A monoclonal anti-I-A^k reagent blocks helper T cell recognition of self major histocompatibility complex determinants

1795 WILLIAM J. BRITT and BRUCE CHESEBRO. H-2D (Rfv-1) gene influence on recovery from Friend virus leukemia is mediated by nonleukemic cells of the spleen and bone marrow

BRIEF DEFINITIVE REPORTS

1805 JEFFREY P. LAKE, MARION E. ANDREW, CARL W. PIERCE, and THOMAS J. BRACIALE. Sendai virus-specific, H-2-restricted cytotoxic T lymphocyte responses of nude mice grafted with allogeneic or semi-allogeneic thymus glands

1811 HARRY A. BERNHEIM, LUTZ H. BLOCK, LORRAINE FRANCIS, and ELISHA ATKINS. Release of endogenous pyrogen-activating factor from concanavalin A-stimulated human lymphocytes

1817 GEOFFREY H. SUNSHINE, DAVID R. KATZ, and MARC FELDMANN. Dendritic cells induce T cell proliferation to synthetic antigens under Ir gene control

1823 Index to Volume 152